



*Clearly the Right Choice*

January 10, 2023

Sean Smith

Service Building Supply

[ssmith@sbseast.com](mailto:ssmith@sbseast.com)

Re: PO# 2058405 (205 Crossings at Anderson Creek)

2058394 (206 Crossings at Anderson Creek)

Sean,

Since these orders were placed, the product has undergone recertification for thermal values at which time the values changed. Please see the attached files for the current thermal values for the windows for PO# 2058405 & 2058394.

Respectfully,

A handwritten signature in blue ink that reads 'Justin Bryan'.

Justin M. Bryan

Engineering Manager


# Rough Opening Schedule

SERVICE BLDG SUPPLY-RALEIGH


QUOTE#	QUOTE NAME	PROJECT NAME	PO NUMBER
346326	205 CROSSINGS AT ANDERSON CREEK	CCH	2058405

LINE#	DESCRIPTION	QUANTITY
-------	-------------	----------


1  
**BASE UNITS -**  
 Rough: #1 6010 SH 2-8 X 5-0 Call Size(BS) -COMPLETE UNIT  
 32.0" X 60.0"  
**GENERAL OPTIONS:**  
 Vinyl : EW, EW/EW Int., Half Scr Loose, Charcoal Fiberglass Mesh,  
 Overall Unit: **GRILLE OPTIONS:**  
 31.5" X 13/16" FLAT, EW/EW, *Bottom A* : No Grilles *Top B* : Custom Colonial  
 59.5" Pattern, 1H1V,  
**GLASS OPTIONS:**  
 Low-E 270  
**AWS Design Pressure Ratings:** DP 35;  
**Thermal Ratings:** U-Factor=0.34; SHGC=0.28; VLT=0.51;







2  
**BASE UNITS -**  
 Rough: #1 6010 SH 2-8 X 5-0 Call Size(BS) -COMPLETE UNIT  
 32.0" X 60.0"  
**GENERAL OPTIONS:**  
 Vinyl : EW, EW/EW Int., Half Scr Loose, Charcoal Fiberglass Mesh,  
 Overall Unit: Drywall Clips,  
 31.5" X **GRILLE OPTIONS:**  
 59.5" 13/16" FLAT, EW/EW, *Bottom A* : No Grilles *Top B* : Custom Colonial  
 Pattern, 1H1V,  
**GLASS OPTIONS:**  
 Low-E 270  
**AWS Design Pressure Ratings:** DP 35;  
**Thermal Ratings:** U-Factor=0.34; SHGC=0.28; VLT=0.51;




10  
**BASE UNITS -**  
 Rough: #1 6010 SH 2-8 X 5-0 Call Size(BS) -COMPLETE UNIT  
 64.0" X 60.0" #2 6010 SH 2-8 X 5-0 Call Size(BS) -COMPLETE UNIT  
**GENERAL OPTIONS:**  
 Vinyl : EW, EW/EW Int., Half Scr Loose, Charcoal Fiberglass Mesh,  
 Overall Unit: **GRILLE OPTIONS:**  
 63.5" X 13/16" FLAT, EW/EW, *Bottom A* : No Grilles *Top B* : Custom Colonial  
 59.5" Pattern, 1H1V,  
**GLASS OPTIONS:**  
 Low-E 270  
**AWS Design Pressure Ratings:** DP 25;  
**Thermal Ratings:** U-Factor=0.34; SHGC=0.28; VLT=0.51;



LINE#	DESCRIPTION	QUANTITY
16	<b>BASE UNITS -</b> Rough: #1 6010 TR 4-0 X 1-0 Call Size(BS) -COMPLETE UNIT 48.0" X 12.0" <b>GENERAL OPTIONS:</b> Vinyl : EW, EW/EW Int., No Screen, Overall Unit: <b>GRILLE OPTIONS:</b> 47.5" X NONE, 11.5" <b>GLASS OPTIONS:</b> Low-E 270, Double Strength (DSB)  <b>AWS Design Pressure Ratings:</b> DP 50; <b>Thermal Ratings:</b> U-Factor=0.32; SHGC=0.31; VLT=0.59;	1 
19	<b>BASE UNITS -</b> Rough: #1 6010 SH 2-8 X 5-0 Call Size(BS) -COMPLETE UNIT 32.0" X 60.0" <b>GENERAL OPTIONS:</b> Vinyl : EW, EW/EW Int., Half Scr Loose, Charcoal Fiberglass Mesh, Overall Unit: <b>GRILLE OPTIONS:</b> 31.5" X 13/16" FLAT, EW/EW, <i>Bottom A</i> : No Grilles <i>Top B</i> : Custom Colonial 59.5" Pattern, 1H1V, <b>GLASS OPTIONS:</b> Low-E 270, Tempered, Double Strength (DSB)  <b>AWS Design Pressure Ratings:</b> DP 35; <b>Thermal Ratings:</b> U-Factor=0.34; SHGC=0.27; VLT=0.5;	1 
20	<b>BASE UNITS -</b> Rough: #1 6010 SH 2-0 X 3-10 Call Size(BS) -COMPLETE UNIT 24.0" X 46.0" <b>GENERAL OPTIONS:</b> Vinyl : EW, EW/EW Int., Half Scr Loose, Charcoal Fiberglass Mesh, Overall Unit: <b>GRILLE OPTIONS:</b> 23.5" X 13/16" FLAT, EW/EW, <i>Bottom A</i> : No Grilles <i>Top B</i> : Custom Colonial 45.5" Pattern, 1H1V, <b>GLASS OPTIONS:</b> Low-E 270  <b>AWS Design Pressure Ratings:</b> DP 35; <b>Thermal Ratings:</b> U-Factor=0.34; SHGC=0.28; VLT=0.51;	1 
23	<b>BASE UNITS -</b> Rough: #1 6010 SH 2-8 X 6-0 Call Size(BS) -COMPLETE UNIT 64.0" X 72.0" #2 6010 SH 2-8 X 6-0 Call Size(BS) -COMPLETE UNIT <b>GENERAL OPTIONS:</b> Vinyl : EW, EW/EW Int., Half Scr Loose, Charcoal Fiberglass Mesh, Overall Unit: <b>GRILLE OPTIONS:</b> 63.5" X 13/16" FLAT, EW/EW, <i>Bottom A</i> : No Grilles <i>Top B</i> : Custom Colonial 71.5" Pattern, 1H1V, <b>GLASS OPTIONS:</b> Low-E 270  <b>AWS Design Pressure Ratings:</b> DP 25; <b>Thermal Ratings:</b> U-Factor=0.34; SHGC=0.28; VLT=0.51;	1 


LINE#	DESCRIPTION	QUANTITY
-------	-------------	----------

24  
**BASE UNITS -**  
 Rough: #1 6010 PIC 2-0 X 2-0 Call Size(BS) -COMPLETE UNIT  
 24.0" X 24.0"  
**GENERAL OPTIONS:**  
 Vinyl : EW, EW/EW Int., No Screen,  
 Overall Unit: **GRILLE OPTIONS:**  
 23.5" X 13/16" FLAT, EW/EW, Custom Colonial Pattern, 1H1V,  
 23.5" **GLASS OPTIONS:**  
 Low-E 270, Double Strength (DSB)



**AWS Design Pressure Ratings:** DP 50;  
**Thermal Ratings:** U-Factor=0.32; SHGC=0.29; VLT=0.52;

25  
**BASE UNITS -**  
 Rough: #1 6010 PIC 2-8 X 2-8 Call Size(BS) -COMPLETE UNIT  
 32.0" X 32.0"  
**GENERAL OPTIONS:**  
 Vinyl : EW, EW/EW Int., No Screen,  
 Overall Unit: **GRILLE OPTIONS:**  
 31.5" X 13/16" FLAT, EW/EW, Custom Colonial Pattern, 1H1V,  
 31.5" **GLASS OPTIONS:**  
 Low-E 270, Double Strength (DSB)



**AWS Design Pressure Ratings:** DP 50;  
**Thermal Ratings:** U-Factor=0.32; SHGC=0.29; VLT=0.52;


# Rough Opening Schedule

SERVICE BLDG SUPPLY-RALEIGH


QUOTE#	QUOTE NAME	PROJECT NAME	PO NUMBER
346345	206 CROSSINGS AT ANDERSON CREEK	CCH	2058394

LINE#	DESCRIPTION	QUANTITY
-------	-------------	----------


1  
**BASE UNITS -**  
 Rough: #1 6010 SH 2-8 X 5-0 Call Size(BS) -COMPLETE UNIT  
 32.0" X 60.0"  
**GENERAL OPTIONS:**  
 Vinyl : EW, EW/EW Int., Half Scr Loose, Charcoal Fiberglass Mesh,  
 Overall Unit: **GRILLE OPTIONS:**  
 31.5" X 13/16" FLAT, EW/EW, *Bottom A* : No Grilles *Top B* : Custom Colonial  
 59.5" Pattern, 1H1V,  
**GLASS OPTIONS:**  
 Low-E 270  
**AWS Design Pressure Ratings:** DP 35;  
**Thermal Ratings:** U-Factor=0.34; SHGC=0.28; VLT=0.51;







2  
**BASE UNITS -**  
 Rough: #1 6010 SH 2-8 X 5-0 Call Size(BS) -COMPLETE UNIT  
 32.0" X 60.0"  
**GENERAL OPTIONS:**  
 Vinyl : EW, EW/EW Int., Half Scr Loose, Charcoal Fiberglass Mesh,  
 Overall Unit: Drywall Clips,  
 31.5" X **GRILLE OPTIONS:**  
 59.5" 13/16" FLAT, EW/EW, *Bottom A* : No Grilles *Top B* : Custom Colonial  
 Pattern, 1H1V,  
**GLASS OPTIONS:**  
 Low-E 270  
**AWS Design Pressure Ratings:** DP 35;  
**Thermal Ratings:** U-Factor=0.34; SHGC=0.28; VLT=0.51;




10  
**BASE UNITS -**  
 Rough: #1 6010 SH 2-8 X 5-0 Call Size(BS) -COMPLETE UNIT  
 64.0" X 60.0" #2 6010 SH 2-8 X 5-0 Call Size(BS) -COMPLETE UNIT  
**GENERAL OPTIONS:**  
 Vinyl : EW, EW/EW Int., Half Scr Loose, Charcoal Fiberglass Mesh,  
 Overall Unit: **GRILLE OPTIONS:**  
 63.5" X 13/16" FLAT, EW/EW, *Bottom A* : No Grilles *Top B* : Custom Colonial  
 59.5" Pattern, 1H1V,  
**GLASS OPTIONS:**  
 Low-E 270  
**AWS Design Pressure Ratings:** DP 25;  
**Thermal Ratings:** U-Factor=0.34; SHGC=0.28; VLT=0.51;



LINE#	DESCRIPTION	QUANTITY
16	<b>BASE UNITS -</b> Rough: #1 6010 TR 4-0 X 1-0 Call Size(BS) -COMPLETE UNIT 48.0" X 12.0" <b>GENERAL OPTIONS:</b> Vinyl : EW, EW/EW Int., No Screen, Overall Unit: <b>GRILLE OPTIONS:</b> 47.5" X NONE, 11.5" <b>GLASS OPTIONS:</b> Low-E 270, Double Strength (DSB)  <b>AWS Design Pressure Ratings:</b> DP 50; <b>Thermal Ratings:</b> U-Factor=0.32; SHGC=0.31; VLT=0.59;	1 
19	<b>BASE UNITS -</b> Rough: #1 6010 SH 2-4 X 5-0 Call Size(BS) -COMPLETE UNIT 28.0" X 60.0" <b>GENERAL OPTIONS:</b> Vinyl : EW, EW/EW Int., Half Scr Loose, Charcoal Fiberglass Mesh, Overall Unit: <b>GRILLE OPTIONS:</b> 27.5" X 13/16" FLAT, EW/EW, <i>Bottom A</i> : No Grilles <i>Top B</i> : Custom Colonial 59.5" Pattern, 1H1V, <b>GLASS OPTIONS:</b> Low-E 270, Tempered, Double Strength (DSB)  <b>AWS Design Pressure Ratings:</b> DP 35; <b>Thermal Ratings:</b> U-Factor=0.34; SHGC=0.27; VLT=0.5;	1 
20	<b>BASE UNITS -</b> Rough: #1 6010 SH 2-0 X 3-10 Call Size(BS) -COMPLETE UNIT 24.0" X 46.0" <b>GENERAL OPTIONS:</b> Vinyl : EW, EW/EW Int., Half Scr Loose, Charcoal Fiberglass Mesh, Overall Unit: <b>GRILLE OPTIONS:</b> 23.5" X 13/16" FLAT, EW/EW, <i>Bottom A</i> : No Grilles <i>Top B</i> : Custom Colonial 45.5" Pattern, 1H1V, <b>GLASS OPTIONS:</b> Low-E 270  <b>AWS Design Pressure Ratings:</b> DP 35; <b>Thermal Ratings:</b> U-Factor=0.34; SHGC=0.28; VLT=0.51;	1 
23	<b>BASE UNITS -</b> Rough: #1 6010 SH 2-0 X 3-2 Call Size(BS) -COMPLETE UNIT 24.0" X 38.0" <b>GENERAL OPTIONS:</b> Vinyl : EW, EW/EW Int., Half Scr Loose, Charcoal Fiberglass Mesh, Overall Unit: <b>GRILLE OPTIONS:</b> 23.5" X 13/16" FLAT, EW/EW, <i>Bottom A</i> : No Grilles <i>Top B</i> : Custom Colonial 37.5" Pattern, 1H1V, <b>GLASS OPTIONS:</b> Low-E 270  <b>AWS Design Pressure Ratings:</b> DP 35; <b>Thermal Ratings:</b> U-Factor=0.34; SHGC=0.28; VLT=0.51;	1 

LINE#	DESCRIPTION	QUANTITY
-------	-------------	----------


24 **BASE UNITS -**  
Rough: #1 6010 SH 2-4 X 3-0 Call Size(BS) -COMPLETE UNIT  
56.0" X 36.0" #2 6010 SH 2-4 X 3-0 Call Size(BS) -COMPLETE UNIT



**GENERAL OPTIONS:**  
Overall Unit: Vinyl : EW, EW/EW Int., Half Scr Loose, Charcoal Fiberglass Mesh,  
55.5" X **GRILLE OPTIONS:**  
35.5" 13/16" FLAT, EW/EW, *Bottom A* : No Grilles *Top B* : Custom Colonial  
Pattern, 1H1V,  
**GLASS OPTIONS:**  
Low-E 270

**AWS Design Pressure Ratings:** DP 25;  
**Thermal Ratings:** U-Factor=0.34; SHGC=0.28; VLT=0.51;

25 **BASE UNITS -**  
Rough: #1 6010 PIC 2-8 X 2-0 Call Size(BS) -COMPLETE UNIT  
32.0" X 24.0"



**GENERAL OPTIONS:**  
Overall Unit: Vinyl : EW, EW/EW Int., No Screen,  
31.5" X **GRILLE OPTIONS:**  
23.5" 13/16" FLAT, EW/EW, Custom Colonial Pattern, 1H1V,  
**GLASS OPTIONS:**  
Low-E 270, Double Strength (DSB)

**AWS Design Pressure Ratings:** DP 50;  
**Thermal Ratings:** U-Factor=0.32; SHGC=0.29; VLT=0.52;