




THIS LAYOUT IS TO BE USED AS A TRUSS PLACEMENT GUIDE ONLY.
PLEASE REFER TO BUILDING PLANS FOR BUILDING CONSTRUCTION AND DETAILS,
SUCH AS PLUMBING OR DUCT DROPS.

David Perez
1' OH, 2' OC
03/06/00



3000.00



Lowes Sanford (2008)
3015 S Homer Rd
Sanford, NC
27332

Date Quoted
Designer
Aron Meeks


David Perez
34
Sanford, NC
27330

Job #
Q-2102297

CONSTRUCTION
NOT FOR
CONSTRUCTION

1. This drawing is the property of Peak Truss Builders, LLC and is to be used for the project specified only. It is not to be used for any other project without the written consent of Peak Truss Builders, LLC.

34 Stone Wood Ln.
Sanford N.C 27330



Loadng	(psf)	Spacing	2-0-0	CSI	DEFL	in	(ft)	1/8"ft	Ltd	PLATES	GRP
TCLL (roof)	20.0	Plate Grip DDL	1.15	TC	0.06	Ver(L)	n/a	n/a	999	MT20	244/190
TCDL	10.0	Lumber DDL	1.15	BC	0.04	Ver(CT)	n/a	n/a	999		
BCLL	0.0*	Rep. Stress Incr	Code	YES	WB	0.11	Horz(CT)	0.00	37	n/a	n/a
BCDL	10.0	Code	IRC2015/TP12014	Matrix-MS							Weight: 1.77 lb. FT = 29%

LUMBER
 TOP CHORD 2x4 SP No.1
 BOT CHORD 2x4 SP No.1
 OTHERS 2x4 SP No.3

BRACING
 TOP CHORD
 BOT CHORD


Structural wood sheathing directly applied or 6-0-0 oc purlins.
 Rigid ceiling directly applied or 10-0-0 oc bracing.
 MITek recommends that Stabilizers and required cross bracing be installed during truss erection, in accordance with Stabilizer Installation guide.

REACTIONS All bearings 29-11-0
 (a) - Max Horiz. -2-105 (LC 9), 34-109 (LC 9)
 Max Uplift All uplift 100 (lb) or less at joint(s) 2, 18, 20, 21, 22, 23, 24, 25, 26, 29, 30, 31, 32, 33, 34, 37
 Max Grav All reactions 250 (lb) or less at joint(s) 2, 18, 20, 21, 22, 23, 24, 26, 29, 30, 31, 32, 33, 34, 37
 (b) - Max. Comp. Max. Ten. -All forces 250 (lb) or less except when shown.

- NOTES**
- Unbalanced roof live loads have been considered for this design.
 - Wind ASCE 7-10, Suction (negative) 1 second gust) Wind@8 mph, TCCL=6.0psf, BCCL=6.0psf, h=30ft, B=20ft, L=30ft, eaves=2ft, Cat. II, Exp. B, Enclosed, MWFRS (directional) and C-C, Corner (1) 1-0-0 to 2-0-0, Exterior (2) 2-0-0 to 14-11-8, Corner (3) 14-11-8 to 17-11-8, Exterior (2) 17-11-8 to 30-11-0 zone, cantilever left and right exposed, end vertical left and right exposed, C-C for members and forces & MWFRS for reactions shown; Lumber DCL=1.60 plate grip DCL=1.80
 - Truss designed for wind loads in the plane of the truss only. For studs exposed to wind (normal to the face), see Standard Industry Gable End Details as applicable, or consult qualified building designer as per ANSI TPI 1.
 - All plates are 2x4 MT20 unless otherwise indicated.
 - Gable requires continuous bottom chord bearing.
 - Gable studs spaced at 2-0-0 oc.
 - This truss has been designed for a live load of 20.0psf on the bottom chord in all areas where a rectangle 3-06-00 tall by 2-00-00 wide will fit between the bottom chord and any other members.
 - Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 100 lb uplift at joint(s) 2, 28, 29, 30, 31, 32, 33, 25, 24, 23, 22, 21, 20, 18, 2, 18.
 - This truss is designed in accordance with the 2015 International Residential Code sections R502.11.1 and R802.10.2 and referenced standard ANSI TPI 1.

LOAD CASE(S) Standard

Job	Truss	Truss Type	Qty	Ply	David Perez-Roof
Q-2102297-1	T1	Common	25	1	Job Reference (optional)
<small>Run: 6:43:5 Feb 3 2021 Print: 6:43:5 Feb 3 2021 MITel: wjw@mitel.com, Inc. Tue Sep 07 09:04:59 Page 1 Peak Truss Builders LLC, New MB, user ID: 11v1ubDIO2pamCewo@yqj6k-H0m2kzFFJJB0A@k0p0m0p057k0z0Ww0y0p0</small>					



Property	Value	Property	Value	Property	Value	Property	Value	Property	Value
Loading (psf)	20.0	Spacing	2'-0"-0	CSI	1.15	TC	0.59	DEFLL	-0.34
TCLL (roof)	10.0	Plate Grip DCL	1.15	BC	0.72	Vert(LL)	-0.47	ldell	>999
TCBL	10.0	Lumber DOL	YES	WB	0.31	Vert(CT)	0.06	Ltd	240
BCDL	10.0	Rep Stress Incr Code	IRC2015/TP12014	Matrix-MS		Horz(CT)	8	GRIP	244/190
								Weight: 137 lb	FT = 20%

LUMBER
 TOP CHORD 2x4 SP No.1
 BOT CHORD 2x4 SP No.1
 WEBS 2x4 SP No.3

REACTIONS (lb/size) 2x125/0-3-8, (min. 0-2-0), 8x125/0-3-8, (min. 0-2-0)
 Max Horiz 2x109 (LC 10)
 Max Uplift 2x137 (LC 11), 8x137 (LC 11)

FORCES (lb) -Max Comp./Max. Ten. - All forces 250 (lb) or less except when shown.
 TOP CHORD
 2-19=2103/199, 3-19=2048/233, 3-4=1881/213, 4-20=1872/235, 5-20=1766/252, 6-21=1766/252, 6-21=1872/235,
 6-7=1851/213, 7-22=2048/233, 8-22=2103/199
 BOT CHORD
 2-12=108/1832, 12-24=0/1198, 11-23=0/1198, 11-24=0/1198, 10-24=0/1198, 8-10=108/1832
 WEBS
 5-10=50/774, 7-10=471/187, 5-12=50/774, 3-12=471/187

NOTES
 1) Unbalanced roof live loads have been considered for this design.
 2) Wind ASCE 7-10, Vel=115mph (3-second gust) Vel=91mph; TCCL=6.0psf; BCDL=6.0psf; h=30ft; B=20ft; L=30ft; eave=4ft; Cat. II; Exp. B; Enclosed; MWFRS (directional) and 0-5 Exterior (2) -1-0-0 to 2-0-0; Interior (1) 2-0-0 to 14-11-8; Exterior (2) 14-11-8 to 17-11-8; Interior (1) 17-11-8 to 30-11-0 zone; cantilever left and right exposed; end vertical left and right exposed; C-C for members and forces & MWFRS for reactions shown; Lumber DOL=1.60 plate grip DOL=1.60
 3) This truss has been designed for a live load of 20 psf on the bottom chord in all areas where a rectangle 3'-6"-0" tall by 2'-0"-0" wide will fit between the bottom chord and any other members, with BCDL = 10.0psf.
 4) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 137 lb uplift at joint 2 and 137 lb uplift at joint 8.
 5) This truss is designed in accordance with the 2015 International Residential Code sections R502.11.1 and R502.10.2 and referenced standard ANSI/TPI 1.

LOAD CASE(S) Standard

BRACING
 TOP CHORD
 BOT CHORD

Structural wood sheathing directly applied or 3'-6"-10 oc purlins
 Rigid ceiling directly applied or 10'-0 oc bracing
 MiTek recommends that Stabilizers and required cross bracing be installed during truss erection, in accordance with Stabilizer installation guide.