

SOLE RESPONSIBILITY FOR CORRECTNESS OF DIMENSIONS, DETAILS, AND QUANTITIES SHALL REMAIN WTIH THE CONTRACTOR.								Iangers   16) HUS26   ##) #########   ##) ##################################
RESIDENTIAL STRUCTURES, PC. 3410 N. Devideon St. ROOF			F TRUSS LAYOUT				L.	##) ######## ##) ########
Charlotte, N.C. 28205 Seal For Structural Only	'-0"				L	##) ########		
		1						
		Client:	True Homes					
The	THE BUILDING CENTER, INC.	Notes:		Job Desc:	VAKEFIELI	<b>) -</b> 3271		
Building	2591 Jenkins Dairy Rd			Site Information:		-		
Center, Inc.	PH. (704) 824-8182 FAX. (704) 824-2232				Lot 4 - WAG	G		
				Salesman:	NA	Date:	08/30	0/2021
				Drafter:	JSC	Job #:	2108	33435
THIS IS A TRUSS PLACEMENT DIAGRAM ONLY. These trusses are designed as individual building components to be incorporated into the building design at the specification of the building designer. See individual design sheets for each truss design identified on the placement drawing. The building designer is responsible for temporary and permanent bracing of the roof and floor system and for the overall structure. The design of the truss support structure including headers, beams, walls,			SHOP DRAWING APPROVAL THIS LAYOUT IS THE SOLE SOURCE FOR FABRICATION OF TRUSSES AND VOIDS ALL PREVIOUS ARCHITECTURAL OR OTHER TRUSS LAYOUTS. REVIEW AND APPROVAL OF THIS LAYOUT MUST BE RECEIVED BEFORE ANY TRUSSES WILL BE BUILT. VERIFY ALL CONDITIONS TO INSURE AGAINST CHANGES THAT WILL RESULT IN EXTRA CHARGES TO YOU.					
and columns is the responsibility of the building designer. For general guidance regarding bracing, consult "Bracing of V Trusses" available from the Truss Plate Institute, 583 D'Onifrio Drive; Madison, WI 53179.			REVIEWED BY:	APPROVED BY:			DATE	: