

## THIS LAYOUT IS TO BE USED AS A TRUSS PLACEMENT GUIDE ONLY. PLEASE REFER TO BUILDING PLANS FOR BUILDING CONSTRUCTION AND DETA SUCH AS PLUMBING OR DUCT DROPS.



A	L	S	,
			,

## **PROPOSED DES** NOT FOR CONSTRUCTIC

Notes: 1. Exterior dimensions shown are assumed to be: ☑ Out-to-out of stud ☐ Out-to-out of sheathing 2. Adjust truss locations as needed for plumbing and mechanical clearance. Unless otherwise noted, trusses may be	Job # Q-2101667	
shifted as long as O.C. spacing shown is not exceeded. 3. Do not cut, drill, or otherwise damage any part of any truss without prior approval from Peak Truss. 4. Do not approve drawings if any information herein is unclear. Once ordered trusses will be fabricated as approved. 5. Please contact Peak Truss Builders with any questions. We are available to help any way we can. We can be reached at 919-545-5555 or sales@peaktruss.com Roof Truss Loading per 2018 NC Residential Code Top Chord Live Load 20# PSF	Brooklyn RH V2 W Harrington Ave Broadway NC	
Top Chord Dead Load 10# PSF   Bottom Chord Live Load 0# PSF   Bottom Chord Dead Load 10# PSF   Trusses are designed for additional storage load wherever a 42"x24" box will fit between the webs. △   △ - This symbol denotes left end of truss as shown on truss drawings   ● - Approximate location of toilet drop. Builder please confirm.   Truss connections by others: ⟨N⟩-Nailed   ⟨L⟩ -Ledger	Date Quoted: Designer: Aron Meeks	
	Lamco Custom Builders LLC	
	Peak Truss Builders, LLC PO Box 340, New Hill, NC 27562	



	Lamco Custom Builders LLC	Date Quoted:	Brooklyn RH V2	Job #
Peak Truss Builders, LLC		Designer:	W Harrington Ave Broadway NC	Q-2101667
PO Box 340, New Hill, NC 27562	7	Aron Meeks	DIOAUWAY NC	