
Harnett County Department of Public Health

Improvement Permit

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: 1263 Cobb Road (SR 1556) SUBDIVISION Keith H Brouillard ISSUED TO: TLE Homes, LLC Site Improvements required prior to Construction Authorization Issuance: EXPANSION | REPAIR Type of Structure: 4-Bedroom 56'x61' SFD Proposed Wastewater System Type: 25% Reduction Sys. Projected Daily Flow: 480 Number of Occupants: 8 Number of bedrooms: 4 Basement Yes May be required based on final location and elevations of facilities X No Pump Required: Yes X Five years Permit valid for: Public Well Distance from well NA Type of Water Supply: Community No expiration Permit conditions: SEE ATTACHED SITE SKETCH tment in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This The issuance of this permit by the Health Department site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. PROPERTY LOCATION: 1263 Cobb Road (SR 1556) ISSUED TO: TLE Homes, LLC LOT # 3B SUBDIVISION Keith H Brouillard Facility Type: 4-Bedroom 56'x61' SFD Expansion Basement Fixtures? Yes X No Basement? Yes GPD (Initial) Wastewater Flow: 480 25% Reduction System Type of Wastewater System** (See note below, if applicable) 25% Reduction System Number of trenches 3 Installation Requirements/Conditions Trench Spacing: 9 Feet on Center Exact length of each trench 100 Septic Tank Size 1250 gallons Soil Cover: 14 Trenches shall be installed on contour at a gallons Pump Tank Size ___ (Maximum soil cover shall not exceed Maximum Trench Depth of: 26 inches 36" above the trench bottom) (Trench bottoms shall be level to +/-1/4" in all directions) NA inches below pipe ft. TDH vs. Pump Requirements: ____ inches above pipe Aggregate Depth: NA inches total Conditions: Gravity to D-Box Equal Distribution Required WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. **If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This SEE ATTACHED SITE SKETCH Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit Construction Authorization Expiration Date 1019/2026 12/69/2026

Harnett County Department of Public Health Site Sketch



This drawing is for illustrative purposes only. System installation must meet all pertinent laws, rules, and regulations.