

North Carolina 2018 - Simulated Performance Alternative (N1105)

Property

4605 Christian Light Rd
Fuquay Varina, NC 27526
Model: Custom

Organization

Model Energy
Andrew King

Inspection Status

Results are projected

MPI Foam - 4605 Christian Light Rd
4605 Christian Light Rd

Builder

Travis Dawson








This report is based on a proposed design and does not confirm field enforcement of design elements.

Annual Energy Cost

Design	North Carolina 2018 Performance	As Designed
Heating	\$535	\$462
Cooling	\$197	\$189
Water Heating	\$529	\$529
Mechanical Ventilation	\$0	\$0
SubTotal - Used to determine compliance	\$1,260	\$1,179
Lights & Appliances w/out Ventilation	\$483	\$483
Onsite generation	\$0	\$0
Total	\$1,744	\$1,662

R405.3 Source Energy Exception: The proposed home uses 8.73 MBtu LESS source energy than the reference home.

Requirements

	405.3	Performance-based compliance passes by 9.1%
	R402.4.2.2	Air Leakage Testing Air sealing is 0.14 CFM50 / ft² Shell Area. It must not exceed 0.30 CFM50 / ft² Shell Area.
	R402.5	Area-weighted average fenestration SHGC
	R402.5	Area-weighted average fenestration U-Factor
	R404.1	Lighting Equipment Efficiency
	Mandatory Checklist	Mandatory code requirements that are not checked by Ekotrope must be met.
	R403.3.1	Duct Insulation

Design exceeds requirements for North Carolina 2018 Performance compliance by 9.1%.


As a 3rd party extension of the code jurisdiction utilizing these reports, I certify that this energy code compliance document has been created in accordance with the requirements of Chapter 4 of the adopted International Energy Conservation Code based on WAKE County. If rating is Projected, I certify that the building design described herein is consistent with the building plans, specifications, and other calculations submitted with the permit application. If rating is Confirmed, I certify that the address referenced above has been inspected/tested and that the mandatory provisions of the IECC have been installed to meet or exceed the intent of the IECC or will be verified as such by another party.

Name: Andrew King

Organization: Model Energy

Signature: _____

Date: _____



Ekotrope RATER - Version 4.0.1.2989

North Carolina 2018 Performance compliance results calculated using Ekotrope RATER's energy and code compliance algorithm, including appropriate amendments. Ekotrope RATER is a RESNET Accredited HERS Rating Tool. All results are based on data entered by Ekotrope users. Ekotrope disclaims all liability for the information shown on this report.

Building Summary

Property
4605 Christian Light Rd
Fuquay Varina, NC 27526
Model: Custom

Organization
Model Energy
Andrew King

Inspection Status
Results are projected

MPI Foam - 4605 Christian Light Rd
4605 Christian Light Rd

Builder
Travis Dawson

General Building Information

Number Of Bedrooms	2
Number Of Floors	2
Conditioned Floor Area [sq. ft.]	2,035
Has Electric Vehicle Ready Space	No
Unconditioned, attached garage?	Yes
Conditioned Volume [cu. ft.]	24,107
Total Units in Building	1
Residence Type	Single family detached
Number of Floors in Building	-
Floor Number	-
Model	Custom
Community	
RESNET/IECC 2006 Climate Zone	4A
IECC 2021 Climate Zone	3A

Foundation Wall

None Present

Foundation Wall Library List

None Present

Slab

Name	Library Type	Perimeter	Floor Grade	Carpet R	Exposed Masonry Area	Surface Area	Location	Enclosing
slab	R 10 Perimeter	53	On Grade	1	0	135.0 ft²	Exposed Exterior	Conditioned Space

Slab Library List

Name	Wall Construction Type	Slab Completely Insulated?	Underslab Insulation Width [ft]	Perimeter Insulation Depth [ft]	Perimeter Insulation R Value	Thermal Break	Effective R-value
R 10 Perimeter	Wood Frame / Other	No	0	2	10	No	0.00

Building Summary

Property
4605 Christian Light Rd
Fuquay Varina, NC 27526
Model: Custom

Organization
Model Energy
Andrew King

Inspection Status
Results are projected

MPI Foam - 4605 Christian Light Rd
4605 Christian Light Rd

Builder
Travis Dawson

Framed Floor

Name	Library Type	Carpet R	Floor Grade	Surface Area	Location
over garage	R 19 OC Foam, 16"OC G1 Hardwood	0	Above Grade	1,900.0 ft ²	Unconditioned, attached garage

Framed Floor Library List

Name	Effective R-value
R 19 OC Foam, 16"OC G1 Hardwood	19.217

Rim Joist

Name	Library Type	Surface Area	Location
1st floor garage	R 13 G1 foam, 16"OC	53.0 ft ²	Exposed Exterior
crawl ambient	R 13 G1 foam, 16"OC	132.0 ft ²	Exposed Exterior

Rim Joist Library List

Name	Effective Insulation R-value
R 13 G1 foam, 16"OC	13.00

Wall

Name	Library Type	Surface Color	Surface Area	Location
1st floor garage	R 13 OC Spray Foam G1 16" O.C	Medium	530.0 ft ²	Unconditioned, attached garage
2nd floor ambient	R 13 OC Spray Foam G1 16" O.C	Medium	1,755.0 ft ²	Exposed Exterior
gable walls	R 13 OC Spray Foam G1 16" O.C	Medium	155.0 ft ²	Exposed Exterior

Building Summary

Property
4605 Christian Light Rd
Fuquay Varina, NC 27526
Model: Custom

Organization
Model Energy
Andrew King

Inspection Status
Results are projected

MPI Foam - 4605 Christian Light Rd
4605 Christian Light Rd

Builder
Travis Dawson

Wall Library List

Name	Effective R-value
R 13 OC Spray Foam G1 16" O.C	12.261

Glazing

Name	Library Type	Wall Assignment	Foundation Wall Assignment	Is Operable	Overhang Depth	Overhang Ft To Top	Overhang Ft To Bottom	Orientation	Surface Area
front 2nd shaded	28/21	2nd floor ambient		Yes	529	0	0	East	101.5 ft²
front 2nd unshaded	28/21	2nd floor ambient		Yes	0	0	0	East	48.1 ft²
left 2nd shaded	28/21	2nd floor ambient		Yes	14	2	9	South	61.8 ft²
left 2nd unshaded	28/21	2nd floor ambient		Yes	0	0	0	South	13.4 ft²
rear 2nd unshaded	28/21	2nd floor ambient		Yes	0	0	0	West	62.0 ft²
right 2nd unshaded	28/21	2nd floor ambient		Yes	0	0	0	North	46.7 ft²

Glazing Library List

Name	Shgc	U-factor
28/21	0.21	0.280

Skylight

None Present

Skylight Library List

None Present

Building Summary

Property
4605 Christian Light Rd
Fuquay Varina, NC 27526
Model: Custom

Organization
Model Energy
Andrew King

Inspection Status
Results are projected

MPI Foam - 4605 Christian Light Rd
4605 Christian Light Rd

Builder
Travis Dawson

Opaque Door

Name	Library Type	Wall Assignment	Foundation Wall Assignment	Emittance	Solar Absorptance	Surface Color	Surface Area	Location
front (garage) door	Fiberglass R-5	1st floor garage		0.9	0.75	Medium	24.0 ft ²	Unconditioned, attached garage

Opaque Door Library List

Name	Effective R-value
Fiberglass R-5	5.00

Roof Insulation

Name	Library Type	Attic Exterior Area [ft ²]	Clay or Concrete Roof Tiles	Surface Color	Surface Area	Location
sealed attic	R 26 OC Attic SEALED G1 NO Radiant Barrier	2,261	No	Dark	2,261.0 ft ²	Vaulted Roof

Roof Insulation Library List

Name	Has Radiant Barrier	Effective R-value
R 26 OC Attic SEALED G1 NO Radiant Barrier	No	23.695

Whole House Infiltration

Infiltration	Measurement Type	Shelter Class
964 CFM at 50 Pa	Blower-door tested	4

Mechanical Ventilation

None Present

Building Summary

Property
4605 Christian Light Rd
Fuquay Varina, NC 27526
Model: Custom


Organization
Model Energy
Andrew King

Inspection Status
Results are projected

MPI Foam - 4605 Christian Light Rd
4605 Christian Light Rd

Builder
Travis Dawson

Lighting



Onsite Generation

None Present

Onsite Generation Library List

None Present

Solar Generation

None Present

Dehumidifier

None Present

Dehumidifier Library List

None Present

Whole House Fan

None Present

Whole House Fan Library List

None Present

Building Summary

Property
4605 Christian Light Rd
Fuquay Varina, NC 27526
Model: Custom

Organization
Model Energy
Andrew King

Inspection Status
Results are projected

MPI Foam - 4605 Christian Light Rd
4605 Christian Light Rd

Builder
Travis Dawson

Conditioning Equipment

Name	Library Type	Serial Number	Heating Percent Load	Cooling Percent Load	Hot Water Percent Load	Location
Water Heater	z .82 EF Tankless PROPANE		0%	0%	100%	Unconditioned Garage
whole house heat pump	z 30K 15 SEER 8.5hspf		100%	100%	0%	Conditioned / Sealed Attic

Equipment Type: z .82 EF Tankless PROPANE

Equipment Type	Residential Water Heater
Fuel Type	Propane
Distribution Type	Hydronic Delivery (Radiant)
Hot Water Efficiency	0.82 Energy Factor
Tankless?	Yes

Equipment Type: z 30K 15 SEER 8.5hspf

Equipment Type	Air Source Heat Pump
Fuel Type	Electric
Distribution Type	Forced Air
Motor Type	PSC (Single Speed)
Heating Efficiency	8.5 HSPF
Heating Capacity [kBtu/h]	30
Backup Fuel Type	Electric
Switchover Temperature [°F]	0
Backup Heating Efficiency	1 COP
Use default Supplemental Heat	Yes
Cooling Efficiency	15 SEER
Cooling Capacity [kBtu/h]	30

Building Summary

Property
4605 Christian Light Rd
Fuquay Varina, NC 27526
Model: Custom

Organization
Model Energy
Andrew King

Inspection Status
Results are projected

MPI Foam - 4605 Christian Light Rd
4605 Christian Light Rd

Builder
Travis Dawson

Distribution System

Distribution Type	Forced Air
Heating Equipment	whole house heat pump
Cooling Equipment	whole house heat pump
Sq. Feet Served	2,035
# Return Grilles	2
Supply Duct R Value	8
Return Duct R Value	8
Supply Duct Area [ft ²]	549.45
Return Duct Area [ft ²]	203.5
Leakage to Outdoors	0 CFM @ 25Pa (0 / 100 ft ²)
Total Leakage	81 CFM25
Total Leakage Duct Test Conditions	Post-Construction
Use Default Flow Rate	Yes
Duct 1	
Duct Location	Conditioned Space
Percent Supply Area	100
Percent Return Area	100
Duct 2	
Duct Location	Conditioned Space
Percent Supply Area	0
Percent Return Area	0
Duct 3	
Duct Location	Conditioned Space
Percent Supply Area	0
Percent Return Area	0
Duct 4	
Duct Location	Conditioned Space
Percent Supply Area	0
Percent Return Area	0
Duct 5	
Duct Location	Conditioned Space
Percent Supply Area	0
Percent Return Area	0
Duct 6	
Duct Location	Conditioned Space
Percent Supply Area	0
Percent Return Area	0

HVAC Grading

HVAC Grading Not Conducted

Ceiling Fan

Has Ceiling Fan	Yes
Cfm Per Watt	100

Building Summary

Property

4605 Christian Light Rd
Fuquay Varina, NC 27526
Model: Custom

Organization

Model Energy
Andrew King

Inspection Status

Results are projected

MPI Foam - 4605 Christian Light Rd
4605 Christian Light Rd

Builder

Travis Dawson

Water Distribution

Water Fixture Type	Standard
Use Default Hot Water Pipe Length	No
Hot Water Pipe Length [ft]	98
At Least R3 Pipe Insulation?	No
Hot Water Recirculation System?	No
Recirculation System Pipe Loop Length [ft]	170
Drain Water Heat Recovery?	No

Clothes Dryer

Cef	3.01
Fuel Type	Electric
Field Utilization	Timer Controls
Is Outside Conditioned Space	No
Clothes Dryer Available	Yes
Defaults Type	HERS Reference

Clothes Washer

Label Energy Rating	151 kWh/Year
Annual Gas Cost	\$12.00
Electric Rate	\$0.11/kWh
Gas Rate	\$1.22/Therm
Capacity	3.31
Imef	2.15473684
Defaults Type	High Efficiency
Load Type	Front-load
Loads Per Week	6
Is Outside Conditioned Space	No
Clothes Washer Available	Yes

Dishwasher

Dishwasher Efficiency	0.66 EF
Dishwasher Size	Standard
Annual Gas Cost	\$33.12
Electric Rate	\$0.12/kWh
Gas Rate	\$1.09/Therm
Is Outside Conditioned Space	No

Appliances and Controls

Programmable thermostat?	Yes
Range/Oven Fuel	Electric
Convection Oven?	No
Induction Range?	No
Range/Oven Outside Conditioned Space?	No
Refrigerator Consumption	691 kWh/Year
Refrigerator Outside Conditioned Space?	No

Building Summary

Property

4605 Christian Light Rd
Fuquay Varina, NC 27526
Model: Custom

Organization

Model Energy
Andrew King

Inspection Status

Results are projected

MPI Foam - 4605 Christian Light Rd
4605 Christian Light Rd

Builder

Travis Dawson

Notes

Initial inputs by __MS 09/14/22__

-confirm cfl lighting %