

Harnett County Department of Public Health

Improvement Permit

A building permit cannot be issued with only an Improvement Permit

ISSUED TO: Michel Hicks PROPERTY LOCATION: 130 Deer Path Farm Dr. (Old Stage Road)
 SUBDIVISION Deer Path LOT # 16
 NEW REPAIR EXPANSION
 Type of Structure: 90'x69' (3bed/2.5) SFD
 Proposed Wastewater System Type: 25% Reduction Sys.
 Projected Daily Flow: 360 GPD
 Number of bedrooms: 3 Number of Occupants: 6 max
 Basement Yes No
 Pump Required: Yes No May be required based on final location and elevations of facilities
 Type of Water Supply: Community Public Well Distance from well NA feet
 Permit conditions: _____ Permit valid for: Five years
 No expiration

Authorized State Agent: [Signature] Date: 11/04/2021 SEE ATTACHED SITE SKETCH
 The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.

Construction Authorization

(Required for Building Permit)

The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout.

ISSUED TO: Michel Hicks PROPERTY LOCATION: 130 Deer Path Farm Dr. (Old Stage Road)
 SUBDIVISION Deer Path LOT # 16
 Facility Type: 90'x69' (3bed/2.5) SFD New Expansion Repair
 Basement? Yes No Basement Fixtures? Yes No
 Type of Wastewater System** 25% REDUCTION SYSTEM (Initial) Wastewater Flow: 360 GPD
 (See note below, if applicable
25% REDUCTION SYSTEM (Repair)

Installation Requirements/Conditions
 Septic Tank Size 1000 gallons
 Pump Tank Size _____ gallons
 Number of trenches 3
 Exact length of each trench 100 feet
 Trenches shall be installed on contour at a
 Maximum Trench Depth of: 24 inches
 (Trench bottoms shall be level to +/-1/4"
 in all directions)
 Trench Spacing: 9 Feet on Center
 Soil Cover: 12 inches
 (Maximum soil cover shall not exceed
 36" above the trench bottom)
 Pump Requirements: _____ ft. TDH vs. _____ GPM
 Aggregate Depth: NA inches below pipe
NA inches above pipe
 Conditions: GRAVITY TO D-BOX EQUAL DISTRIBUTION REQUIRED NA inches total

**WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA.
 NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA.**

**If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit.

Owner/Legal Representative Signature: _____ Date: _____

This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH

Authorized State Agent: [Signature] Date: 11/04/2021
ANDREW CORBIN Construction Authorization Expiration Date: 11/04/2026

Harnett County Department of Public Health Site Sketch

Property Location: 130 Deer Path Farm Dr. (Old Stage Road S. - SR 1769)


Issued To: Michel Hicks Subdivision Deer Path Lot # 16

Authorized State Agent: *[Signature]* Date: 11/04/2021

NOT A SURVEY

REVISED: 10-21-2021

el L. Hill
ifer L. Hill
Book 3441, Page 645
#2000, Page 605



- * GRAVITY TO D-BOX EQUAL DISTRIBUTION REQUIRED
- * INSTALL AS HIGH UP HILL AS CONTAIN/FALL ALLOWS
 - ↳ ENSURE THREE(3) LINES CAN BE INSTALLED BELOW
- * CAN INSTALL DEEP(24IN) TO SHALLOW(18IN) IF REQUIRED

This drawing is for illustrative purposes only. System installation must meet all pertinent laws, rules, and regulations.