

Harnett County Department of Public Health Improvement Permit

A building permit cannot be issued with only an Improvement Permit

PROPERTY LOCATION: 144 James Norris Rd. (SR 1440)
 SUBDIVISION _____ LOT # 1
 ISSUED TO: Robbie M. Wilburn
 NEW REPAIR EXPANSION
 Type of Structure: 3-Bedroom 44'x35' SFD
 Proposed Wastewater System Type: 25% Reduction Sys.
 Projected Daily Flow: 360 GPD
 Number of bedrooms: 3 Number of Occupants: 6 max
 Basement Yes No
 Pump Required: Yes No May be required based on final location and elevations of facilities
 Type of Water Supply: Community Public Well Distance from well NA feet
 Permit conditions: _____ Permit valid for: Five years No expiration

Authorized State Agent: [Signature] Date: 11/17/2021 SEE ATTACHED SITE SKETCH
 The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.

Construction Authorization (Required for Building Permit)

The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout.

ISSUED TO: Robbie M. Wilburn PROPERTY LOCATION: 144 James Norris Rd. (SR 1440)
 SUBDIVISION _____ LOT # 1
 Facility Type: 3-Bedroom 44'x35' SFD New Expansion Repair
 Basement? Yes No Basement Fixtures? Yes No
 Type of Wastewater System** Pump to At-Grade 25% Red. Sys. (Initial) Wastewater Flow: 360 GPD
 (See note below, if applicable
Pump to At-Grade 25% Red. Sys (Repair)

Installation Requirements/Conditions
 Septic Tank Size 1000 gallons Exact length of each trench 80 feet Trench Spacing: 9 Feet on Center
 Pump Tank Size 1000 gallons Trenches shall be installed on contour at a Maximum Trench Depth of: 14 inches Soil Cover: 6 (import) inches
 (Trench bottoms shall be level to +/-1/4" in all directions) (Maximum soil cover shall not exceed 36" above the trench bottom)
 Pump Requirements: _____ ft. TDH vs. _____ GPM Aggregate Depth: NA inches below pipe NA inches above pipe
 Conditions: Pump to Medium D-Box Equal Distribution At-Grade System NA inches total

**WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA.
 NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA.**

**If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit.
 Owner/Legal Representative Signature: _____ Date: _____

This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH

Authorized State Agent: [Signature] Date: 11/17/2021
Andrew Corbin Construction Authorization Expiration Date: 11/17/2026

Harnett County Department of Public Health Site Sketch

Property Location: 144 James Norris Rd. (SR 1440)

Issued To: Robbie M. Wilburn Subdivision _____ Lot # 1

Authorized State Agent: *Andrew Corbin* Date: 11/17/2021
ANDREW CORBIN

- * AT-GRADE SYSTEM
↳ 14 IN W/ 6 IN IMPACT SOIL
- * PUMP TO MEDIUM EQUAL DISTRIBUTION REQUIRED
- * SYS. FLAGGED ON SITE
- * INSTALL AS HIGH UPHILL AS CONTOUR ALLOWS

