## Harnett County Department of Public Health

## Improvement Permit

A building permit cannot be issued with only an Improvement Permit

PROPERTY LOCATION: 3044 Matthews Mill Pond Rd. (SR 1510)

VAY-	SUBDIVISION LOT # 2
NEW REPAIR EXPANSION	Site Improvements required prior to Construction Authorization Issuance:
Type of Structure: 3-Bedroom 28'x41' SFD	the improvements required prior to constitution Authorization issuance.
Proposed Wastewater System Type: 25% Reduction Sys.	
Projected Daily Flow: 360 GPD	
Number of bedrooms: 3 Number of Occupants: 6 m	24
Basement Yes X No	24
Pump Required: Yes No May be required based on final local	ation and elevations of facilities
Type of Water Supply: Community Public Well Distance	from well NA feet Permit valid for:  Five years
Permit conditions:	□ No expiration
Terrine conditions.	
Authorized State Agent::	Date: 11 30/2021 SEE ATTACHED SITE SKETCH
	ermits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This
	rmit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of
the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.	
Constru	ction Authorization
(Requ	red for Building Permit)
	958. and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance
with the attached system layout.	
ISSUED TO: Weaver Homes Inc.	PROPERTY LOCATION: 3044 Matthews Mill Pond Rd. (SR 1510)
ISSUED TO: VVeaver Florities IIIC.	
2 Badraara 20h:441 CED	SUBDIVISIONLOT # 2
Facility Type: 3-Bedroom 28'x41' SFD New	Expansion Repair
PROBLEM STATE OF THE SERVE STATE OF THE PROPERTY OF THE SERVE STATE OF	⊠ No
Type of Wastewater System** 25% reserved	(Initial) Wastewater Flow: 360 GPD
(See note below, if applicable )	
25% REDUCTION ST	S (Repair)
Installation Requirements/Conditions Number of trenche	3
	ch trench 80 feet Trench Spacing: 9 Feet on Center
	nstalled on contour at a Soil Cover:inches
	Pepth of: 22 inches (Maximum soil cover shall not exceed
	hall be level to +/-1/4" 36" above the trench bottom)
,	all be level to 17-174 30 above the trench bottom
in all directions)	
Pump Requirements:ft. TDH vsGPM	inches below pipe
	Aggregate Depth:Ainches above pipe
Conditions:	inches total
WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM AN	/ PART OF SEPTIC SYSTEM OR REPAIR AREA.
NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA.	
IN OTHER RECORDS IN INTIME ON NEI AIR DRAIN FIELD AREA.	
**If applicable: I understand the system type specified is different from the	e type specified on the application. I accept the specifications of this permit.
**If applicable: 1 understand the system type specified is different from the	e type specified on the application. I accept the specifications of this permit.
**If applicable: / understand the system type specified is different from th  Owner/Legal Representative Signature:	e type specified on the application. I accept the specifications of this permit.  Date:
Owner/Legal Representative Signature:	
Owner/Legal Representative Signature:	Date:  Inges. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This
Owner/Legal Representative Signature:  This Construction Authorization is subject to revocation if the site plan, plat, or the intended use ch	Date:  Inges. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This
Owner/Legal Representative Signature:  This Construction Authorization is subject to revocation if the site plan, plat, or the intended use ch	Date:  Ones: The Construction Authorization shall not be transferred when there is a change in ownership of the site. This

## Harnett County Department of Public Health Site Sketch

Property Location: 3044 Matth	news Mill Pond Rd. (SR				
Issued To: Weaver Homes Inc.		Subdivision			Lot # 2
Authorized State Agent:			WIN NOUN	Date:	11/30/2021
* INSTALL AS			COTON A	liass	
	NCSR # 1510 MAT	THEWS MILL PON	ND RD. 60' R/W		
183.77 10.556 30.037	49.74  88  C O Its.# Iss PROPOSED HOUSE HOUSE HOUSE	0.55 ONC. NET. 22 5 7 7 7 103.6 7 7 7	55.97 55.97 55.97	8 335-1340W 157-48 NCSR # 1514 MAMIE UPCHURCH RD. 60' R/W	Mings FF I I COHO Min X
	1	65.50"	,		SHOWN ON OOD HAZAR

This drawing is for illustrative purposes only. System installation must meet all pertinent laws, rules, and regulations.

SHOWN ON FEMA FLOOD