
Harnett County Department of Public Health

Improvement Permit A building permit cannot be issued with only an Improvement Permit

PROPERTY LOCATION: 3016 Matthews Mill Pond Rd. (SR 1510) ISSUED TO: Weaver Homes Inc. EXPANSION Site Improvements required prior to Construction Authorization Issuance: NEW X REPAIR Type of Structure: 3-Bedroom 30x66' SFD Proposed Wastewater System Type: 25% Reduction Sys. Projected Daily Flow: 360 Number of bedrooms: 3 Number of Occupants: 6 Basement Yes May be required based on final location and elevations of facilities X No Pump Required: Yes Type of Water Supply: Community Public Well Distance from well NA feet X Five years Permit valid for: No expiration Permit conditions: 11/30/2021 Date: Authorized State Agent:: The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. ISSUED TO: Weaver Homes Inc. PROPERTY LOCATION: 3016 Matthews Mill Pond Rd. (SR 1510) SUBDIVISION Facility Type: 3-Bedroom 30x66 SFD_ × New Expansion Basement Fixtures? Yes Basement? Yes X No 5.5772 (Initial) Wastewater Flow: 360 25% REDUCTION GPD Type of Wastewater System** (See note below, if applicable) TENOCION STOTEM (Repair) Number of trenches 3 Installation Requirements/Conditions Exact length of each trench _____ &c__ Septic Tank Size 1000 gallons Trenches shall be installed on contour at a Pump Tank Size _____gallons Maximum Trench Depth of: 24 (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) nches below pipe Pump Requirements: ______ft. TDH vs. ___ ~ inches above pipe Aggregate Depth: ~A inches total Conditions: WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. **|f applicable: | understand the system type specified is different from the type specified on the application. | accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This SEE ATTACHED SITE SKETCH Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. Authorized State Agent: Construction Authorization Expiration Date: 11/30/2020 ANDREW CORUN

Harnett County Department of Public Health Site Sketch

Property Location: 3016 Matthews Mill Po	and Rd. (SR 1510)		
Issued To: Weaver Homes Inc.	Subdivision		Lot # <u>4</u>
Authorized State Agent:	March March	Date: _	11/30/202
	ANDREW CORRIN		



This drawing is for illustrative purposes only. System installation must meet all pertinent laws, rules, and regulations.