
Harnett County Department of Public Health

Improvement Permit

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: 162 Prince Place Dr. (Christian Lt. Rd. - SF ISSUED TO: Halcyon Homes, LLC SUBDIVISION Prince Place REPAIR EXPANSION Site Improvements required prior to Construction Authorization Issuance: Type of Structure: 57.8x57.8(4bed/3ba) Proposed Wastewater System Type: 25% Reduction Sys. Projected Daily Flow: 480 Number of bedrooms: 4 Number of Occupants: 8 Basement Yes Pump Required: Yes No May be required based on final location and elevations of facilities Public Well Distance from well NA Type of Water Supply: Community Permit valid for: X Five years Permit conditions: No expiration 12/06/2621 Authorized State Agent:: _ Date: The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. ISSUED TO: Halcyon Homes, LLC PROPERTY LOCATION: 162 Prince Place Dr. (Christian Lt. Rd. -SUBDIVISION Prince Place Facility Type: 57.8x57.8(4bed/3ba) ➤ New Expansion Basement? Yes X No Basement Fixtures? Yes X No 25% ENCTION STOTIEM (Initial) Wastewater Flow: 480 Type of Wastewater System** (See note below, if applicable) SPLIT 50% RD. PROPS Number of trenches 3 Installation Requirements/Conditions Septic Tank Size 1000 gallons Exact length of each trench ___ Trench Spacing: Pump Tank Size gallons Soil Cover: Trenches shall be installed on contour at a Maximum Trench Depth of: 20 (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: ft. TDH vs. _ inches below pipe Aggregate Depth: NA inches above pipe CNAWITY TO D-BOX REWAL STYSTIBUTION inches total WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. **If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH 12/06/2021 Authorized State Agent: ANDTEN WALL Construction Authorization Expiration Date: 12/06/2026

Harnett County Department of Public Health Site Sketch

Property Location: 162 Prince Place Dr. (Ch	ristian Lt. Rd SR 1412)		
Issued To: Halcyon Homes, LLC	Subdivision Prince Place		Lot # 65
Authorized State Agent:	AND THE COME TO SERVER	Date:	12/06/2021



* FORT WELL SETBAEN

This drawing is for illustrative purposes only. System installation must meet all pertinent laws, rules, and regulations.