ROOF & FLOOR ComTech | TRUSSES & BEAMS Reilly Road Industrial Park P.O. Box 40408 Fayetteville, N.C. 28309 (910) 864-TRUS

		DAIL	DOTO TIZZ TAGE T
REQ. QUOTE DATE	11	ORDER#	J0322-1076
ORDER DATE	03/01/22	QUOTE #	
DELIVERY DATE	11	CUSTOMER ACCT#	000030
DATE OF INVOICE	11	CUSTOMER PO#	
ORDERED BY	Brady Rufenacht	INVOICE #	
COUNTY	Johnston	TERMS	Net 10 Days
SUPERINTENDANT	Justin Thomas	SALES REP	Anthony Williams
JOBSITE PHONE #	(910) 759-1307	SALES AREA	Anthony Williams

Watermark Homes, Inc. 196 Annettte Drive Benson, NC 27504 (919) 938-8194

SOLD

T

SHIP

JOB NAME: Lot 38 Oak Haven **LOT #** 38 SUBDIV: Oak Haven MODEL:Roof TAG: Oleander II JOB CATEGORY: Residential - Roof

DELIVERY INSTRUCTIONS:

Watermark Homes Lot 38 Oak Haven Benson, NC

SPECIAL INSTRUCTIONS:

Copied from Lot 12 Spring Branch (J0821-4825) jb

PLAN SEAL DATE:

													ы	DATE
BUILDING DEPARTMENT	OVERHA	ANG INFO	HEEL HEIGHT	00-06-08	RE	Q.	LAYOUTS		REQ. E	NGINEERING		QUOTE		11
Roof Order	END CUT	RETURN										LAYOUT		11
		NO	GABLE STUDS	16 IN. OC			JOBSITE	1		JOBSITE	1	CUTTING		11
ROOF TRUSSES		DING	TCLL-TCDL-BCLL-BCDL	STRESS INC	R.	F	ROOF TRUS	ss s	SPACIN	G: 24.0 IN. O	.C.	(TYP.)		
	INT	JKINIATION	20.0,10.0,0.0,10.0	1.15	- 1									

NOO! II			IN	FORMATION	20.0,10.0,0	0.0,10.	0	1.15	15 ROOF TROOF OF ACING 24.5 INC 6.6. (111.)					
PROFILE	QTY PLY	PIT TOP	CH BOT	TYPE ID	BASE O/A	LUN TOP	IBER	OVER	HANG RIGHT	REACTION	IS			
	1	6.00	0.00	GABLE	39-11-00			01-03-00		Joint 2 274.3 lbs. -129.9 lbs.	Joint 26 209.7 lbs. -66.5 lbs.	Joint 27 196.4 lbs. -222.7 lbs.	Joint 28 174.9 lbs. -68.9 lbs.	Joint 29 179.0 lbs. -97.3 lbs.
	7	6.00	0.00	PIGGYBACK A2	39-11-00 39-11-00	2 X 6	2 X 6	01-03-00	01-03-00	Joint 2 1417.8 lbs. -83.8 lbs.	Joint 14 1904.8 lbs. -79.4 lbs.			
	3	8.50	0.00	PIGGYBACK A3	37-11-00 37-11-00	2 X 6	2 X 6			Joint 1 1230.3 lbs. -54.1 lbs.	Joint 10 216.1 lbs. -90.0 lbs.	Joint 13 1586.6 lbs. -42.5 lbs.		
	1	8.50	0.00	PIGGYBACK A4	37-11-00 37-11-00	2 X 6	2 X 6			Joint 1 1316.0 lbs. -54.7 lbs.	Joint 10 132.8 lbs. -38.7 lbs.	Joint 13 1569.6 lbs. -68.6 lbs.		
	6	8.50	0.00	PIGGYBACK A5	37-11-00 37-11-00	2 X 6	2 X 6		01-03-00	Joint 1 1286.8 lbs. -57.2 lbs.	Joint 14 1803.6 lbs. -80.2 lbs.			
	4	8.50	0.00	PIGGYBACK A6	30-03-12 30-03-12	2 X 6	2 X 6			Joint 1 1199.5 lbs. -44.4 lbs.	Joint 8 1201.7 lbs. -15.7 lbs.			
	2	8.50	0.00	PIGGYBACK A7	20-01-08 20-01-08	2 X 6	2 X 10	01-03-00		Joint 2 1032.0 lbs. -5.6 lbs.	Joint 9 1332.1 lbs. -163.6 lbs.			
	2 2 Ply	8.50	0.00	PIGGYBACK A7A	20-01-08 20-01-08	2 X 6	2 X 10	01-03-00		Joint 2 2064.1 lbs. -11.2 lbs.	Joint 9 2664.2 lbs. -327.2 lbs.			
	3	8.50	0.00	PIGGYBACK A8	32-04-00 32-04-00	2 X 6	2 X 10	01-03-00		Joint 2 1192.3 lbs. -64.7 lbs.	Joint 11 1019.2 lbs. -59.6 lbs.	Joint 13 772.6 lbs. 6.8 lbs.		
	1	8.50	0.00	GABLE A9-GE	32-04-00 32-04-00	2 X 6	2 X 6	01-03-00		Joint 20 262.8 lbs. -242.7 lbs.	Joint 21 341.8 lbs. -206.6 lbs.	Joint 22 180.3 lbs. -104.1 lbs.	Joint 23 180.7 lbs. -74.3 lbs.	Joint 24 165.8 lbs. 11.2 lbs.
	1	6.00	0.00	GABLE B1-GE	17-07-00 17-07-00	2 X 6	2 X 6	01-03-00	01-03-00	Joint 2 768.8 lbs. -203.6 lbs.	Joint 10 768.8 lbs. -203.6 lbs.			

Reaction Summary of Order

ROOF & FLOOR

LOADING

ComTech TRUSSES & BEAMS Reilly Road Industrial Park P.O. Box 40408 Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	11	ORDER#	J0322-1076
ORDER DATE	03/01/22	QUOTE #	
DELIVERY DATE	11	CUSTOMER ACCT#	000030
DATE OF INVOICE	11	CUSTOMER PO#	
ORDERED BY	Brady Rufenacht	INVOICE #	
COUNTY	Johnston	TERMS	Net 10 Days
SUPERINTENDANT	Justin Thomas	SALES REP	Anthony Williams
JOBSITE PHONE #	(910) 759-1307	SALES AREA	Anthony Williams

Watermark Homes, Inc. 196 Annettte Drive Benson, NC 27504 (919) 938-8194

SOLD

T O

SHIP

T O

LOT # 38 JOB NAME: Lot 38 Oak Haven SUBDIV: Oak Haven MODEL: Roof TAG: Oleander II JOB CATEGORY: Residential - Roof

DELIVERY INSTRUCTIONS:

Watermark Homes Lot 38 Oak Haven Benson, NC

ROOF TRUSSES

SPECIAL INSTRUCTIONS:

TCLL-TCDL-BCLL-BCDL

Copied from Lot 12 Spring Branch (J0821-4825) jb

PLAN SEAL DATE:

DATE BUILDING DEPARTMENT OVERHANG INFO HEEL HEIGHT 00-06-08 REQ. LAYOUTS REQ. ENGINEERING QUOTE END CUT RETURN LAYOUT 11 Roof Order **GABLE STUDS** 16 IN. OC JOBSITE JOBSITE 1 CUTTING NO

STRESS INCR.

ROOF T	RUS	SES	IN	FORMATION	20.0,10.0,0		_	1.15	ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)					
PROFILE	QTY	PIT	СН	TYPE	BASE	_) IBER		HANG					
PROFILE	PLY	TOP	BOT	ID	O/A	TOP	ВОТ	LEFT	RIGHT	REACTIO	NS			
	2	6.00	0.00	COMMON B2	17-07-00 17-07-00			01-03-00	01-03-00	Joint 2 768.8 lbs. -157.7 lbs.	Joint 6 768.8 lbs. -157.7 lbs.			
	1	6.00	0.00	QUEENPOST C1-GE	28-02-08 28-02-08	2 X 6	2 X 6	01-03-00	01-03-00	Joint 2 440.5 lbs. 18.2 lbs.	Joint 16 910.9 lbs. -214.8 lbs.	Joint 20 974.4 lbs. -265.5 lbs.	Joint 21 91.6 lbs. -375.1 lbs.	Joint 22 147.2 lbs. -32.8 lbs.
	1	6.00	0.00	COMMON C2	28-02-08 28-02-08	2 X 6	2 X 6	01-03-00	01-03-00	Joint 2 892.4 lbs. -75.0 lbs.	Joint 10 1008.1 lbs. -164.6 lbs.	Joint 14 600.0 lbs. -130.8 lbs.		
	1	6.00	0.00	COMMON C3	28-02-08 28-02-08	2 X 6	2 X 6	01-03-00		Joint 2 894.5 lbs. -75.2 lbs.	Joint 10 940.5 lbs. -159.5 lbs.	Joint 13 599.0 lbs. -129.6 lbs.		
	1	12.00	0.00	GABLE D1-GE	24-11-00 24-11-00	2 X 6	2 X 10	01-03-00	01-03-00	Joint 18 1622.3 lbs. 49.0 lbs.	Joint 22 1622.3 lbs. 49.0 lbs.			
	1	12.00	0.00	PIGGYBACK D2	24-11-00 24-11-00	2 X 6	2 X 10	01-03-00	01-03-00	Joint 12 1622.3 lbs. 183.9 lbs.	Joint 16 1622.3 lbs. 183.9 lbs.			
	7	12.00	0.00	PIGGYBACK D3	24-11-00 24-11-00	2 X 6	2 X 10	01-03-00		Joint 11 1552.2 lbs. 202.5 lbs.	Joint 15 1624.2 lbs. 185.3 lbs.			
	2	12.00	0.00	PIGGYBACK D4	24-11-00 24-11-00	2 X 6	2 X 10			Joint 10 1554.1 lbs. 203.9 lbs.	Joint 14 1554.1 lbs. 203.9 lbs.			
	1	12.00	0.00	PIGGYBACK D5	24-11-00 24-11-00	2 X 6	2 X 10			Joint 10 2331.1 lbs. 305.8 lbs.	Joint 14 2331.1 lbs. 305.8 lbs.			
	1	12.00	0.00	COMMON E1-GE	07-07-00 07-07-00	2 X 6	2 X 6	01-03-00	01-03-00	Joint 4 97.1 lbs. -47.8 lbs.	Joint 5 69.3 lbs. 1.7 lbs.	Joint 6 223.3 lbs. -54.2 lbs.	Joint 8 189.1 lbs. -132.4 lbs.	Joint 9 222.8 lbs. -173.8 lbs.
	1	12.00	0.00	COMMON E2	07-07-00 07-07-00	2 X 6	2 X 8			Joint 4 639.1 lbs. -186.8 lbs.	Joint 6 640.7 lbs. -202.2 lbs.			

Reaction Summary of Order

ROOF & FLOOR ComTech| TRUSSES & BEAMS Reilly Road Industrial Park P.O. Box 40408

Fayetteville, N.C. 28309 (910) 864-TRUS

		DAIL	03/01/22 TAGE 3
REQ. QUOTE DATE	11	ORDER#	J0322-1076
ORDER DATE	03/01/22	QUOTE #	
DELIVERY DATE	11	CUSTOMER ACCT#	000030
DATE OF INVOICE	11	CUSTOMER PO#	
ORDERED BY	Brady Rufenacht	INVOICE #	
COUNTY	Johnston	TERMS	Net 10 Days
SUPERINTENDANT	Justin Thomas	SALES REP	Anthony Williams
JOBSITE PHONE #	(910) 759-1307	SALES AREA	Anthony Williams

Watermark Homes, Inc. 196 Annettte Drive Benson, NC 27504 (919) 938-8194

Lot 38 Oak Haven

Benson, NC

SOLD

T O

SHIP

T O

JOB NAME: Lot 38 Oak Haven **LOT #** 38 SUBDIV: Oak Haven MODEL: Roof TAG: Oleander II JOB CATEGORY: Residential - Roof

DELIVERY INSTRUCTIONS:

Watermark Homes SPECIAL INSTRUCTIONS:

Copied from Lot 12 Spring Branch (J0821-4825) jb

PLAN SEAL DATE:

DATE REQ. LAYOUTS BUILDING DEPARTMENT OVERHANG INFO HEEL HEIGHT 00-06-08 QUOTE **REQ. ENGINEERING** END CUT RETURN LAYOUT 11 Roof Order **GABLE STUDS** 16 IN. OC JOBSITE JOBSITE 1 CUTTING NO

ROOF T	RUS	SES		DADING FORMATION	TCLL-TCDL-B0		_	RESS INCR.	ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)					
			IIN		20.0,10.0,0	_		1.15		i 		•	-	
PROFILE	QTY PLY	TOP	ВОТ	TYPE ID	BASE O/A		BER BOT	LEFT	RIGHT	REACTIO	NS			
	1	8.50	0.00	GABLE	21-11-00				01-03-00	Joint 14 223.3 lbs. -31.4 lbs.	Joint 15 243.4 lbs. -200.0 lbs.	Joint 16 168.0 lbs. -88.3 lbs.	Joint 17 183.1 lbs. -104.6 lbs.	Joint 19 176.1 lbs. -63.9 lbs.
	5	8.50	0.00	COMMON G2	21-11-00 21-11-00	2 X 6	2 X 6	01-03-00	01-03-00	Joint 8 939.2 lbs. -57.4 lbs.	Joint 11 939.2 lbs. -57.4 lbs.			
	2	8.50	0.00	GABLE PB1	08-06-10 08-06-10	2 X 4	2 X 4			Joint 1 79.6 lbs. -79.3 lbs.	Joint 2 185.2 lbs. -83.3 lbs.	Joint 6 158.8 lbs. -57.1 lbs.	Joint 7 38.2 lbs. -32.1 lbs.	Joint 8 217.2 lbs. -111.3 lbs.
	24	8.50	0.00	PIGGYBACK PB2	08-06-10 08-06-10	2 X 4	2 X 4			Joint 2 209.5 lbs. -60.7 lbs.	Joint 4 219.1 lbs. -45.2 lbs.	Joint 6 302.6 lbs. 26.7 lbs.		
	4	8.50	0.00	PIGGYBACK PB3	05-05-05 05-05-05	2 X 4	2 X 4			Joint 2 192.1 lbs. -4.5 lbs.	Joint 5 0.1 lbs. -52.6 lbs.	Joint 6 267.5 lbs. -8.1 lbs.		
	12	12.00	0.00	PIGGYBACK PB4	04-09-11 04-09-11	2 X 4	2 X 4			Joint 2 140.5 lbs. -47.0 lbs.	Joint 4 140.4 lbs. -53.6 lbs.	Joint 6 149.1 lbs. 8.8 lbs.		
	1	12.00	0.00	GABLE VA-1	23-03-09 23-03-09	2 X 4	2 X 4			Joint 1 235.3 lbs. -140.0 lbs.	Joint 15 182.2 lbs. -60.1 lbs.	Joint 16 190.6 lbs. -138.9 lbs.	Joint 17 108.5 lbs. -78.0 lbs.	Joint 18 122.9 lbs. -97.1 lbs.
\triangle	1	12.00	0.00	VALLEY VA-2	20-05-09 20-05-09	2 X 4	2 X 4			Joint 1 185.8 lbs. -106.7 lbs.	Joint 7 162.1 lbs. -67.9 lbs.	Joint 8 294.2 lbs. -135.1 lbs.	Joint 9 459.8 lbs. -184.2 lbs.	Joint 11 371.8 lbs. 71.5 lbs.
<u></u>	1	12.00	0.00	VALLEY VA-3	17-07-09 17-07-09	2 X 4	2 X 4			Joint 1 207.5 lbs. -23.0 lbs.	Joint 5 182.5 lbs. 10.4 lbs.	Joint 6 524.0 lbs. -213.7 lbs.	Joint 8 344.9 lbs. 62.3 lbs.	Joint 9 524.2 lbs. -213.9 lbs.
	1	12.00	0.00	VALLEY VA-4	14-09-09 14-09-09	2 X 4	2 X 4			Joint 1 159.7 lbs. -32.3 lbs.	Joint 5 138.8 lbs. -4.4 lbs.	Joint 6 418.3 lbs. -177.1 lbs.	Joint 7 344.6 lbs. 59.7 lbs.	Joint 8 418.5 lbs. -177.3 lbs.
\triangle	1	12.00	0.00	VALLEY VA-5	11-11-09 11-11-09	2 X 4	2 X 4			Joint 1 112.5 lbs. -65.4 lbs.	Joint 5 90.1 lbs. -43.1 lbs.	Joint 6 337.5 lbs. -160.0 lbs.	Joint 7 223.4 lbs. 54.9 lbs.	Joint 8 337.8 lbs. -160.2 lbs.

Reaction Summary of Order

ROOF & FLOOR ComTech TRUSSES & BEAMS Reilly Road Industrial Park P.O. Box 40408

Fayetteville, N.C. 28309 (910) 864-TRUS

DATE 03/01/22 PAGE 4 11 **REQ. QUOTE DATE** ORDER# J0322-1076 **ORDER DATE** 03/01/22 **QUOTE# DELIVERY DATE** CUSTOMER ACCT# 000030 11 / / DATE OF INVOICE CUSTOMER PO# ORDERED BY **Brady Rufenacht INVOICE #** COUNTY Johnston **TERMS** Net 10 Days Anthony Williams **SUPERINTENDANT** Justin Thomas **SALES REP** JOBSITE PHONE # (910) 759-1307 **Anthony Williams SALES AREA**

Watermark Homes, Inc. 196 Annettte Drive Benson, NC 27504 (919) 938-8194

SOLD

T O

T O

JOB NAME: Lot 38 Oak Haven **LOT #** 38 SUBDIV: Oak Haven MODEL: Roof TAG: Oleander II JOB CATEGORY: Residential - Roof

DELIVERY INSTRUCTIONS:

Watermark Homes Lot 38 Oak Haven Benson, NC

SPECIAL INSTRUCTIONS:

Copied from Lot 12 Spring Branch (J0821-4825) jb

PLAN SEAL DATE:

														BY	DATE
BUILDING DEPARTMENT	OVERHA	ANG INFO	HEEL HEIGHT	00-06-08	RE	Q. I	LAYOUTS		REQ.	ENG	SINEERING		QUOTE		11
Roof Order	END CUT	RETURN											LAYOUT		/ /
		NO	GABLE STUDS	16 IN. OC			JOBSITE	1			JOBSITE	1	CUTTING		1 1

ROOF T	DIIG	CE C	LC	DADING	TCLL-TCDL-B0	CLL-BCD	L STR	ESS INCR.	ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)					
KOOI II		JJL J	' IN	FORMATION	20.0,10.0,0	0.0,10.	0	1.15	l KO	JF 1KU33 3	PACING. 24.0	IIV. O.C. (11F	.)	
PROFILE	QTY		СН	TYPE	BASE		IBER	OVER	HANG	REACTIO	NS			
	PLY	TOP	BOT	ID	O/A	TOP	BOT	LEFT	RIGHT					
				VALLEY	09-01-09	٠.,	ا مر _د ا			Joint 1	Joint 3	Joint 4		
	1	12.00	0.00	VA-6	09-01-09	2 X 4	2 X 4			191.1 lbs.	191.1 lbs.	291.9 lbs.		
										-25.1 lbs.	-25.1 lbs.	11.8 lbs.		
A		40.00		VALLEY VA-7	06-03-09 06-03-09	2 V 4	2 / 4			Joint 1	Joint 3	Joint 4		
	1	12.00	0.00	VA-7	06-03-09	2 7 4	2 7 4			136.2 lbs.	136.2 lbs.	175.0 lbs.		
										-24.3 lbs.	-24.3 lbs.	23.1 lbs.		
				\/ALLE\/	00.05.00					laint 4	1-:	laiak 4		
	1	12.00	0.00	VALLEY VA-8	03-05-09 03-05-09	2 V 1	2 4			Joint 1	Joint 3	Joint 4		
	1	12.00	0.00	VA-0	03-03-09	2 ^ 4				67.2 lbs.	67.2 lbs.	86.3 lbs.		
										-12.0 lbs.	-12.0 lbs.	11.4 lbs.		
				\/ALLE\/	00 40 40					laint 4	Indian 7	Indicate O	Indicate O	laiat dd
	1	6.00	0.00	VALLEY VC-1	26-10-10 26-10-10	2 V 1	2 4			Joint 1	Joint 7	Joint 8	Joint 9	Joint 11
	1	6.00	0.00	VC-1	20-10-10	2 ^ 4				168.3 lbs.	168.3 lbs.	410.3 lbs.	336.1 lbs.	399.6 lbs.
										-2.8 lbs.	6.2 lbs.	-84.6 lbs.	-69.5 lbs.	71.5 lbs.
				VALLEY	21-02-10					Joint 1	Joint 7	Joint 8	Joint 9	Joint 11
	1	6.00	0.00	VALLE 1 VC-2	21-02-10	2 X 4	2 X 4			59.7 lbs.	51.8 lbs.	268.4 lbs.	350.5 lbs.	358.2 lbs.
	'	0.00	0.00	102	21 02 10					-3.1 lbs.	9.0 lbs.	-54.5 lbs.	-77.6 lbs.	52.6 lbs.
										-3.1 105.	9.0 ibs.	-54.5 ibs.	-77.0 IDS.	52.0 IDS.
				VALLEY	15-06-10					Joint 1	Joint 5	Joint 6	Joint 7	Joint 8
	1	6.00	0.00		15-06-10	2 X 4	2 X 4			102.5 lbs.	102.6 lbs.	339.0 lbs.	273.8 lbs.	338.9 lbs.
		0.00	0.00							-3.4 lbs.	2.2 lbs.	-75.9 lbs.	32.1 lbs.	-75.9 lbs.
										0.1100.	2.2 100.	70.0 100.	02.1100.	70.0 100.
				VALLEY	09-10-10					Joint 1	Joint 3	Joint 4		
	1	6.00	0.00		09-10-10	2 X 4	2 X 4			159.9 lbs.	160.0 lbs.	375.2 lbs.		
*		2.30	""							-21.1 lbs.	-26.0 lbs.	0.4 lbs.		
		<u> </u>				<u> </u>				2111100	20.0 100.	0.1100.		
				VALLEY	04-02-10					Joint 1	Joint 3			
	1	6.00	0.00		04-02-10	2 X 4	2 X 4			119.3 lbs.	119.3 lbs.			
		,,,,,	""							-7.2 lbs.	-7.2 lbs.			
										7.2 100.	7.2 150.			

ITEMS

QTY	ITEM TYPE	SIZE	LENGTH FT-IN-16	PART NUMBER	NOTES
4	Hangers, USP	JUS26			SIMPSON (LUS26)
2	LVL Beams (Sized)	LVL, 1-3/4" x 9-1/4" (S)	07-00-00		DBL-28
4	LVL Beams (Sized)	LVL, 1-3/4" x 11-7/8" (S)	11-00-00		BM1

DATE 03/01/22 **Reaction Summary of Order**

ROOF & FLOOR ComTech TRUSSES & BEAMS Reilly Road Industrial Park P.O. Box 40408 Fayetteville, N.C. 28309 (910) 864-TRUS

		DATE	03/01/22 PAGE 5
REQ. QUOTE DATE	11	ORDER#	J0322-1076
ORDER DATE	03/01/22	QUOTE #	
DELIVERY DATE	11	CUSTOMER ACCT#	000030
DATE OF INVOICE	11	CUSTOMER PO#	
ORDERED BY	Brady Rufenacht	INVOICE #	
COUNTY	Johnston	TERMS	Net 10 Days
SUPERINTENDANT	Justin Thomas	SALES REP	Anthony Williams
JOBSITE PHONE #	(910) 759-1307	SALES AREA	Anthony Williams

Watermark Homes, Inc.
196 Annettte Drive
Benson, NC 27504
Benson, NC 27504 (919) 938-8194

JOB NAME: Lot 38 Oak Haven **LOT #** 38 SUBDIV: Oak Haven JOB CATEGORY: Residential - Roof MODEL:Roof TAG: Oleander II

DELIVERY INSTRUCTIONS:

Watermark Homes Lot 38 Oak Haven Benson, NC

SPECIAL INSTRUCTIONS:

Copied from Lot 12 Spring Branch (J0821-4825) jb

PLAN SEAL DATE:

BUILDING DEPARTMENT	OVERHA	NG INFO	HEEL HEIGHT	00-06-08	R	EQ.	LAYOUTS		REQ.	ENG	GINEERING		QUOTE	11
Roof Order	END CUT	RETURN											LAYOUT	11
		NO	GABLE STUDS	16 IN. OC			JOBSITE	1			JOBSITE	1	CUTTING	11

ITEMS

SOLD FO

SHIP

QTY	ITEM TYPE	SIZE	LENGTH FT-IN-16	PART NUMBER	NOTES
2	LVL Beams (Sized)	LVL, 1-3/4" x 11-7/8" (S)	25-00-00		GDH-1
2	LVL Beams (Sized)	LVL, 1-3/4" x 11-7/8" (S)	12-00-00		GDH-2