

15300 9

J1221-6758

JOB#

= Indicates Left End of Truss
(Reference Engineered Truss Drawing)
Do NOT Erect Truss Backwards

Marshall Naylor

JOB NAME	Lot 202 Anderson Creek	ADDRESS	192 Kensington	is responsible for temporary and permanent bracing of the roof and floor system and for the overall structure. The design of the truss support structure including headers, beams, walls, and columns is the responsibility of the building designer. For general guidance regarding bracing, consult BCSI-B1 and BCSI-B3 provided with the truss delivery package or online @ sbcindustry.com Bearing reactions less than or equal to 3000# are deemed to comply with the prescriptive Code requirements. The contractor shall refer to the attached Tables (derived from the prescriptive Code requirements) to determine the minimum foundation size and number of wood studs required to support reactions greater than 3000# but not greater than 15000#. A registered design professional shall be retained to design the support system for any reaction that exceeds those specified in the attached Tables. A registered design professional shall be retained to design the support system for all reactions that exceed 15000#. MAWAWA NAWAY
PLAN	CC 2695 "K" RF2, 15X8 CP,NO DUTCH	MODEL	32000	
SEAL DATE	9/16/20	DATE REV.	01/06/22	
QUOTE#	B0116-0114	DRAWN BY	Marshall Naylor	
				Signature

Scot Duncan

SALES REP.



Reilly Road Industrial Park Fayetteville, N.C. 28309 Phone: (910) 864-8787 Fax: (910) 864-4444