

Reaction Summary of Order



ROOF & FLOOR TRUSSES & BEAMS
 Reilly Road Industrial Park P.O. Box 40408
 Fayetteville, N.C. 28309 (910) 864-TRUS

| | | | |
|-----------------|----------------|-----------------|------------------|
| REQ. QUOTE DATE | / / | ORDER # | J1221-6754 |
| ORDER DATE | 12/06/21 | QUOTE # | |
| DELIVERY DATE | / / | CUSTOMER ACCT # | 0000006409 |
| DATE OF INVOICE | / / | CUSTOMER PO # | |
| ORDERED BY | Chris Martin | INVOICE # | |
| COUNTY | Harnett | TERMS | |
| SUPERINTENDANT | Chris Martin | SALES REP | Scot Duncan |
| JOBSITE PHONE # | (910) 916-7620 | SALES AREA | Hampton Horrocks |

| | | |
|---------|--|---|
| SOLD TO | Caviness & Cates Building & 639 Executive Place Suite 400 Fayetteville, NC 28305 (910) 481-0503 | JOB NAME: Lot 201 Anderson Creek LOT # 201 SUBDIV: Anderson Creek MODEL: 32000 TAG: CC-2574 C ROOF W / REAR JOB CATEGORY: B & S - Build and Ship |
| | Caviness & Cates 202 Kensington Dr Cameron, NC | DELIVERY INSTRUCTIONS: SPECIAL INSTRUCTIONS: <p style="text-align: right;">PLAN SEAL DATE: 3/30/2021</p> |

| | | | | | | | |
|---------------------|---------------|-------------|----------|--------------|------------------|---------|-------------|
| BUILDING DEPARTMENT | OVERHANG INFO | HEEL HEIGHT | 00-06-08 | REQ. LAYOUTS | REQ. ENGINEERING | QUOTE | / / |
| | END CUT | RETURN | | | | LAYOUT | WM 12/16/21 |
| Roof Order | GABLE STUDS | 24 IN. OC | | JOBSITE 1 | JOBSITE 1 | CUTTING | WM 12/16/21 |

ROOF TRUSSES **LOADING INFORMATION** **ROOF TRUSS SPACING:** 24.0 IN. O.C. (TYP.)

| | |
|---------------------|--------------|
| TOLL-TCDL-BCLL-BCDL | STRESS INCR. |
| 20.0,10.0,0.0,10.0 | 1.15 |

| PROFILE | QTY | PITCH | | TYPE ID | BASE O/A | LUMBER | | OVERHANG | | REACTIONS | | | | |
|--|-----|-------|------|--------------|----------------------|--------|-------|----------|----------|--------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|
| | | TOP | BOT | | | TOP | BOT | LEFT | RIGHT | | | | | |
|  | 4 | 8.00 | 0.00 | COMMON A1 | 30-11-00 30-11-00 | 2 X 6 | 2 X 6 | 00-11-00 | 00-11-00 | Joint 2 1586.6 lbs. -77.7 lbs. | Joint 8 1586.6 lbs. -77.7 lbs. | | | |
|  | 4 | 8.00 | 0.00 | ROOF A1A | 30-11-00 30-11-00 | 2 X 6 | 2 X 6 | 00-11-00 | 00-11-00 | Joint 2 1529.3 lbs. -77.7 lbs. | Joint 8 1573.5 lbs. -77.7 lbs. | | | |
|  | 2 | 8.00 | 0.00 | GABLE A1GE | 30-11-00 30-11-00 | 2 X 6 | 2 X 6 | 00-11-00 | 00-11-00 | Joint 2 167.2 lbs. -86.9 lbs. | Joint 22 123.5 lbs. -25.3 lbs. | Joint 24 154.7 lbs. -81.4 lbs. | Joint 25 181.1 lbs. -89.9 lbs. | Joint 26 175.6 lbs. -86.5 lbs. |
|  | 1 | 8.00 | 0.00 | COMMON A2 | 30-11-00 30-11-00 | 2 X 6 | 2 X 6 | 00-11-00 | | Joint 2 1587.1 lbs. -77.7 lbs. | Joint 8 1533.7 lbs. -64.5 lbs. | | | |
|  | 6 | 8.00 | 0.00 | COMMON A3 | 30-11-00 30-11-00 | 2 X 6 | 2 X 6 | | | Joint 1 1538.1 lbs. -65.1 lbs. | Joint 7 1538.2 lbs. -64.6 lbs. | | | |
|  | 3 | 8.00 | 0.00 | COMMON A4 | 30-11-00 30-08-00 | 2 X 6 | 2 X 6 | 00-11-00 | | Joint 2 1579.1 lbs. -77.6 lbs. | Joint 8 1526.1 lbs. -63.4 lbs. | | | |
|  | 1 | 8.00 | 0.00 | ROOF A4A | 30-11-00 30-08-00 | 2 X 6 | 2 X 6 | 00-11-00 | | Joint 2 1521.9 lbs. -77.6 lbs. | Joint 8 1512.9 lbs. -63.4 lbs. | | | |
|  | 4 | 10.00 | 0.00 | COMMON B1 | 20-03-00 20-03-00 | 2 X 6 | 2 X 6 | 00-11-00 | 00-11-00 | Joint 2 542.9 lbs. -37.5 lbs. | Joint 6 1464.8 lbs. -67.6 lbs. | | | |
|  | 1 | 10.00 | 0.00 | HIP B1GE | 20-03-00 20-03-00 | 2 X 6 | 2 X 6 | 00-11-00 | 00-11-00 | Joint 2 750.1 lbs. -92.3 lbs. | Joint 14 279.7 lbs. -4.6 lbs. | Joint 16 178.6 lbs. -102.4 lbs. | Joint 17 348.9 lbs. -222.6 lbs. | Joint 18 286.9 lbs. -258.7 lbs. |
|  | 5 | 3.00 | 0.00 | MONOPITCH C1 | 16-00-00 16-00-00 | 2 X 6 | 2 X 6 | 00-11-00 | | Joint 9 314.4 lbs. -56.1 lbs. | Joint 10 993.0 lbs. -252.6 lbs. | | | |
|  | 1 | 3.00 | 0.00 | GABLE C1GE | 16-00-00 16-00-00 | 2 X 6 | 2 X 6 | 00-11-00 | | Joint 2 240.0 lbs. -105.8 lbs. | Joint 11 21.4 lbs. -13.5 lbs. | Joint 12 -7.0 lbs. -22.1 lbs. | Joint 13 76.1 lbs. -1.5 lbs. | Joint 14 162.3 lbs. -55.1 lbs. |

Reaction Summary of Order














ROOF & FLOOR TRUSSES & BEAMS
 Reilly Road Industrial Park P.O. Box 40408
 Fayetteville, N.C. 28309 (910) 864-TRUS

| | | | |
|-----------------|----------------|-----------------|------------------|
| REQ. QUOTE DATE | / / | ORDER # | J1221-6754 |
| ORDER DATE | 12/06/21 | QUOTE # | |
| DELIVERY DATE | / / | CUSTOMER ACCT # | 0000006409 |
| DATE OF INVOICE | / / | CUSTOMER PO # | |
| ORDERED BY | Chris Martin | INVOICE # | |
| COUNTY | Harnett | TERMS | |
| SUPERINTENDANT | Chris Martin | SALES REP | Scot Duncan |
| JOBSITE PHONE # | (910) 916-7620 | SALES AREA | Hampton Horrocks |

| | | |
|---------|--|---|
| SOLD TO | Caviness & Cates Building & 639 Executive Place Suite 400 Fayetteville, NC 28305 (910) 481-0503 | JOB NAME: Lot 201 Anderson Creek LOT # 201 SUBDIV: Anderson Creek MODEL: 32000 TAG: CC-2574 C ROOF W / REAR JOB CATEGORY: B & S - Build and Ship |
| | Caviness & Cates 202 Kensington Dr Cameron, NC | DELIVERY INSTRUCTIONS: SPECIAL INSTRUCTIONS: <p style="text-align: right;">PLAN SEAL DATE: 3/30/2021</p> |

| | | | | | | | |
|---------------------|---------------|-------------|----------|--------------|------------------|---------|-------------|
| BUILDING DEPARTMENT | OVERHANG INFO | HEEL HEIGHT | 00-06-08 | REQ. LAYOUTS | REQ. ENGINEERING | QUOTE | / / |
| | END CUT | RETURN | | | | LAYOUT | WM 12/16/21 |
| Roof Order | GABLE STUDS | 24 IN. OC | | JOBSITE 1 | JOBSITE 1 | CUTTING | WM 12/16/21 |

| | | | | |
|---------------------|---------------------|---------------------|--------------|--|
| ROOF TRUSSES | LOADING INFORMATION | TOLL-TCDL-BCLL-BCDL | STRESS INCR. | ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.) |
| | | 20.0,10.0,0.0,10.0 | 1.15 | |

| PROFILE | QTY | PITCH | | TYPE ID | BASE O/A | LUMBER | | OVERHANG | | REACTIONS | | | | |
|--|------------|-------|------|--------------|----------------------|--------|-------|----------|----------|---------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|--------------------------------------|
| | | TOP | BOT | | | TOP | BOT | LEFT | RIGHT | | | | | |
|  | 1 | 10.00 | 0.00 | COMMON D1 | 13-10-08 13-10-08 | 2 X 6 | 2 X 6 | 00-11-00 | 00-11-00 | Joint 2 722.0 lbs. -35.6 lbs. | Joint 4 722.0 lbs. -35.6 lbs. | | | |
|  | 1 | 10.00 | 0.00 | COMMON D1GE | 13-10-08 13-10-08 | 2 X 6 | 2 X 6 | 00-11-00 | 00-11-00 | Joint 2 155.6 lbs. -71.8 lbs. | Joint 10 131.2 lbs. -34.2 lbs. | Joint 12 136.6 lbs. -108.0 lbs. | Joint 13 192.8 lbs. -124.3 lbs. | Joint 14 182.4 lbs. -95.3 lbs. |
|  | 1 | 8.00 | 0.00 | COMMON G1 | 11-11-00 11-11-00 | 2 X 6 | 2 X 6 | 00-11-00 | 00-11-00 | Joint 2 520.8 lbs. -37.5 lbs. | Joint 4 520.8 lbs. -37.5 lbs. | | | |
|  | 1 | 8.00 | 0.00 | COMMON G1GE | 11-11-00 11-11-00 | 2 X 6 | 2 X 6 | 00-11-00 | 00-11-00 | Joint 2 520.8 lbs. -116.1 lbs. | Joint 8 520.8 lbs. -116.1 lbs. | | | |
|  | 1 2 Ply | 8.00 | 0.00 | COMMON G2GRD | 11-11-00 11-11-00 | 2 X 6 | 2 X 6 | | | Joint 1 3993.0 lbs. -214.7 lbs. | Joint 3 4070.9 lbs. -218.9 lbs. | | | |
|  | 3 | 6.00 | 0.00 | MONOPITCH H1 | 11-00-00 11-00-00 | 2 X 6 | 2 X 6 | 00-11-00 | | Joint 2 479.8 lbs. -6.9 lbs. | Joint 7 432.0 lbs. -97.0 lbs. | | | |
|  | 1 | 6.00 | 0.00 | GABLE H1GE | 11-00-00 11-00-00 | 2 X 6 | 2 X 6 | 00-11-00 | | Joint 2 151.4 lbs. 39.4 lbs. | Joint 8 25.4 lbs. -20.0 lbs. | Joint 9 -6.9 lbs. -23.6 lbs. | Joint 10 77.1 lbs. -4.2 lbs. | Joint 11 158.0 lbs. -70.5 lbs. |
|  | 3 | 8.00 | 0.00 | COMMON J1 | 08-07-00 08-07-00 | 2 X 6 | 2 X 6 | 00-11-00 | | Joint 2 390.9 lbs. -51.1 lbs. | Joint 4 330.4 lbs. -47.0 lbs. | | | |
|  | 1 | 8.00 | 0.00 | COMMON J1GE | 08-07-00 08-07-00 | 2 X 6 | 2 X 6 | 00-11-00 | 00-11-00 | Joint 2 387.5 lbs. -87.3 lbs. | Joint 6 387.5 lbs. -87.3 lbs. | | | |
|  | 1 | 8.00 | 0.00 | COMMON J2 | 06-06-08 06-04-08 | 2 X 6 | 2 X 6 | | | Joint 4 238.2 lbs. -6.9 lbs. | Joint 5 243.9 lbs. -7.8 lbs. | | | |
|  | 5 | 2.50 | 0.00 | MONOPITCH P1 | 10-00-00 10-00-00 | 2 X 6 | 2 X 6 | 00-11-00 | | Joint 2 429.2 lbs. -168.2 lbs. | Joint 6 392.6 lbs. -155.0 lbs. | | | |

Reaction Summary of Order












ROOF & FLOOR TRUSSES & BEAMS
 Reilly Road Industrial Park P.O. Box 40408
 Fayetteville, N.C. 28309 (910) 864-TRUS

| | | | |
|-----------------|----------------|-----------------|------------------|
| REQ. QUOTE DATE | / / | ORDER # | J1221-6754 |
| ORDER DATE | 12/06/21 | QUOTE # | |
| DELIVERY DATE | / / | CUSTOMER ACCT # | 0000006409 |
| DATE OF INVOICE | / / | CUSTOMER PO # | |
| ORDERED BY | Chris Martin | INVOICE # | |
| COUNTY | Harnett | TERMS | |
| SUPERINTENDANT | Chris Martin | SALES REP | Scot Duncan |
| JOBSITE PHONE # | (910) 916-7620 | SALES AREA | Hampton Horrocks |

| | | |
|---------|--|---|
| SOLD TO | Caviness & Cates Building & 639 Executive Place Suite 400 Fayetteville, NC 28305 (910) 481-0503 | JOB NAME: Lot 201 Anderson Creek LOT # 201 SUBDIV: Anderson Creek MODEL: 32000 TAG: CC-2574 C ROOF W / REAR JOB CATEGORY: B & S - Build and Ship |
| | DELIVERY INSTRUCTIONS: | SPECIAL INSTRUCTIONS: |
| SHIP TO | Caviness & Cates 202 Kensington Dr Cameron, NC | PLAN SEAL DATE: 3/30/2021 BY DATE |

| | | | | | | | |
|----------------------------|----------------------|--------------------|----------|---------------------|-------------------------|--------------|-------------|
| BUILDING DEPARTMENT | OVERHANG INFO | HEEL HEIGHT | 00-06-08 | REQ. LAYOUTS | REQ. ENGINEERING | QUOTE | / / |
| Roof Order | END CUT | RETURN | | | | LAYOUT | WM 12/16/21 |
| | GABLE STUDS | 24 IN. OC | | JOBSITE 1 | JOBSITE 1 | CUTTING | WM 12/16/21 |

| ROOF TRUSSES | | LOADING INFORMATION | | TOLL-TCDL-BCLL-BCDL | | STRESS INCR. | | ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.) | | | | | | |
|--|-----|---------------------|------|---------------------|----------------------|--------------|-------|--|-------|------------|------------|-------------|-------------|-------------|
| PROFILE | QTY | PITCH | | TYPE ID | BASE O/A | LUMBER | | OVERHANG | | REACTIONS | | | | |
| | PLY | TOP | BOT | | | TOP | BOT | LEFT | RIGHT | | | | | |
|  | 1 | 2.50 | 0.00 | MONOPITCH P1GE | 10-00-00 10-00-00 | 2 X 6 | 2 X 6 | 00-11-00 | | Joint 2 | Joint 8 | Joint 9 | Joint 10 | |
| | | | | | | | | | | 231.3 lbs. | 99.0 lbs. | 4.2 lbs. | 518.1 lbs. | |
| | | | | | | | | | | -71.3 lbs. | -31.0 lbs. | -23.7 lbs. | -159.1 lbs. | |
|  | 1 | 2.50 | 0.00 | MONOPITCH P2GE | 06-00-00 06-00-00 | 2 X 6 | 2 X 6 | 00-11-00 | | Joint 2 | Joint 5 | Joint 6 | Joint 7 | Joint 8 |
| | | | | | | | | | | 160.0 lbs. | 24.1 lbs. | 24.4 lbs. | 13.7 lbs. | 305.5 lbs. |
| | | | | | | | | | | -58.0 lbs. | -15.3 lbs. | 7.3 lbs. | -10.2 lbs. | -93.6 lbs. |
|  | 1 | 10.00 | 0.00 | VALLEY VB1 | 17-07-09 17-07-09 | 2 X 4 | 2 X 4 | | | Joint 1 | Joint 5 | Joint 6 | Joint 8 | Joint 9 |
| | | | | | | | | | | 208.1 lbs. | 184.9 lbs. | 576.7 lbs. | 400.5 lbs. | 576.8 lbs. |
| | | | | | | | | | | -10.2 lbs. | 20.6 lbs. | -161.7 lbs. | 55.9 lbs. | -161.8 lbs. |
|  | 1 | 10.00 | 0.00 | VALLEY VB2 | 14-05-02 14-05-02 | 2 X 4 | 2 X 4 | | | Joint 1 | Joint 5 | Joint 6 | Joint 7 | Joint 8 |
| | | | | | | | | | | 145.1 lbs. | 126.1 lbs. | 427.6 lbs. | 400.7 lbs. | 427.9 lbs. |
| | | | | | | | | | | -22.3 lbs. | 2.9 lbs. | -132.0 lbs. | 55.6 lbs. | -132.1 lbs. |
|  | 1 | 10.00 | 0.00 | VALLEY VB3 | 11-02-12 11-02-12 | 2 X 4 | 2 X 4 | | | Joint 1 | Joint 5 | Joint 6 | Joint 7 | Joint 8 |
| | | | | | | | | | | 84.0 lbs. | 67.3 lbs. | 332.6 lbs. | 240.6 lbs. | 332.9 lbs. |
| | | | | | | | | | | -73.0 lbs. | -53.5 lbs. | -127.6 lbs. | 44.7 lbs. | -127.8 lbs. |
|  | 1 | 10.00 | 0.00 | VALLEY VB4 | 08-00-05 08-00-05 | 2 X 4 | 2 X 4 | | | Joint 1 | Joint 3 | Joint 4 | | |
| | | | | | | | | | | 167.1 lbs. | 167.0 lbs. | 243.6 lbs. | | |
| | | | | | | | | | | -25.2 lbs. | -31.8 lbs. | 24.9 lbs. | | |
|  | 1 | 10.00 | 0.00 | VALLEY VB5 | 04-09-15 04-09-15 | 2 X 4 | 2 X 4 | | | Joint 1 | Joint 3 | Joint 4 | | |
| | | | | | | | | | | 93.0 lbs. | 93.0 lbs. | 135.7 lbs. | | |
| | | | | | | | | | | -14.0 lbs. | -17.7 lbs. | 13.9 lbs. | | |
|  | 1 | 8.00 | 0.00 | VALLEY VG1 | 08-03-07 08-03-07 | 2 X 4 | 2 X 4 | | | Joint 1 | Joint 3 | Joint 4 | | |
| | | | | | | | | | | 159.1 lbs. | 159.1 lbs. | 267.6 lbs. | | |
| | | | | | | | | | | -25.1 lbs. | -30.8 lbs. | 19.0 lbs. | | |
|  | 1 | 8.00 | 0.00 | VALLEY VG2 | 04-03-07 04-03-07 | 2 X 4 | 2 X 4 | | | Joint 1 | Joint 3 | Joint 4 | | |
| | | | | | | | | | | 72.2 lbs. | 72.2 lbs. | 121.5 lbs. | | |
| | | | | | | | | | | -11.4 lbs. | -14.0 lbs. | 8.6 lbs. | | |

| ITEMS | | | | | |
|-------|--------------|--------|--------------------|-------------|-----------------|
| QTY | ITEM TYPE | SIZE | LENGTH FT-IN-16 | PART NUMBER | NOTES |
| 8 | Hangers, USP | HUS 26 | | | SIMPSON (HUS26) |

Reaction Summary of Order



ROOF & FLOOR TRUSSES & BEAMS
 Reilly Road Industrial Park P.O. Box 40408
 Fayetteville, N.C. 28309 (910) 864-TRUS

| | | | |
|-----------------|----------------|-----------------|------------------|
| REQ. QUOTE DATE | / / | ORDER # | J1221-6754 |
| ORDER DATE | 12/06/21 | QUOTE # | |
| DELIVERY DATE | / / | CUSTOMER ACCT # | 0000006409 |
| DATE OF INVOICE | / / | CUSTOMER PO # | |
| ORDERED BY | Chris Martin | INVOICE # | |
| COUNTY | Harnett | TERMS | |
| SUPERINTENDANT | Chris Martin | SALES REP | Scot Duncan |
| JOBSITE PHONE # | (910) 916-7620 | SALES AREA | Hampton Horrocks |

| | | |
|---------|--|---|
| SOLD TO | Caviness & Cates Building & 639 Executive Place Suite 400 Fayetteville, NC 28305 (910) 481-0503 | JOB NAME: Lot 201 Anderson Creek LOT # 201 SUBDIV: Anderson Creek MODEL: 32000 TAG: CC-2574 C ROOF W / REAR JOB CATEGORY: B & S - Build and Ship |
| | Caviness & Cates 202 Kensington Dr Cameron, NC | DELIVERY INSTRUCTIONS: SPECIAL INSTRUCTIONS: <p style="text-align: right;">PLAN SEAL DATE: 3/30/2021</p> |

| | | | | | | | |
|---------------------|---------------|-------------|-----------|--------------|------------------|---------|-------------|
| BUILDING DEPARTMENT | OVERHANG INFO | HEEL HEIGHT | 00-06-08 | REQ. LAYOUTS | REQ. ENGINEERING | QUOTE | / / |
| | END CUT | RETURN | | | | LAYOUT | WM 12/16/21 |
| Roof Order | | GABLE STUDS | 24 IN. OC | JOBSITE | 1 | CUTTING | WM 12/16/21 |

ITEMS

| QTY | ITEM TYPE | SIZE | LENGTH FT-IN-16 | PART NUMBER | NOTES |
|-----|--------------|-------|--------------------|-------------|-----------------|
| 14 | Hangers, USP | JUS26 | | | SIMPSON (LUS26) |