

# Reaction Summary of Order



|                 |                |                 |                 |
|-----------------|----------------|-----------------|-----------------|
| REQ. QUOTE DATE | / /            | ORDER #         | J0921-5699      |
| ORDER DATE      | 09/23/21       | QUOTE #         |                 |
| DELIVERY DATE   | / /            | CUSTOMER ACCT # | 0000006409      |
| DATE OF INVOICE | / /            | CUSTOMER PO #   |                 |
| ORDERED BY      | Chris Martin   | INVOICE #       |                 |
| COUNTY          | Harnett        | TERMS           |                 |
| SUPERINTENDANT  | Chris Martin   | SALES REP       | Scot Duncan     |
| JOBSITE PHONE # | (910) 916-7620 | SALES AREA      | Marshall Naylor |

|         |  |   |
|---------|--|---|
| SOLD TO | <b>Caviness &amp; Cates Building &amp; 639 Executive Place Suite 400 Fayetteville, NC 28305 (910) 481-0503</b> | <b>JOB NAME:</b> Lot 188 Anderson Creek <b>LOT #</b> 188 <b>SUBDIV:</b> Anderson Creek<br><b>MODEL:</b> 32000 <b>TAG:</b> CC 2325 "D" LF2, RP, W/ <b>JOB CATEGORY:</b> Residential - Roof |
|         | <b>Caviness &amp; Cates Building &amp; 356 Kensington Dr. Cameron, NC</b>                                      | <b>DELIVERY INSTRUCTIONS:</b><br><br><b>SPECIAL INSTRUCTIONS:</b>   |

**PLAN SEAL DATE:** 4/30/2021  
BY DATE

|                                   |               |             |           |              |                  |         |             |
|-----------------------------------|---------------|-------------|-----------|--------------|------------------|---------|-------------|
| BUILDING DEPARTMENT<br>Roof Order | OVERHANG INFO | HEEL HEIGHT | 00-04-03  | REQ. LAYOUTS | REQ. ENGINEERING | QUOTE   | / /         |
|                                   | END CUT       | RETURN      |           |              |                  | LAYOUT  | WM 01/19/22 |
|                                   | NO            | GABLE STUDS | 16 IN. OC | JOBSITE      | 1                | CUTTING | WM 01/19/22 |

**ROOF TRUSSES** **LOADING INFORMATION** TOLL-TCDL-BCLL-BCDL STRESS INCR.  
20.0,10.0,0.0,10.0 1.15 **ROOF TRUSS SPACING:** 24.0 IN. O.C. (TYP.)

| PROFILE | QTY | PITCH |      | TYPE ID      | BASE O/A             | LUMBER |       | OVERHANG |          | REACTIONS                             |  |                                       |                                      |                                       |
|---------|-----|-------|------|--------------|----------------------|--------|-------|----------|----------|---------------------------------------|--|---------------------------------------|--------------------------------------|---------------------------------------|
|         |     | TOP   | BOT  |              |                      | TOP    | BOT   | LEFT     | RIGHT    |                                       |  |                                       |                                      |                                       |
|         | 6   | 7.50  | 0.00 | COMMON A1    | 30-00-00<br>29-11-08 | 2 X 6  | 2 X 6 | 00-11-00 |          | Joint 2<br>1347.4 lbs.<br>-108.3 lbs. | Joint 9<br>1281.3 lbs.<br>-76.8 lbs.   |                                       |                                      |                                       |
|         | 1   | 7.50  | 0.00 | GABLE A1-GE  | 30-00-00<br>29-11-08 | 2 X 6  | 2 X 6 | 00-11-00 |          | Joint 2<br>240.5 lbs.<br>-134.6 lbs.  | Joint 18<br>22.6 lbs.<br>-18.0 lbs.    | Joint 19<br>9.7 lbs.<br>2.4 lbs.      | Joint 20<br>140.7 lbs.<br>-66.4 lbs. | Joint 21<br>182.8 lbs.<br>-90.4 lbs.  |
|         | 5   | 7.50  | 0.00 | COMMON A2    | 30-00-00<br>29-11-08 | 2 X 6  | 2 X 6 | 00-11-00 |          | Joint 2<br>1425.7 lbs.<br>-108.3 lbs. | Joint 9<br>1365.1 lbs.<br>-76.8 lbs.   |                                       |                                      |                                       |
|         | 4   | 7.50  | 0.00 | COMMON A3    | 33-10-08<br>33-10-00 | 2 X 6  | 2 X 6 | 00-11-00 |          | Joint 2<br>1636.6 lbs.<br>-118.9 lbs. | Joint 9<br>1585.9 lbs.<br>-106.2 lbs.  |                                       |                                      |                                       |
|         | 1   | 7.50  | 0.00 | GABLE A4     | 33-10-08<br>33-10-00 | 2 X 6  | 2 X 6 | 00-11-00 |          | Joint 2<br>1534.6 lbs.<br>-306.7 lbs. | Joint 14<br>1569.0 lbs.<br>-325.3 lbs. |                                       |                                      |                                       |
|         | 5   | 7.50  | 0.00 | COMMON B1    | 32-00-00<br>31-11-00 | 2 X 6  | 2 X 6 | 00-11-00 | 00-11-00 | Joint 2<br>1513.0 lbs.<br>-112.4 lbs. | Joint 8<br>1513.0 lbs.<br>-112.4 lbs.  |                                       |                                      |                                       |
|         | 1   | 7.50  | 0.00 | HIP B1-GE    | 32-00-00<br>31-11-00 | 2 X 6  | 2 X 6 | 00-11-00 | 00-11-00 | Joint 2<br>204.5 lbs.<br>-102.6 lbs.  | Joint 21<br>148.4 lbs.<br>-30.1 lbs.   | Joint 23<br>186.5 lbs.<br>-132.7 lbs. | Joint 24<br>175.9 lbs.<br>-86.2 lbs. | Joint 25<br>175.1 lbs.<br>-85.9 lbs.  |
|         | 1   | 8.00  | 0.00 | GABLE C1     | 19-08-00<br>19-07-00 | 2 X 6  | 2 X 6 | 00-11-00 |          | Joint 8<br>930.6 lbs.<br>-112.6 lbs.  | Joint 11<br>706.7 lbs.<br>49.3 lbs.    | Joint 12<br>692.3 lbs.<br>-286.5 lbs. |                                      |                                       |
|         | 1   | 8.00  | 0.00 | COMMON D1-GE | 10-08-00<br>10-07-00 | 2 X 6  | 2 X 6 | 00-11-00 | 00-11-00 | Joint 2<br>207.6 lbs.<br>-51.7 lbs.   | Joint 8<br>207.6 lbs.<br>-49.1 lbs.    | Joint 10<br>276.6 lbs.<br>-149.6 lbs. | Joint 11<br>105.4 lbs.<br>5.6 lbs.   | Joint 12<br>283.8 lbs.<br>-156.2 lbs. |
|         | 4   | 4.00  | 0.00 | COMMON E1    | 12-00-00<br>12-00-00 | 2 X 4  | 2 X 4 | 00-10-08 | 00-10-08 | Joint 2<br>529.6 lbs.<br>-217.2 lbs.  | Joint 4<br>529.6 lbs.<br>-217.2 lbs.   |                                       |                                      |                                       |
|         | 1   | 4.00  | 0.00 | GABLE E1-GE  | 12-00-00<br>12-00-00 | 2 X 4  | 2 X 4 | 00-10-08 | 00-10-08 | Joint 2<br>529.6 lbs.<br>-304.6 lbs.  | Joint 4<br>529.6 lbs.<br>-304.6 lbs.   |                                       |                                      |                                       |

# Reaction Summary of Order



|                 |                |                 |                 |
|-----------------|----------------|-----------------|-----------------|
| REQ. QUOTE DATE | / /            | ORDER #         | J0921-5699      |
| ORDER DATE      | 09/23/21       | QUOTE #         |                 |
| DELIVERY DATE   | / /            | CUSTOMER ACCT # | 0000006409      |
| DATE OF INVOICE | / /            | CUSTOMER PO #   |                 |
| ORDERED BY      | Chris Martin   | INVOICE #       |                 |
| COUNTY          | Harnett        | TERMS           |                 |
| SUPERINTENDANT  | Chris Martin   | SALES REP       | Scot Duncan     |
| JOBSITE PHONE # | (910) 916-7620 | SALES AREA      | Marshall Naylor |

|         |  |   |
|---------|--|---|
| SOLD TO | <b>Caviness &amp; Cates Building &amp; 639 Executive Place Suite 400 Fayetteville, NC 28305 (910) 481-0503</b> | <b>JOB NAME:</b> Lot 188 Anderson Creek <b>LOT #</b> 188 <b>SUBDIV:</b> Anderson Creek<br><b>MODEL:</b> 32000 <b>TAG:</b> CC 2325 "D" LF2, RP, W/ <b>JOB CATEGORY:</b> Residential - Roof |
|         | <b>Caviness &amp; Cates Building &amp; 356 Kensington Dr. Cameron, NC</b>                                      | <b>DELIVERY INSTRUCTIONS:</b><br><br><b>SPECIAL INSTRUCTIONS:</b><br><br><p style="text-align: right;"><b>PLAN SEAL DATE:</b> 4/30/2021</p>   |

|                     |               |             |           |              |                  |         |             |
|---------------------|---------------|-------------|-----------|--------------|------------------|---------|-------------|
| BUILDING DEPARTMENT | OVERHANG INFO | HEEL HEIGHT | 00-04-03  | REQ. LAYOUTS | REQ. ENGINEERING | QUOTE   | / /         |
|                     | END CUT       | RETURN      |           |              |                  | LAYOUT  | WM 01/19/22 |
| Roof Order          | NO            | GABLE STUDS | 16 IN. OC | JOBSITE      | 1                | CUTTING | WM 01/19/22 |

|                     |                     |                     |              |  |
|---------------------|---------------------|---------------------|--------------|--|
| <b>ROOF TRUSSES</b> | LOADING INFORMATION | TOLL-TCDL-BCLL-BCDL | STRESS INCR. | ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.) |
|                     |                     | 20.0,10.0,0.0,10.0  | 1.15         |  |

| PROFILE | QTY        | PITCH |      | TYPE ID         | BASE O/A             | LUMBER |        | OVERHANG |          | REACTIONS                             |  |                                      |                                    |                                      |
|---------|------------|-------|------|-----------------|----------------------|--------|--------|----------|----------|---------------------------------------|--|--------------------------------------|------------------------------------|--------------------------------------|
|         |            | TOP   | BOT  |                 |                      | TOP    | BOT    | LEFT     | RIGHT    |                                       |  |                                      |                                    |                                      |
|         | 1<br>2 Ply | 0.00  | 0.00 | FLAT GIRDER H01 | 21-00-00<br>21-00-00 | 2 X 6  | 2 X 8  |          |          | Joint 6<br>8266.6 lbs.<br>-827.1 lbs. | Joint 11<br>7598.5 lbs.<br>-828.8 lbs. |                                      |                                    |                                      |
|         | 6          | 7.50  | 0.00 | JACK-OPEN J01   | 03-09-00<br>03-08-08 | 2 X 6  | 2 X 6  | 00-11-00 |          | Joint 2<br>203.2 lbs.<br>2.4 lbs.     | Joint 3<br>111.7 lbs.<br>-69.9 lbs.    | Joint 4<br>70.0 lbs.<br>17.5 lbs.    |                                    |                                      |
|         | 5          | 7.50  | 0.00 | JACK-OPEN J02   | 03-07-08<br>03-07-08 | 2 X 6  | 2 X 6  |          |          | Joint 1<br>142.5 lbs.<br>16.1 lbs.    | Joint 3<br>120.3 lbs.<br>-71.6 lbs.    | Joint 4<br>71.3 lbs.<br>17.8 lbs.    |                                    |                                      |
|         | 6          | 5.00  | 0.00 | MONOPITCH M1    | 05-00-00<br>05-00-00 | 2 X 4  | 2 X 6  | 01-03-08 |          | Joint 2<br>271.1 lbs.<br>-81.8 lbs.   | Joint 4<br>198.8 lbs.<br>-69.0 lbs.    |                                      |                                    |                                      |
|         | 4          | 5.00  | 0.00 | ROOF M2         | 03-00-00<br>03-00-00 | 2 X 4  | 2 X 10 | 01-03-08 | 02-03-08 | Joint 2<br>1121.6 lbs.<br>-145.9 lbs. | Joint 5<br>1784.0 lbs.<br>-217.1 lbs.  |                                      |                                    |                                      |
|         | 6          | 5.00  | 0.00 | MONOPITCH M3    | 03-00-00<br>03-00-00 | 2 X 4  | 2 X 4  | 01-03-08 |          | Joint 2<br>217.5 lbs.<br>-74.8 lbs.   | Joint 4<br>83.3 lbs.<br>-29.3 lbs.     |                                      |                                    |                                      |
|         | 5          | 5.00  | 0.00 | MONOPITCH M4    | 02-00-00<br>02-00-00 | 2 X 4  | 2 X 6  | 01-03-08 | 01-00-00 | Joint 2<br>382.3 lbs.<br>-127.8 lbs.  | Joint 4<br>569.2 lbs.<br>-175.8 lbs.   |                                      |                                    |                                      |
|         | 2          | 5.00  | 0.00 | MONOPITCH M5    | 02-00-00<br>02-00-00 | 2 X 4  | 2 X 6  | 01-03-08 | 01-00-00 | Joint 2<br>383.4 lbs.<br>-128.1 lbs.  | Joint 4<br>576.0 lbs.<br>-177.9 lbs.   |                                      |                                    |                                      |
|         | 1          | 8.00  | 0.00 | VALLEY VC01     | 15-10-15<br>15-10-15 | 2 X 4  | 2 X 4  |          |          | Joint 1<br>133.3 lbs.<br>-6.7 lbs.    | Joint 5<br>125.4 lbs.<br>6.2 lbs.      | Joint 6<br>377.9 lbs.<br>-115.0 lbs. | Joint 7<br>247.4 lbs.<br>45.1 lbs. | Joint 8<br>378.0 lbs.<br>-115.1 lbs. |
|         | 1          | 8.00  | 0.00 | VALLEY VC02     | 12-01-15<br>12-01-15 | 2 X 4  | 2 X 4  |          |          | Joint 1<br>54.8 lbs.<br>-30.1 lbs.    | Joint 5<br>41.6 lbs.<br>-12.5 lbs.     | Joint 6<br>313.5 lbs.<br>-99.5 lbs.  | Joint 7<br>264.2 lbs.<br>27.3 lbs. | Joint 8<br>313.7 lbs.<br>-99.6 lbs.  |
|         | 1          | 8.00  | 0.00 | VALLEY VC03     | 08-04-15<br>08-04-15 | 2 X 4  | 2 X 4  |          |          | Joint 1<br>161.8 lbs.<br>-28.4 lbs.   | Joint 3<br>161.8 lbs.<br>-34.2 lbs.    | Joint 4<br>272.3 lbs.<br>10.1 lbs.   |                                    |                                      |

# Reaction Summary of Order




**ROOF & FLOOR TRUSSES & BEAMS**  
 Reilly Road Industrial Park P.O. Box 40408  
 Fayetteville, N.C. 28309 (910) 864-TRUS

|                 |                |                 |                 |
|-----------------|----------------|-----------------|-----------------|
| REQ. QUOTE DATE | / /            | ORDER #         | J0921-5699      |
| ORDER DATE      | 09/23/21       | QUOTE #         |                 |
| DELIVERY DATE   | / /            | CUSTOMER ACCT # | 0000006409      |
| DATE OF INVOICE | / /            | CUSTOMER PO #   |                 |
| ORDERED BY      | Chris Martin   | INVOICE #       |                 |
| COUNTY          | Harnett        | TERMS           |                 |
| SUPERINTENDANT  | Chris Martin   | SALES REP       | Scot Duncan     |
| JOBSITE PHONE # | (910) 916-7620 | SALES AREA      | Marshall Naylor |

|         |  |   |
|---------|--|---|
| SOLD TO | <b>Caviness &amp; Cates Building &amp; 639 Executive Place Suite 400 Fayetteville, NC 28305 (910) 481-0503</b> | <b>JOB NAME:</b> Lot 188 Anderson Creek <b>LOT #</b> 188 <b>SUBDIV:</b> Anderson Creek<br><b>MODEL:</b> 32000 <b>TAG:</b> CC 2325 "D" LF2, RP, W/ <b>JOB CATEGORY:</b> Residential - Roof |
|         | <b>Caviness &amp; Cates Building &amp; 356 Kensington Dr. Cameron, NC</b>                                      | <b>DELIVERY INSTRUCTIONS:</b><br><br><b>SPECIAL INSTRUCTIONS:</b><br><br><p style="text-align: right;"><b>PLAN SEAL DATE:</b> 4/30/2021</p>   |

| <b>BUILDING DEPARTMENT</b> | <b>OVERHANG INFO</b>   | <b>HEEL HEIGHT</b> | 00-04-03 | <b>REQ. LAYOUTS</b> | <b>REQ. ENGINEERING</b> | <b>QUOTE</b>       | / /         |   |         |   |  |  |   |         |   |  |  |               |             |
|----------------------------|--|--------------------|----------|---------------------|-------------------------|--------------------|-------------|---|---------|---|--|--|---|---------|---|--|--|---------------|-------------|
| Roof Order                 | <table border="1"> <tr> <th>END CUT</th> <th>RETURN</th> </tr> <tr> <td>NO</td> <td></td> </tr> </table> | END CUT            | RETURN   | NO                  |                         | <b>GABLE STUDS</b> | 16 IN. OC   | <table border="1"> <tr> <th>JOBSITE</th> <th>1</th> </tr> <tr> <td></td> <td></td> </tr> </table> | JOBSITE | 1 |  |  | <table border="1"> <tr> <th>JOBSITE</th> <th>1</th> </tr> <tr> <td></td> <td></td> </tr> </table> | JOBSITE | 1 |  |  | <b>LAYOUT</b> | WM 01/19/22 |
| END CUT                    | RETURN   |                    |          |                     |                         |                    |             |   |         |   |  |  |   |         |   |  |  |               |             |
| NO                         |  |                    |          |                     |                         |                    |             |   |         |   |  |  |   |         |   |  |  |               |             |
| JOBSITE                    | 1  |                    |          |                     |                         |                    |             |   |         |   |  |  |   |         |   |  |  |               |             |
|                            |  |                    |          |                     |                         |                    |             |   |         |   |  |  |   |         |   |  |  |               |             |
| JOBSITE                    | 1  |                    |          |                     |                         |                    |             |   |         |   |  |  |   |         |   |  |  |               |             |
|                            |  |                    |          |                     |                         |                    |             |   |         |   |  |  |   |         |   |  |  |               |             |
|                            |  |                    |          |                     |                         | <b>CUTTING</b>     | WM 01/19/22 |   |         |   |  |  |   |         |   |  |  |               |             |

| <b>ROOF TRUSSES</b>  |     | <b>LOADING INFORMATION</b> |      | TCLL-TCDL-BCLL-BCDL | STRESS INCR. | <b>ROOF TRUSS SPACING:</b> 24.0 IN. O.C. (TYP.) |       |          |   |
|--|-----|----------------------------|------|---------------------|--------------|---|-------|----------|---|
|  |     |                            |      | 20.0,10.0,0.0,10.0  | 1.15         |   |       |          |   |
| PROFILE  | QTY | PITCH                      |      | TYPE ID             | BASE O/A     | LUMBER  |       | OVERHANG | REACTIONS   |
|  | 1   | TOP                        | BOT  | VALLEY VC04         | 04-07-15     | TOP   | BOT   | LEFT     | RIGHT   |
|  |     | 8.00                       | 0.00 |                     | 04-07-15     | 2 X 4   | 2 X 4 |          |   |
|  |     |                            |      |                     |              |   |       |          |   |
|  |     |                            |      |                     |              |   |       |          | Joint 1      Joint 3      Joint 4<br>80.4 lbs.      80.4 lbs.      135.2 lbs.<br>-14.1 lbs.      -17.0 lbs.      5.0 lbs. |

| <b>ITEMS</b> |              |        |          |             |                 |  |  |  |  |
|--------------|--------------|--------|----------|-------------|-----------------|--|--|--|--|
| QTY          | ITEM TYPE    | SIZE   | LENGTH   | PART NUMBER | NOTES           |  |  |  |  |
|              |              |        | FT-IN-16 |             |                 |  |  |  |  |
| 11           | Hangers, USP | HUS 28 |          |             | SIMPSON (HUS28) |  |  |  |  |
| 7            | Hangers, USP | JUS26  |          |             | SIMPSON (LUS26) |  |  |  |  |