Harnett County Department of Public Health

Improvement Permit

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: 997 Jackson Rd. (SR 1424) ISSUED TO: Jordan & Ashley Harris SUBDIVISION McKinnie NEW X REPAIR _ Site Improvements required prior to Construction Authorization Issuance: Type of Structure: 77x51 sfd, 4 beds 3 baths Proposed Wastewater System Type: 25% Reduction Sys. Projected Daily Flow: 480 GPD Number of bedrooms: 4 Number of Occupants: 8 Basement Yes X No ✓ No Pump Required: Yes May be required based on final location and elevations of facilities Type of Water Supply: Community Public Well Distance from well NA feet Permit valid for: X Five years ■ No expiration Permit conditions: 02/10/2022 Date: Authorized State Agent:: The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. ISSUED TO: Jordan & Ashley Harris PROPERTY LOCATION: 997 Jackson Rd. (SR 1424) SUBDIVISION McKinnie Facility Type: 77x51 sfd, 4 beds 3 baths New Expansion Basement Fixtures? Yes Basement? Yes X No Type of Wastewater System** 25% LEDUCTION STSTEM (Initial) Wastewater Flow: 480 (See note below, if applicable) 25% NENETION STSTEM Installation Requirements/Conditions Number of trenches Septic Tank Size 1250 Feet on Center gallons Exact length of each trench 100 Trench Spacing: __ Pump Tank Size gallons Trenches shall be installed on contour at a Soil Cover: 12 Maximum Trench Depth of: 24 inches (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: _____ ft. TDH vs. inches below pipe ~A inches above pipe GRAVITY TO D-BOX TEGUTE DISTRIBUTE inches total WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. **If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH Authorized State Agent: 02/10/2022 Date:

Construction Authorization Expiration Date: 02/10/2627

ANDREW CURLIN

Harnett County Department of Public Health Site Sketch

