Harnett County Department of Public Health

Improvement Permit

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: 3134 US 301 MILTON BRIAN HODSON ISSUED TO: WHITTENTON BUTS SUBDIVISION ENT. 3 REPAIR NEW X EXPANSION Site Improvements required prior to Construction Authorization Issuance: 800'X90' 5=> Type of Structure OF GEORGE Proposed Waster System Type: 25% REDICTION STOTEM Projected Daily Flow: 6480-360PD Number of bedrooms: W +3 Number of Occupants: Number of Occupants: Basement Yes X No **⋈** No May be required based on final location and elevations of facilities Pump Required: Yes Permit valid for: Five years Type of Water Supply: Community Public Well Distance from well ______ feet No expiration 03/29/2022 SEE ATTACHED SITE SKETCH Authorized State Agent:: The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. ISSUED TO: WHITTENTON GLAS ENT. PROPERTY LOCATION: 3134 US 301 S. =- B1 80' x 90' SID Expansion Basement? Yes Basement Fixtures? Yes No 25% EDUCTION STSTEM (Initial) Wastewater Flow: CO180 Type of Wastewater System** (See note below, if applicable) 25% TEDETION STSTEM Number of trenches Installation Requirements/Conditions Septic Tank Size 1250 Exact length of each trench Trench Spacing: Feet on Center Trenches shall be installed on contour at a Soil Cover: Pump Tank Size gallons Maximum Trench Depth of: 618 16 inches (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) NA inches below pipe Pump Requirements: ft. TDH vs. GPM Aggregate Depth: inches above pipe GRAVITY TO D-BOX EGUAL DISTRIBUTION REGULAD inches total WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. **If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This SEE ATTACHED SITE SKETCH Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. Authorized State Agent: Construction Authorization Expiration Date: (AS) 27/25/2027 63/29/2027

ANDREW CURLIN

Harnett County Department of Public Health Site Sketch

