

# Reaction Summary of Order



REQ. QUOTE DATE	/ /	ORDER #	J0324-1345
ORDER DATE	03/06/24	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000006897
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Chris Sherrod	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Chris Sherrod	SALES REP	Anthony Williams
JOBSITE PHONE #	(910) 985-1136	SALES AREA	Anthony Williams

SOLD TO	Signature Home Builders, Inc. 1209 N. Main Street Fayetteville, NC 27546 (910) 892-9299	JOB NAME: 6085 Cool Springs Rd.	LOT # 6085	SUBDIV: Cool Springs Rd
	Signature Home Builders 6085 Cool Springs Rd Broadway, NC	MODEL: Roof	TAG: 6085 Cool Springs Rd	JOB CATEGORY: WCall - Will Call
SHIP TO	DELIVERY INSTRUCTIONS:			
	SPECIAL INSTRUCTIONS:			
PLAN SEAL DATE:				

BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-06-08	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	aw	03/06/24
Roof Order	END CUT	RETURN				LAYOUT	aw	03/06/24
	GABLE STUDS	24 IN. OC		JOBSITE	1	CUTTING	aw	03/06/24

<b>ROOF TRUSSES</b>	LOADING INFORMATION	TCLL-TCDL-BCLL-BCDL	STRESS INCR.	ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)
		20.0,10.0,0.0,10.0	1.15	

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS					
		TOP	BOT			TOP	BOT	LEFT	RIGHT						
	1	9.00	0.00	GABLE A1-GE	30-01-08 30-01-08	2 X 6	2 X 6	00-11-00	01-02-08	Joint 2 291.7 lbs. -152.0 lbs.	Joint 24 265.8 lbs. -103.4 lbs.	Joint 25 258.3 lbs. -279.0 lbs.	Joint 26 179.7 lbs. -94.7 lbs.	Joint 27 184.5 lbs. -98.9 lbs.	
	4	9.00	0.00	PIGGYBACK A2	30-05-00 30-05-00	2 X 6	2 X 6	00-11-00	00-11-00	Joint 2 1397.5 lbs. -65.5 lbs.	Joint 11 1386.9 lbs. -39.2 lbs.				
	2	9.00	0.00	PIGGYBACK A3	30-05-00 30-05-00	2 X 6	2 X 6	00-11-00		Joint 2 1399.3 lbs. -64.2 lbs.	Joint 10 1339.1 lbs. -27.8 lbs.				
	2 2 Ply	9.00	0.00	PIGGYBACK A4	30-05-00 30-05-00	2 X 6	2 X 6			Joint 1 2906.8 lbs. -123.6 lbs.	Joint 9 3028.8 lbs. -98.5 lbs.				
	2	9.00	0.00	PIGGYBACK A5	30-05-00 30-05-00	2 X 6	2 X 6			Joint 1 1346.1 lbs. -51.0 lbs.	Joint 9 1339.8 lbs. -27.8 lbs.				
	4	9.00	0.00	PIGGYBACK A6	30-05-00 30-05-00	2 X 6	2 X 6		00-11-00	Joint 1 1344.3 lbs. -52.3 lbs.	Joint 10 1387.6 lbs. -39.2 lbs.				
	1	9.00	0.00	GABLE A7-GE	30-05-00 30-01-08	2 X 6	2 X 6		01-02-08	Joint 1 1069.0 lbs. -124.7 lbs.	Joint 32 555.0 lbs. -114.1 lbs.	Joint 33 251.0 lbs. -87.1 lbs.	Joint 34 0.4 lbs. -149.6 lbs.	Joint 35 954.5 lbs. -597.6 lbs.	
	4	4.00	0.00	ROOF B1	37-09-00 37-09-00	2 X 6	2 X 6	00-11-00	00-11-00	Joint 2 1260.5 lbs. -104.1 lbs.	Joint 13 1846.1 lbs. -116.3 lbs.				
	3	4.00	0.00	ROOF B2	31-07-00 31-07-00	2 X 6	2 X 6	00-11-00		Joint 2 1307.4 lbs. -102.1 lbs.	Joint 10 1326.6 lbs. -45.3 lbs.				
	1	12.00	0.00	GABLE C1-GE	23-07-00 23-07-00	2 X 8	2 X 10	00-11-00	00-11-00	Joint 12 1654.0 lbs. 79.4 lbs.	Joint 16 1654.0 lbs. 79.4 lbs.				
	4	12.00	0.00	PIGGYBACK C2	23-07-00 23-07-00	2 X 8	2 X 10	00-11-00		Joint 11 1606.7 lbs. 215.1 lbs.	Joint 15 1654.9 lbs. 204.5 lbs.				

# Reaction Summary of Order



REQ. QUOTE DATE	/ /	ORDER #	J0324-1345
ORDER DATE	03/06/24	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000006897
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Chris Sherrod	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Chris Sherrod	SALES REP	Anthony Williams
JOBSITE PHONE #	(910) 985-1136	SALES AREA	Anthony Williams

SOLD TO	Signature Home Builders, Inc. 1209 N. Main Street Fayetteville, NC 27546 (910) 892-9299	JOB NAME: 6085 Cool Springs Rd.	LOT # 6085	SUBDIV: Cool Springs Rd
	Signature Home Builders 6085 Cool Springs Rd Broadway, NC	MODEL: Roof	TAG: 6085 Cool Springs Rd	JOB CATEGORY: WCall - Will Call
SHIP TO	DELIVERY INSTRUCTIONS:			
	SPECIAL INSTRUCTIONS:			
PLAN SEAL DATE:				

BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-06-08	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	aw	03/06/24
Roof Order	END CUT	RETURN				LAYOUT	aw	03/06/24
	GABLE STUDS	24 IN. OC		JOBSITE	1	CUTTING	aw	03/06/24

<b>ROOF TRUSSES</b>	LOADING INFORMATION	TCLL-TCDL-BCLL-BCDL	STRESS INCR.	ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)
		20.0,10.0,0.0,10.0	1.15	

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS				
		TOP	BOT			TOP	BOT	LEFT	RIGHT					
	2	12.00	0.00	PIGGYBACK C3	23-07-00 23-07-00	2 X 8	2 X 10	00-11-00		Joint 16 1660.5 lbs. 206.0 lbs.	Joint 19 1581.2 lbs. 220.2 lbs.			
	5	12.00	0.00	ROOF C4	23-07-00 23-07-00	2 X	2 X 6	00-11-00		Joint 7 736.2 lbs. -98.2 lbs.	Joint 15 1440.6 lbs. -529.4 lbs.	Joint 16 417.1 lbs. -473.7 lbs.		
	2	12.00	0.00	ROOF C5	23-07-00 23-07-00	2 X	2 X 6	00-11-00		Joint 7 1104.2 lbs. -147.3 lbs.	Joint 15 2160.9 lbs. -794.1 lbs.	Joint 16 625.6 lbs. -710.6 lbs.		
	1	12.00	0.00	GABLE D1-GE	23-07-00 23-07-00	2 X 6	2 X 6	00-11-00	00-11-00	Joint 2 311.8 lbs. -176.4 lbs.	Joint 23 256.8 lbs. -85.9 lbs.	Joint 25 191.9 lbs. -239.0 lbs.	Joint 26 116.7 lbs. -72.5 lbs.	Joint 27 123.8 lbs. -93.0 lbs.
	10	12.00	0.00	PIGGYBACK D2	23-07-00 23-07-00	2 X 6	2 X 6	00-11-00	00-11-00	Joint 2 1370.4 lbs. -35.2 lbs.	Joint 7 1368.1 lbs. -35.2 lbs.			
	5	12.00	0.00	PIGGYBACK D3	23-07-00 23-07-00	2 X 6	2 X 6	00-11-00		Joint 2 1370.9 lbs. -35.2 lbs.	Joint 7 1326.2 lbs. -23.9 lbs.			
	1 2 Ply	12.00	0.00	PIGGYBACK D4	23-07-00 23-07-00	2 X 6	2 X 6	00-11-00		Joint 2 2056.5 lbs. -52.8 lbs.	Joint 7 1989.4 lbs. -35.9 lbs.			
	1	12.00	0.00	GABLE E1-GE	11-11-00 11-11-00	2 X 6	2 X 6	00-11-00	00-11-00	Joint 12 240.7 lbs. -106.2 lbs.	Joint 13 243.1 lbs. -268.6 lbs.	Joint 14 123.4 lbs. -106.5 lbs.	Joint 15 150.1 lbs. -41.6 lbs.	Joint 16 194.6 lbs. 23.6 lbs.
	1	12.00	0.00	GABLE F1-GE	19-07-00 19-07-00	2 X 6	2 X 6	00-11-00	00-11-00	Joint 2 905.5 lbs. -139.6 lbs.	Joint 12 905.5 lbs. -139.6 lbs.			
	2	12.00	0.00	COMMON F2	19-07-00 19-07-00	2 X 6	2 X 6	00-11-00	00-11-00	Joint 2 1144.9 lbs. -100.6 lbs.	Joint 6 1144.9 lbs. -100.6 lbs.			
	3	12.00	0.00	COMMON F3	19-07-00 19-07-00	2 X 6	2 X 6	00-11-00		Joint 2 1162.0 lbs. -100.7 lbs.	Joint 6 1116.7 lbs. -80.5 lbs.			

# Reaction Summary of Order



**ROOF & FLOOR TRUSSES & BEAMS**  
 Reilly Road Industrial Park P.O. Box 40408  
 Fayetteville, N.C. 28309 (910) 864-TRUS







REQ. QUOTE DATE	/ /	ORDER #	J0324-1345
ORDER DATE	03/06/24	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000006897
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Chris Sherrod	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Chris Sherrod	SALES REP	Anthony Williams
JOBSITE PHONE #	(910) 985-1136	SALES AREA	Anthony Williams

SOLD TO	Signature Home Builders, Inc. 1209 N. Main Street Fayetteville, NC 27546 (910) 892-9299	JOB NAME: 6085 Cool Springs Rd.	LOT # 6085	SUBDIV: Cool Springs Rd
	Signature Home Builders 6085 Cool Springs Rd Broadway, NC	MODEL: Roof	TAG: 6085 Cool Springs Rd	JOB CATEGORY: WCall - Will Call
SHIPP TO	DELIVERY INSTRUCTIONS:			
	SPECIAL INSTRUCTIONS:			
<b>PLAN SEAL DATE:</b>				

BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-06-08	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	aw	03/06/24
Roof Order	END CUT	RETURN				LAYOUT	aw	03/06/24
	GABLE STUDS	24 IN. OC		JOBSITE	1	CUTTING	aw	03/06/24

**ROOF TRUSSES**      **LOADING INFORMATION**      TOLL-TCDL-BCLL-BCDL      STRESS INCR.      **ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)**

20.0,10.0,0.0,10.0      1.15

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS				
		TOP	BOT			TOP	BOT	LEFT	RIGHT					
	1	9.00	0.00	GABLE G1-GE	15-11-00 15-11-00	2 X 6	2 X 6	00-11-00		Joint 2	Joint 14	Joint 15	Joint 16	Joint 17
										177.6 lbs.	128.4 lbs.	146.0 lbs.	117.9 lbs.	120.9 lbs.
										-77.3 lbs.	-40.4 lbs.	-125.6 lbs.	-66.1 lbs.	-68.3 lbs.
	2	9.00	0.00	COMMON G2	15-11-00 15-11-00	2 X 6	2 X 6	00-11-00		Joint 2	Joint 4			
										682.9 lbs.	623.3 lbs.			
										-41.0 lbs.	-27.6 lbs.			
	15	3.00	0.00	JACK-CLOSED H1	08-00-00 08-00-00	2 X 6	2 X 6	00-11-00		Joint 2	Joint 5			
										375.6 lbs.	309.3 lbs.			
										-148.5 lbs.	-125.1 lbs.			
	2	3.00	0.00	JACK-CLOSED H2	08-00-00 08-00-00	2 X 6	2 X 6	00-11-00		Joint 2	Joint 5			
										638.6 lbs.	712.3 lbs.			
										-237.3 lbs.	-284.7 lbs.			
	4	4.50	0.00	JACK-OPEN H3	05-00-00 05-00-00	2 X 6	2 X 6	00-11-00		Joint 2	Joint 3	Joint 4		
										251.8 lbs.	139.3 lbs.	96.3 lbs.		
										-90.9 lbs.	-62.0 lbs.	-24.8 lbs.		
	4	4.50	0.00	JACK-OPEN H3A	05-00-00 05-00-00	2 X 6	2 X 6			Joint 1	Joint 2	Joint 3		
										192.5 lbs.	144.4 lbs.	96.3 lbs.		
										-56.9 lbs.	-63.2 lbs.	-24.8 lbs.		
	2	4.50	0.00	JACK-OPEN H4	05-00-00 05-00-00	2 X 6	2 X 6	00-11-00		Joint 2	Joint 7			
										238.4 lbs.	190.8 lbs.			
										-90.9 lbs.	-70.6 lbs.			
	2	4.50	0.00	JACK-OPEN H5	05-00-00 05-00-00	2 X 6	2 X 6	00-11-00		Joint 1	Joint 2	Joint 5	Joint 6	Joint 7
										210.9 lbs.	238.4 lbs.	184.9 lbs.	573.7 lbs.	190.8 lbs.
										-30.8 lbs.	-96.0 lbs.	8.8 lbs.	-285.3 lbs.	-68.0 lbs.
	2	4.50	0.00	JACK-OPEN H6	05-00-00 05-00-00	2 X 6	2 X 6	00-11-00		Joint 2	Joint 7			
										238.4 lbs.	190.8 lbs.			
										-99.2 lbs.	-66.7 lbs.			
	2	9.00	0.00	GABLE PB1	06-07-05 06-07-05	2 X 4	2 X 4			Joint 1	Joint 2	Joint 6	Joint 7	Joint 8
										70.7 lbs.	166.8 lbs.	141.3 lbs.	35.0 lbs.	170.5 lbs.
										-68.9 lbs.	-79.0 lbs.	-55.6 lbs.	-27.1 lbs.	-87.4 lbs.
	12	9.00	0.00	PIGGYBACK PB2	06-07-05 06-07-05	2 X 4	2 X 4			Joint 2	Joint 4	Joint 6		
										177.5 lbs.	177.5 lbs.	228.1 lbs.		
										-30.5 lbs.	-37.0 lbs.	22.7 lbs.		

# Reaction Summary of Order



REQ. QUOTE DATE	/ /	ORDER #	J0324-1345
ORDER DATE	03/06/24	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000006897
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Chris Sherrod	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Chris Sherrod	SALES REP	Anthony Williams
JOBSITE PHONE #	(910) 985-1136	SALES AREA	Anthony Williams

SOLD TO	Signature Home Builders, Inc. 1209 N. Main Street Fayetteville, NC 27546 (910) 892-9299	JOB NAME: 6085 Cool Springs Rd.	LOT # 6085	SUBDIV: Cool Springs Rd
	Signature Home Builders 6085 Cool Springs Rd Broadway, NC	MODEL: Roof	TAG: 6085 Cool Springs Rd	JOB CATEGORY: WCall - Will Call
SHIP TO	DELIVERY INSTRUCTIONS:			
	SPECIAL INSTRUCTIONS:			
PLAN SEAL DATE:				

BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-06-08	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	aw	03/06/24
Roof Order	END CUT	RETURN				LAYOUT	aw	03/06/24
	GABLE STUDS	24 IN. OC		JOBSITE	1	CUTTING	aw	03/06/24

<b>ROOF TRUSSES</b>	LOADING INFORMATION	TCLL-TCDL-BCLL-BCDL	STRESS INCR.	ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)
		20.0,10.0,0.0,10.0	1.15	

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS				
		TOP	BOT			TOP	BOT	LEFT	RIGHT	Joint 1	Joint 2	Joint 4	Joint 5	Joint 6
	2	9.00	0.00	PIGGYBACK PB3	05-06-13 05-06-13	2 X 8	2 X 4			Joint 1 113.1 lbs. -141.1 lbs.	Joint 2 523.9 lbs. -186.8 lbs.	Joint 4 507.1 lbs. -175.6 lbs.	Joint 5 86.7 lbs. -101.5 lbs.	Joint 6 334.0 lbs. 74.8 lbs.
	23	12.00	0.00	PIGGYBACK PB4	03-06-05 03-06-05	2 X 4	2 X 4			Joint 2 109.5 lbs. -36.1 lbs.	Joint 4 109.5 lbs. -42.9 lbs.	Joint 6 109.0 lbs. 7.6 lbs.		
	1	12.00	0.00	PIGGYBACK PB5	03-00-10 03-00-10	2 X 6	2 X 4			Joint 1 69.2 lbs. -60.5 lbs.	Joint 2 227.7 lbs. -88.1 lbs.	Joint 4 204.6 lbs. -72.8 lbs.	Joint 5 37.5 lbs. -25.9 lbs.	Joint 6 133.9 lbs. 31.2 lbs.
	1	12.00	0.00	VALLEY VF-1	19-11-06 19-11-06	2 X 4	2 X 4			Joint 1 184.8 lbs. -115.4 lbs.	Joint 7 164.5 lbs. -77.5 lbs.	Joint 8 283.5 lbs. -132.9 lbs.	Joint 9 489.7 lbs. -184.5 lbs.	Joint 11 437.4 lbs. 70.6 lbs.
	1	12.00	0.00	VALLEY VF-2	16-11-06 16-11-06	2 X 4	2 X 4			Joint 1 195.7 lbs. -24.8 lbs.	Joint 5 171.6 lbs. 7.4 lbs.	Joint 6 531.3 lbs. -204.8 lbs.	Joint 8 415.8 lbs. 62.0 lbs.	Joint 9 531.5 lbs. -204.9 lbs.
	1	12.00	0.00	VALLEY VF-3	13-11-06 13-11-06	2 X 4	2 X 4			Joint 1 138.2 lbs. -35.7 lbs.	Joint 5 118.4 lbs. -9.4 lbs.	Joint 6 455.4 lbs. -169.5 lbs.	Joint 7 416.3 lbs. 58.6 lbs.	Joint 8 455.7 lbs. -169.7 lbs.
	1	12.00	0.00	VALLEY VF-4	10-11-06 10-11-06	2 X 4	2 X 4			Joint 1 118.4 lbs. -99.4 lbs.	Joint 5 104.7 lbs. -78.9 lbs.	Joint 6 349.4 lbs. -167.3 lbs.	Joint 7 221.3 lbs. 52.7 lbs.	Joint 8 349.7 lbs. -167.5 lbs.
	1	12.00	0.00	VALLEY VF-5	07-11-06 07-11-06	2 X 4	2 X 4			Joint 1 178.0 lbs. -31.7 lbs.	Joint 3 178.0 lbs. -31.7 lbs.	Joint 4 228.7 lbs. 30.1 lbs.		
	1	12.00	0.00	VALLEY VF-6	04-11-06 04-11-06	2 X 4	2 X 4			Joint 1 105.0 lbs. -18.7 lbs.	Joint 3 105.0 lbs. -18.7 lbs.	Joint 4 134.8 lbs. 17.8 lbs.		

## ITEMS

QTY	ITEM TYPE	SIZE	LENGTH FT-IN-16	PART NUMBER	NOTES
2	LVL Beams (Sized)	LVL, 1-3/4" x 9-1/4" (S)	09-00-00		BM3

# Reaction Summary of Order



**ROOF & FLOOR TRUSSES & BEAMS**  
 Reilly Road Industrial Park P.O. Box 40408  
 Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	/ /	ORDER #	J0324-1345
ORDER DATE	03/06/24	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000006897
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Chris Sherrod	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Chris Sherrod	SALES REP	Anthony Williams
JOBSITE PHONE #	(910) 985-1136	SALES AREA	Anthony Williams

SOLD TO	Signature Home Builders, Inc. 1209 N. Main Street Fayetteville, NC 27546 (910) 892-9299	JOB NAME: 6085 Cool Springs Rd.		LOT # 6085	SUBDIV: Cool Springs Rd
	SHIP TO	Signature Home Builders 6085 Cool Springs Rd Broadway, NC	MODEL: Roof	TAG: 6085 Cool Springs Rd	JOB CATEGORY: WCall - Will Call
DELIVERY INSTRUCTIONS:					
SPECIAL INSTRUCTIONS:					
PLAN SEAL DATE:					
BY DATE					

BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-06-08	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	aw	03/06/24
Roof Order	END CUT RETURN					LAYOUT	aw	03/06/24
	GABLE STUDS	24 IN. OC		JOBSITE 1	JOBSITE 1	CUTTING	aw	03/06/24

## ITEMS

QTY	ITEM TYPE	SIZE	LENGTH FT-IN-16	PART NUMBER	NOTES
6	LVL Beams (Sized)	LVL, 1-3/4" x 9-1/4" (S)	07-00-00		HDR-1
2	LVL Beams (Sized)	LVL, 1-3/4" x 11-7/8" (S)	18-00-00		GDH-1
2	LVL Beams (Sized)	LVL, 1-3/4" x 11-7/8" (S)	14-00-00		GDH-2
3	LVL Beams (Sized)	LVL, 1-3/4" x 11-7/8" (S)	14-00-00		BM2
2	LVL Beams (Sized)	LVL, 1-3/4" x 24" (S)	24-00-00		BM1
1	Hangers, USP	THDH612			SIMPSON (HGUS5.50/12)