Harnett County Department of Public Health

Improvement Permit

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: 1256 Hayes Rd (SR 2047) 101 # 2 ISSUED TO: Weaver Homes EXPANSION | Site Improvements required prior to Construction Authorization Issuance: NEW X Type of Structure: 35' x 37' SFD Proposed Wastewater System Type: Pump to 25% reduction Projected Daily Flow: 360 Number of bedrooms: 3 Number of Occupants: 6 Basement Yes X No May be required based on final location and elevations of facilities ☐ No Pump Required: XYes Type of Water Supply: Community Public Well Distance from well ______feet Permit valid for: X Five years No expiration Permit conditions: 45 Date: 03-08-22 Authorized State Agent:: The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958. and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance PROPERTY LOCATION: 1256 Hoyes Rd (SR 2047) ISSUED TO: Weaver Homes Facility Type: 35' x 37' SFD Expansion Basement Fixtures? Yes Basement? Yes IXI No Type of Wastewater System** Pump to 25% reduction (Initial) Wastewater Flow: 360 (See note below, if applicable) Pump to 25% reduction Number of trenches 1 Installation Requirements/Conditions Exact length of each trench _____ 225 feet Trench Spacing: 9 Feet on Center Septic Tank Size 1000 Soil Cover: 6 Trenches shall be installed on contour at a Pump Tank Size 1000 gallons Maximum Trench Depth of: 16 ____inches (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) inches below pipe ft. TDH vs. _ Pump Requirements: Aggregate Depth: inches above pipe Conditions: Make sure there is 6 inches of cover over entire drain field inches total 36" Curtain Drain Will be required TO keep lateral ground Water OFF The Drain WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO LITILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. **If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This SEE ATTACHED SITE SKETCH Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. Date: 03-08-22 Construction Authorization Expiration Date: 03-08-27

Harnett County Department of Public Health Site Sketch

Property Location: 1256 Hayes Rd (SR 2047) Issued To: Weaver Homes	Subdivision	Lot # 2
Authorized State Agent:		Date: 03-08-22
16" Curtain Drain will be ited 10' upslope of Drain Field 15' to the Side of the Field to keep lateral and water off the Drain lines Con Daylight to the Front Of the lot	TOTAL SETBACK SETBA	

This drawing is for illustrative purposes only. System installation must meet all pertinent laws, rules, and regulations.

Hayes Rel—>