

App# SP2203-0017  
279 Wellonscroft  
CT

# Harnett County Department of Public Health Improvement Permit

A building permit cannot be issued with only an Improvement Permit

ISSUED TO: Keith Bullock  
NEW  REPAIR  EXPANSION   
Type of Structure: SEP  
Proposed Wastewater System Type: 75% REDUCTION  
Projected Daily Flow: 360 GPD  
Number of bedrooms: 3 Number of Occupants: 6 max  
Basement  Yes  No  
Pump Required:  Yes  No  May be required based on final location and elevations of facilities  
Type of Water Supply:  Community  Public  Well Distance from well \_\_\_\_\_ feet  
Permit conditions: \_\_\_\_\_ Permit valid for:  Five years  No expiration

Authorized State Agent: James E. Markant RE PBAS Date: 3-25-22 SEE ATTACHED SITE SKETCH  
The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.

## Construction Authorization (Required for Building Permit)

The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout.

ISSUED TO: Keith Bullock PROPERTY LOCATION: 321705 Old Fairground RD  
SUBDIVISION: Leigh Laurel LOT # 22  
Facility Type: SEP  New  Expansion  Repair  
Basement?  Yes  No Basement Fixtures?  Yes  No  
Type of Wastewater System\*\* 75% REDUCTION system (Initial) Wastewater Flow: 360 GPD  
(See note below, if applicable  25/50% Red System (Repair)  
Installation Requirements/Conditions  
Septic Tank Size 1000 gallons Number of trenches 2  
Exact length of each trench 120 feet Trench Spacing: 9 Feet on Center  
Pump Tank Size \_\_\_\_\_ gallons Trenches shall be installed on contour at a Soil Cover: 6 inches  
Maximum Trench Depth of: 24-18 inches (Maximum soil cover shall not exceed 36" above the trench bottom)  
(Trench bottoms shall be level to +/- 1/4" in all directions)  
Pump Requirements: \_\_\_\_\_ ft. TDH vs. \_\_\_\_\_ GPM Aggregate Depth: 6 inches below pipe  
2 inches above pipe  
Conditions: NO Power on Water LINES IN System 12 inches total  
OR Repair Areas.

WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA.  
NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA.

\*\*If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit.

Owner/Legal Representative Signature: \_\_\_\_\_ Date: \_\_\_\_\_

This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH

Authorized State Agent: James E. Markant RE PBAS Date: 3-25-22  
Construction Authorization Expiration Date: 3-25-27


Application # SPD 2203-0017

### Harnett County Department of Public Health Site Sketch

Property Location: SR 1705 Old Fairground RD  
Issued To: Keith Bullock Subdivision: Jeff Laurel Lot # 22

Authorized State Agent: James C. Manhart REPAIRS Date: 8-24-22

\* NO WATER OR POWER LINES IN SYSTEM OR REPAIR AREAS.



This drawing is for illustrative purposes only. System installation must meet all pertinent laws, rules, and regulations.