
Harnett County Department of Public Health

Improvement Permit

A building permit cannot be issued with only an Improvement Permit
PROPERTY LOCATION: 29 Wild Stream Ct (US 401S) ISSUED TO: JSJ Builders SUBDIVISION Williams Farm EXPANSION | REPAIR Site Improvements required prior to Construction Authorization Issuance: Type of Structure: 37' x 52' SFD Proposed Wastewater System Type: pump to 25% reduction Projected Daily Flow: 480 Number of Occupants: 8 Number of bedrooms: 4 Basement Yes ☐ No Pump Required: XYes May be required based on final location and elevations of facilities ➤ Public Well Distance from well _______feet X Five years Type of Water Supply: Community Permit valid for: No expiration Date: 5-12-22 Authorized State Agent:: The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. ISSUED TO: JSJ Builders PROPERTY LOCATION: 29 Wild Stream Ct (US 401S) SUBDIVISION Williams Farm LOT # 46 Facility Type: 37' x 52' SFD Expansion Basement Fixtures? Yes Basement? Yes pump to 25% reduction Type of Wastewater System** (Initial) Wastewater Flow: 480 (See note below, if applicable) pump to 25% reduction Installation Requirements/Conditions Number of trenches 1 Exact length of each trench 200 Trench Spacing: 9 Septic Tank Size 1000 Trenches shall be installed on contour at a Pump Tank Size 1000 gallons Soil Cover: 6 Maximum Trench Depth of: 18-24 (Maximum soil cover shall not exceed _inches (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: ______ ft. TDH vs. ___ inches below pipe inches total Conditions: WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. **If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH Authorized State Agent: Mal MREHY Date: 5-12-22 Construction Authorization Expiration Date: 5-12-27

Harnett County Department of Public Health Site Sketch



This drawing is for illustrative purposes only. System installation must meet all pertinent laws, rules, and regulations.