
Harnett County Department of Public Health

Improvement Permit

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: 572 Turlington Road (SR 1723) 10T # B ISSUED TO: KMB Building LLC SUBDIVISION Bernice Johnson EXPANSION REPAIR Site Improvements required prior to Construction Authorization Issuance: Type of Structure: 36x47 sfd, 3 beds 2 baths Proposed Wastewater System Type: 25% Reduction Sys. Projected Daily Flow: 360 Number of Occupants: 6 Number of bedrooms: 3 Basement Yes Pump Required: Yes No May be required based on final location and elevations of facilities Type of Water Supply: Community Public Well Distance from well NA feet Permit valid for: X Five years ■ No expiration Permit conditions: 03/29/2022 Date: Authorized State Agent:: Date: site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules 1950, 1950, 1954, 1955, 1956, 1957, 1958, and 1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. ISSUED TO: KMB Building LLC PROPERTY LOCATION: 572 Turlington Road (SR 1723) SUBDIVISION Bernice Johnson Facility Type: 36x47 sfd, 3 beds 2 baths Expansion Basement Fixtures? Yes Basement? Yes X No 25% reaction sistem Type of Wastewater System** (Initial) Wastewater Flow: 360 GPD (See note below, if applicable) 25/0 REDUCTION STOTEM Number of trenches Installation Requirements/Conditions Exact length of each trench _ Septic Tank Size Lecongallons Trenches shall be installed on contour at a Soil Cover: Pump Tank Size Maximum Trench Depth of: (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: ft. TDH vs. GPM inches below pipe Aggregate Depth: inches above pipe Conditions: CUNTAIN DRAIN NEGALITED, GRAUNT TO DIBOX EGUAL WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. **If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This SEE ATTACHED SITE SKETCH Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. 03/25/2022 Date: Authorized State Agent: _ 03/29/2027 Construction Authorization Expiration Date: ___ ANDREW CURRIN

Harnett County Department of Public Health Site Sketch



This drawing is for illustrative purposes only. System installation must meet all pertinent laws, rules, and regulations.