


\Rightarrow

			10	9
				BOM
	ITEM	QTY	PART NUMBER	DESCRIPTION
	1 2 F_FOUND_40FT		F_FOUND_40FT	FOUNDATION LAYOUT 40FT, SHARING
	2	2	F_PILLAR ASSY	FOUNDATION PILLAR SINGLE
	3	6	F_CHANNEL F-1	CHANNEL 2"X4"
	4	4	F_CHANNEL F-2	CHANNEL 2"X4"
Е	6 2 F_CHANNEL F-4		F_CHANNEL F-4	CHANNEL 2"X4"
Г	7	1	F_CHICKADEE_HOLE LAYOUT	EXCAVATION DIMENSIONS
	8	1	F_CHICKADEE_CONCRETE	CONCRETE VOLUMETRIC CAST






Do	cuSign Envelope ID: 9C0CD6E4-7A7E-483F-989A-76651FFEA3FF	0	I	0	-	7
	ID BOM ITEM QTY PART NUMBER DESCRIPTION 1 8 F_PILLAR ASSY FOUNDATION PILLAR SINGLE	9 	1	8	1	7
F						
E						
L						
					13462_	
D		4487.33			4487.33-	
₽						
С	Ť			Ť		
				_		
В						
A						
	10	9	1	8	1	7








₽

		10		9	8
		BOM			
ITEM	QTY	PART NUMBER	DESCRIPTION		
1	1	PLATE BASE FOUNDATION	BASE PLATE		
2	1	TUBE PILLAR	TUBE PILLAR		
3	2	REBAR PILLAR SECTION	RUBAR #6 (0.75" ,19MM)		




8

1

9

10



8

4

5


6

FLAT PATTERN GEOMETRY IS GOVERNED
BY DXF WITH THE EXPECTED TOLERANCE
OF +/- 0.15mm ON ALL DXF CUTSThis print is sh
basis subject to
by Osprea and
be reproduced
whole or in par
written permission

4

 $\left(3\right)$


		₽
		с
MATERIAL THICK MASS N/A FINISH NOI ENGINEER Dirk	COPYRIGHT g and any information or descriptive ontained therein are the copyright y of OSPREA LOGISTICS Ltd. the whole nor any extract maybe ed, loaned, copied, or used for ring or tendering purposes without their written consent.	В
DocuSigned by: Pobut L Purchington Enc. DD64399335DF452 3/13/2022 Robert L. Pennington PE 7629 Mallow Road Wilmington, NC 28411 Email: robert@RLPPE.com Phone: 910-520-0278	D/2022 SELF SUSTIMABLE NDATION PILLAR SINGLE DRAWING NUMBER F_PILLAR ASSY SHEET 3 OF 10 SIZE: B REVISION: 2 1	A
I I		



10

9

Do	cuSign Envelope ID: 9C0CD6E4-7A7E-483F-989A-76651FFE	A3FF		1
	10	9	8	7
F				
E				
D	12.7mm 0.5"	- 50.8mm 2"		
4	3.04mm 11ga	101.6mm 4"		
С				




8

7


1270mm 4.166ft


DOWN	90° R3.04				_	
DOWN	90° R3.04					
						205.76
DOWN	90° R3.04					— 20
DOWN	90° R3.04					
12	270				-	
						FLAT PAT
						BY DXF W OF +/- 0.1
		6	4	5		4

- 3




DXF FILE: CHANNEL F-3_1







	3048mm 10ft
	18
DOWN 90°)° R3.04
DOWN 90°	<u>)° R3.04</u>
DOWN 90°)° R3.04
DOWN 90°)° R3.04

AT PATTERN GEOMETRY IS GOVERNED	basis
	by Os
LAT PATTERN GEOMETRY IS GOVERNED Y DXF WITH THE EXPECTED TOLERANCE F +/- 0.15mm ON ALL DXF CUTS	be rep
	writte










-4233-

DOWN 90° R3 04	
DOWN 90° R3.04	
DOWN 90° R3.04	
DOWN 90° R3.04	



K-





1930		
DOWN 90° R3.04	 	
DOWN 90° R3.04		
DOWN 90° R3.04	 	
DOWN 90° R3.04	 	
	 	J

4


6

4


DXF FILE: CHANNEL F-2_1

₩

		ORIG	GINAL SCALE	UNLESS OTHERWISE STATED	1
_				COPYRIGHT	1
-205.76		matte pro Neit dis	ers containe operty of OS her the who sclosed, loa facturing or	any information or descriptive ed therein are the copyright SPREA LOGISTICS Ltd. ble nor any extract maybe ned, copied, or used for tendering purposes without written consent.	
		MATERIAL	Steel AST	M A1011 CS Type B	
		THICK	3.038 mm		
¥		MASS	N/A		
		FINISH	NONE		
		ENGINEER	Dirk Genis	3	
	CAROLINA STREET	DRAWN	Dirk Genis	3	
		DATE	2/20/2022		
	DocuSigned by: Robert L. Pennington PE 7629 Mallow Road Wilmington, NC 28411		SUSTAIN	SELF	
	Email: robert@RLPPE.com Phone: 910-520-0278	TITLE	СН	ANNEL 2"X4"	A
t is shared on a confidential pject to return upon demand	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS GENERAL TOLERANCES LINEAR DIMENSIONS		DRAW	ING NUMBER	-
a and nothing hereon my duced, used or disclosed in in part without the prior ermission of Osprea.	CC 0.5 3 6 30 120 400 1000 2000 ALL OTHER FEATURE REMOVE ALL TO TO TO TO TO TO TO TO SHARP EDGE J 3 6 30 120 400 1000 2000 GOVERNED BY AND BURRS			F_CHANNEL F-2	
3	±0.1 ±0.2 ±0.3 ±0.5 ±0.8 ±1.2 ±2.0 DIN ISO 2768-mK 2	PROJEC		T 7 OF 10 SIZE: B REVISION: 2	
č					



9



8


6

4


5

FLAT PATTERN GEOMETRY IS GOVERNED
BY DXF WITH THE EXPECTED TOLERANCE
OF +/- 0.15mm ON ALL DXF CUTSThis print is shading is subject to
by Osprea and
be reproduced
whole or in pa
written permis

4










TITLE

							BASE PLA	ΤE	
is shared on a confidential	UNLESS OT	HERWISE SPE	CIFIED DIN	MENSIONS ARE IN MILL	IMETERS		-		
ject to return upon demand	GENE	RAL TOLERANC	ES LINEAR	-					
a and nothing hereon my luced, used or disclosed in	<u>r</u> ∠ 0.5 3 <u>6</u>	30 120 400 TO TO TO	1000 2000 TO TO TO	ALL OTHER FEATURE		- l(⊕) E			
in part without the prior	W 0.5 3 6 TO TO TO TO U 3 6 30	TO TO TO TO 1200 1000	2000 \$ 4000 \$	DIMENSION TOLERANCES ARE GOVERNED BY	AND BURRS		L FOL	INDAT	ION
ermission of Osprea.	= ±0.1 ±0.1 ±0.2	± 0.3 ± 0.5 ± 0.8	±1.2 ±2.0	DIN ISO 2768-mK		THIRD ANGLE PROJECTION	SHEET 8 OF 10	SIZE: B	REVISION: 2
3	· · · · · ·			2			1		

Robert L Pera 0D64399335D 3/13/2022







FLAT PATTERN GEOMETRY IS GOVERNED
This print is shading to be as the second print of the second prin

	F
	E
	D
	¢
ORIGINAL SCALE UNLESS OTHERWISE STATED COPYRIGHT This drawing and any information or descriptive matters contained therein are the copyright property of OSPREA LOGISTICS Ltd. Neither the whole nor any extract maybe disclosed, loaned, copied, or used for manufacturing or tendering purposes without their written consent. MATERIAL Steer ASTIM A5000 GR B STRUCTURAL THICK MASS 26.923 kg FINISH FINISH NONE ENGINEER Dirk Genis DRAWN Dirk Genis	В
DocuSigned by: Poly L Pour L Pour L Pennington PE 7629 Mallow Road Wilmington, NC 28411	A

Do	ocuSign Envelope ID: 9C0CD6E4-7A7E-483F-989A-76651FFE	EA3FF		I.		1	
	10		9	8	8	7	7
F							
_							
E							
						Ø19mm	
						#6 (O.75")	
						$\pi 0 (0.73)$	
D							
D							
				/			
				X			
•				\backslash			
Þ				\backslash			
			\backslash				
С							
В							
^							
A							
			-		_		
	10		9	1 5	8	1 7	7

