Harnett County Department of Public Health

Improvement Permit

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: 24 Wendywood Dr. (Mitchell Road - SR 15 ISSUED TO: Weaver Homes Inc. SUBDIVISION Mitchell Manor PH II REPAIR EXPANSION | Site Improvements required prior to Construction Authorization Issuance: Type of Structure: 3-Bedroom 35'x'54' SFD Proposed Wastewater System Type: 25% Reduction Sys. Projected Daily Flow: 360 Number of Occupants: 6 Number of bedrooms: 3 Basement Yes Pump Required: XYes No May be required based on final location and elevations of facilities Type of Water Supply: Community Public Well Distance from well NA X Five years Permit valid for: No expiration Permit conditions: Authorized State Agent:: The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. ISSUED TO: Weaver Homes Inc. PROPERTY LOCATION: 24 Wendywood Dr. (Mitchell Road - SR SUBDIVISION Mitchell Manor PH II Facility Type: 3-Bedroom 35'x'54' SFD X New Expansion X No Basement Fixtures? Yes Type of Wastewater System** 25% Reduction System (Initial) Wastewater Flow: 360 (See note below, if applicable) 25% Reduction Sys. Installation Requirements/Conditions Number of trenches 1 Exact length of each trench 240 Septic Tank Size 1000 Feet on Center gallons Trench Spacing: 9 Pump Tank Size 1000 Trenches shall be installed on contour at a Soil Cover: 12 gallons inches Maximum Trench Depth of: 20 (Maximum soil cover shall not exceed inches (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: ____ ft. TDH vs. NA inches below pipe Aggregate Depth: NA inches above pipe Conditions: Pump to Medium D-Box Serial Distribution inches total WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. **If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This SEE ATTACHED SITE SKETCH Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. Authorized State Agent: Construction Authorization Expiration Date: 04/24/2027 ANDTED CURRIN

Harnett County Department of Public Health Site Sketch

