Harnett County Department of Public Health

Improvement Permit

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: 187 Havey Ln. (Cane Mill Rd. - SR 1700) ISSUED TO: Marshall Johnson SUBDIVISION REPAIR EXPANSION Site Improvements required prior to Construction Authorization Issuance: Type of Structure: 49x52 sfd 3 beds 2 baths Proposed Wastewater System Type: 25% Reduction Sys. Projected Daily Flow: 360 Number of bedrooms: 3 Number of Occupants: 6 Basement Yes X No Pump Required: Yes May be required based on final location and elevations of facilities Type of Water Supply: Community Public Well Distance from well NA feet X Five years Permit valid for: ■ No expiration Permit conditions: The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958 and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. ISSUED TO: Marshall Johnson PROPERTY LOCATION: 187 Havey Ln. (Cane Mill Rd. - SR 1700 SUBDIVISION Facility Type: 49x52 sfd 3 beds 2 baths Expansion Repair Basement? Yes No Basement Fixtures? Yes Type of Wastewater System** 25% Reduction System (Initial) Wastewater Flow: 360 (See note below, if applicable) 25% Reduction System Number of trenches 3 Installation Requirements/Conditions Exact length of each trench 100 Trench Spacing: 9 Feet on Center Septic Tank Size 1000 gallons Trenches shall be installed on contour at a Soil Cover: 8 Pump Tank Size _____ (Maximum soil cover shall not exceed Maximum Trench Depth of: 20 inches (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) NA Pump Requirements: ft. TDH vs. _ inches below pipe Aggregate Depth: NA inches above pipe Conditions: Gravity to D-Box Equal Distribution Required inches total WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. **If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH Construction Authorization Expiration Date: 22 ANDREW CORREN

Harnett County Department of Public Health Site Sketch

Subdivision	Lot #
ADDREW CORRES	Date: 04/15/2022
ASTO TEDESTICA TETA-2 ATEA 25% TEDESTICA 100'(3)	Proposed SFD 1324 sq.ft.
	ANDREW CONCED **GONDINATE WY APPLICAN ON DAIVEWAY LOCKTI ON DAIVEWAY LOCKTI ON TO BOTOM TENANZ ANTA 100'(3) DAIVE SEP TO BOTOM TO BOTOM