

SHEET INDEX:

- 1/ COVER SHEET
- 2/ FIRST FLOOR PLAN
- 3/ BONUS ROOM PLAN, CROSS SECTION
- 4/ ELEVATIONS
- 5/ ELEVATION, CROSS SECTIONS
- 6/ FOUNDATION PLAN
- 7/ ROOF PLAN, LIGHTING LAY OUT
- 8/ 3D INTERIOR DRAWINGS

GENERAL NOTES:

THESE ARE STOCK PLANS.

INFORMATION PROVIDED IN THESE DRAWINGS REPRESENT BUILDING DESIGN ONLY AND WAS PREPARED IN ACCORDANCE WITH IRC 2018. LOCAL BUILDING AUTHORITY MAY REQUIRE ADDITIONAL DRAWINGS PREPARED BY REGISTERED ENGINEER OR OTHER DESIGN PROFESSIONAL TO ISSUE BUILDING PERMIT. DETAILED INFORMATION (NOT PART OF THESE DRAWINGS) SPECIFYING PROPOSED HOUSE SYSTEMS AND PRODUCTS SUCH AS ELECTRICAL, PLUMBING, HVAC, INSULATION, WINDOWS, DOORS ETC. MAY ALSO BE REQUIRED.

THE BUILDER SHALL, PRIOR TO CONSTRUCTION COMMENCEMENT, VERIFY THE PLANS SUITABILITY FOR THE CHOSEN BUILDING SITE, VERIFY ALL DIMENSIONS IN THESE DRAWINGS AND DETERMINE IF ANY MODIFICATIONS TO THESE DRAWINGS ARE NECESSARY TO MEET ALL APPLICABLE BUILDING CODES.

THE BUILDING DESIGN PRESENTED IN THESE DRAWINGS UTILIZES STANDARD PLATFORM FRAMING TECHNOLOGY USING DIMENSIONAL LUMBER AND ENGINEERED LUMBER PRODUCTS AS AVAILABLE IN THE USA . ALL STRUCTURAL ELEMENTS INCLUDING BUT NOT LIMITED TO BEAMS, BEAM SUPPORTS, STEEL BEAM AND FLOOR JOIST HANGERS, ROOF BRACING AS WELL AS ALL FOUNDATION DETAILS SHOWN IN THESE DRAWINGS ARE FOR REFERENCE ONLY AND SHALL BE VERIFIED , MODIFIED AND SPECIFIED AS NEEDED PRIOR TO CONSTRUCTION BY A QUALIFIED ENGINEER BASED ON SITE SPECIFIC TOPOGRAPHICAL, GEOLOGICAL, CLIMATE, SEISMIC AND FLOOD RISK CONDITIONS.

ALL CONSTRUCTION WORK MUST BE COMPLETED IN ACCORDANCE WITH THE REQUIREMENTS OF ALL APPLICABLE NATIONAL AND LOCAL BUILDING, ELECTRICAL, MECHANICAL, PLUMBING AND ENERGY CODES AND ANY OTHER CONDITIONS IMPOSED BY THE LOCAL BUILDING AUTHORITY.

IF THE HOME IS BEING CONSTRUCTED IN AN AREA UNDER NO BUILDING DEPARTMENT JURISDICTION IT IS STRONGLY RECOMMENDED THAT IRC 2018 IS FOLLOWED AS "BEST PRACTICES" .


BUILDING CODES AT THE LOCATION OF THE CONSTRUCTION SITE SHALL GOVERN OVER ANY INFORMATION IN THESE DRAWINGS.

PRINTING INSTRUCTIONS:

THESE DRAWINGS ARE SET UP TO BE VIEWED IN A PDF VIEWER.

WHEN PRINTED COPY IS DESIRED, PRINT ON 24" X 36" SHEETS AT 100% SIZE SCALE OF DRAWINGS WILL BE AS NOTED.

NEVER SCALE DRAWINGS FOR CRITICAL DIMENSIONS.



COVER SHEET - NO SCALE
Jandi Designs, Inc. e-mail: jandidesigns@protonmail.com

PLAN : ADEX1808 CR RR

PRINTING
THESE DRAWINGS ARE SET UP FOR PRINTING ON 24X36 SHEETS AT 100% FOR SCALE NOTED ENGINEERS.

PDF# 0720
© 2020 Jandi Designs, Inc.
SHEET 1 of 08

LICENSE TO USE THESE DRAWINGS TO CONSTRUCT ONE HOME IS GRANTED TO LICENSEE : Paul Groff, Vass, NC - PLAN ID# : ADEX1808 CR RR GROFF011722 AD --- www.architecturaldesigns.com PLAN # : 28931JJ - DATE : 01/17/22

Copyright Release: The home design shown in these drawings is a subject to copyright protection under title 17 of the United States Code. Any unauthorized use of these drawings is strictly prohibited. Jandi Designs, Inc., a Texas corporation, the owner of the copyright grants license to the licensee to use these drawings as customary for the construction of one home. This license is not a sale. Title, ownership and all other proprietary rights remain with all copies regardless of the type of media. Printing and emailing of the PDF form of these drawings by the licensee is permitted only to assist with the construction of this one home. By using these plans, the licensee agrees to the terms above. Failure to comply with these terms will result in automatic termination of the license to use these plans and other legal actions will be made available.

PLAN SPECIFIC FRAMING NOTES:

CONSTRUCTION TYPE: DIMENSIONAL LUMBER, SITE FRAMED, WALL STUDS 16" O.C., EXTERIOR WALLS 2X4, INTERIOR WALLS 2X4

ROOF STRUCTURE: DIMENSIONAL LUMBER, SITE FRAMED, 2x6 RAFTERS 16" O.C. BRACED EVERY 8'-0" HORIZONTALLY WITH PURLINS. FOLLOW ALL LOAD AND SPAN LIMITATIONS OF SPECIES OF WOOD USED AS PER I.R.C. GUIDELINES

FIRST FLOOR SYSTEM:

TJI 360 1 1/8" FLOOR JOISTS 16" ON CENTERS, 1 1/2" T&G PLYWOOD, MUST BE VERIFIED BY FLOOR SYSTEM MANUFACTURER'S AUTHORIZED ENGINEER AND INSTALLED ACCORDING TO MANUFACTURER'S INSTRUCTIONS.

FIREPLACE:

THIS PLAN IS DESIGNED TO USE PRE-MANUFACTURED METAL FIREPLACE AS MADE BY SUPERIOR, MAJESTIC, HEAT-N-GLO AND OTHERS CAN BE ACCOMMODATED. FOR INSTALLATION AND FRAMING REQUIREMENTS FOLLOW MANUFACTURER'S INSTRUCTIONS AND REQUIREMENTS AS WELL AS LOCAL CODES. IF SOLID MASONRY FIREPLACE IS DESIRED, FOUNDATION MUST BE ENGINEERED ACCORDINGLY.

SHEATHING: ALL EXTERIOR WALLS ARE SHEATHED WITH CODE APPROVED 1/2" OSB

ROOF DECKING: CODE APPROVED 1/2" OSB

SIDING: HARDI PRODUCTS FIBER CEMENT SIDING OR EQUIVALENT - STYLE IS OWNER'S CHOICE

DIMENSIONS SHOWN ARE TO FRAMING, NOT VENEER OR SIDING SURFACES.

DIMENSIONS ARE ROUNDED TO NEAREST HALF INCH. MAKE TWO OR MORE DIMENSIONS EQUAL WHERE "EQ" FOLLOWS THE NUMBER. VERIFY FRAMING REQUIREMENTS OF ALL FIXTURES AND APPLIANCES PRIOR TO CONSTRUCTION. INCLUDING BUT NOT LIMITED TO: FIREPLACES, APPLIANCES, BATH TUBS, HEAT AND AIR UNITS, RETURN AIR AND DUCTING.

ENGINEERING NOTES:

ALL ENGINEERED STRUCTURAL MEMBERS SUCH AS BEAMS AND STEEL BEAM SUPPORTS, STEEL BEAM HANGERS, ANCHORS, FLOOR TRUSSES, ROOF STRUCTURE AND BRACING FOR CONCRETE OR CLAY ROOFING TILE MUST BE DESIGNED OR SPECIFIED BY QUALIFIED STRUCTURAL ENGINEER. SOME MODIFICATIONS OF SUCH STRUCTURAL MEMBERS SHOWN IN THESE DRAWINGS MAY BE NECESSARY BASED ON SPECIFIC LOCAL CONDITIONS AND CIRCUMSTANCES.

IT IS THE RESPONSIBILITY OF THE OWNER/BUILDER TO SECURE ALL ENGINEERING SERVICES AS NEEDED PRIOR TO CONSTRUCTION AND TO VERIFY ALL DIMENSIONS IN THESE DRAWINGS.

GENERAL CONSTRUCTION NOTES:

THESE STOCK PLANS ARE INTENDED TO BE USED BY A PROFESSIONAL BUILDER FAMILIAR WITH STANDARD BUILDING TECHNIQUES AND WORK SEQUENCES, JOBSITE MANAGEMENT AND LOCAL BUILDING CODE REQUIREMENTS.

THE DESIGN IS USING STANDARD DIMENSIONAL LUMBER AND ENGINEERED LUMBER PRODUCTS SUCH AS PLYWOOD, LVL BEAMS AND TJI JOISTS AS AVAILABLE IN THE USA.

IT IS THE BUILDER'S RESPONSIBILITY TO REVIEW THESE PLANS PRIOR TO ANY CONSTRUCTION IS STARTED AND DETERMINE THE SUITABILITY FOR THE CHOSEN LOCATION.

SOME ADJUSTMENTS OR MODIFICATIONS TO THESE DRAWINGS MAY BE REQUIRED TO CONSTRUCT THE HOUSE ON SPECIFIC SITE. THE DETAILS SHOWN ARE GENERIC AND SOME MODIFICATIONS MAY BE REQUIRED BASED ON LOCAL BUILDING CODES AND SITE-SPECIFIC CONDITIONS SUCH AS SNOW LOADS, WIND LOADS, FLOOD RISK, SEISMIC CONDITIONS AND OTHERS.

SEE SEPARATE FOUNDATION NOTES ON FOUNDATION PLAN SHEET IN THIS SET.

THE BUILDER AND HIS/HER SUBCONTRACTORS SHALL BE FAMILIAR AND SKILLED IN BUILDING TECHNIQUES SPECIFIC TO THEIR REGION AND ABLE TO SPECIFY AND EXECUTE DETAILS AND SYSTEMS INCLUDING BUT NOT LIMITED TO FRAMING DETAILS OF WALLS, CEILING, JOIST LAY OUT, ROOF AND ROOF BRACING, CORNICHE, SHEATHING, INSULATION AND WATERPROOFING, HEATING AND AIR-CONDITIONING, ELECTRICAL SYSTEM AND PLUMBING. STANDARDS AND DETAILS FOR THESE SYSTEMS ARE NOT SHOWN IN THESE DRAWINGS. THEY ARE CONSIDERED INDUSTRY STANDARD OR BUILDER'S OPTION, VARY FROM REGION TO REGION AND ARE OFTEN SUBJECT TO UNIQUE, LOCAL CODE REQUIREMENTS. IT IS THE BUILDER'S RESPONSIBILITY TO MAKE PROVISIONS FOR THESE AND ALL OTHER ASPECTS OF HOME BUILDING PRIOR TO START OF ANY CONSTRUCTION.

LOCAL BUILDING CODES GOVERN OVER ANY INFORMATION CONTAINED IN THESE DRAWINGS.

FLOOR SYSTEM FRAMING NOTE:

FLOOR JOIST LAY OUT IN THESE DRAWINGS IS ONLY SCHEMATIC AND IS BASED ON MEYERHAEUSER (OR EQUIVALENT) ENGINEERED PRODUCTS

FACTORY AUTHORIZED ENGINEERED FLOOR SYSTEM DRAWINGS GOVERN OVER ANY INFORMATION SHOWN IN THESE DRAWINGS

TJI (M) FLOOR SYSTEM MUST BE DESIGNED BY FACTORY AUTHORIZED ENGINEER

ASSURE ALL LOAD BEARING WALLS REST ON TOP OF DOUBLE FLOOR JOISTS OR LVL BEAMS AS SPECIFIED IN ENGINEERED LAY OUT DRAWINGS (BY OTHERS).

ASSURE CONTINUOUS LOAD PATHS TO FOUNDATION BY BLOCKING FLOOR CAVITY SOLID UNDER ALL BEAM SUPPORT POINT LOADS.

USE 6'-8" DOOR IF 7'-0" ARE NOT AVAILABLE
VERIFY SAFETY GLAZING AS REQUIRED BY CODE

AREA INFORMATION:

FIRST FLOOR AG AREA:	1,808 SQ. FT.
TOTAL LIVING AREA:	1,808 SQ. FT.
BACK PORCH:	113 SQ. FT.
FRONT PORCH:	300 SQ. FT.
GARAGE:	490 SQ. FT.
TOTAL AREA UNDER ROOF:	2,719 SQ. FT.
BONUS ROOM:	356 SQ. FT.
TOTAL ROOF SURFACE AREA:	4,001 SQ. FT.


DOOR SCHEDULE

NUMBER	ROOM NAME	FLOOR	QTY	SIZE	DESCRIPTION	COMMENTS
D01	CLOSET/BEDROOM 2	1	1	5'0" R	SLIDING DOOR	
D02	KITCHEN/HALL	1	1	3'0" R	DOORWAY	
D03	MASTER BATH/MASTER BDRM	1	1	2'0" L	HINGED DOOR	
D04	MASTER BATH/MASTER CLOSET	1	1	2'4" L	POCKET DOOR	
D05	KITCHEN/GRILLING PORCH	1	1	2'0" R	EXT. GLASS DOOR	
D06	BATH/HALL	1	1	2'4" L	HINGED DOOR	
D07	ENTRY/FRONT COVERED PORCH	1	1	3'0" L	EXT. GLASS DOOR	
D08	UTILITY/GARAGE	1	1	2'0" L	EXT. FIRE RATED SLAB DOOR	
D09	MASTER BDRM HALL/CLOSET	1	1	2'0" R	HINGED DOOR	
D10	MASTER BATH/MASTER BATH	1	1	2'4" L	POCKET DOOR	
D11	BEDROOM 1/CLOSET	1	1	3'0" R	SLIDING DOOR	
D12	MASTER BDRM HALL/KITCHEN	1	1	3'0" R	DOORWAY	
D13	BEDROOM 1/HALL	1	1	2'0" R	HINGED DOOR	
D14	GARAGE	1	1	3'0" R	OVERHEAD DOOR	
D15	MASTER BDRM HALL/MASTER BDRM	1	1	2'0" L	HINGED DOOR	
D16	BEDROOM 2/HALL	1	1	2'0" L	HINGED DOOR	
D17	GARAGE	1	1	2'0" R	EXT. HINGED DOOR	
D18	GARAGE	1	1	16'0" R	OVERHEAD DOOR	
D19	STORAGE/UTILITY	1	1	2'4" L	DOORWAY	BARN DOOR
D20	STORAGE/UTILITY	1	1	2'6" L	HINGED DOOR	BONUS R.
D21	GREAT ROOM/SCREENED PORCH	1	1	5'4" L	EXT. DOUBLE GLASS DOOR	OUT SWINGING
D22	PANTRY/KITCHEN	1	1	2'4" R	HINGED-GLASS PANEL	
D23	UTILITY/HALL	1	1	2'4" R	EXT. SLAB	ATTIC ACCESS
D24	UTILITY/HALL	1	1	2'0" R	HINGED DOOR	

VERIFY EGRESS REQUIREMENTS, VERIFY SAFETY GLAZING AS REQUIRED BY CODE
HEADER HEIGHT IS STANDARD 84" ABOVE SUBFLOOR UNLESS NOTED OTHERWISE

WINDOW SCHEDULE


NUMBER	ROOM NAME	FLOOR	QTY	SIZE	DESCRIPTION	COMMENTS
W01	BEDROOM 2	2	2	2840SG	SINGLE CASEMENT-HR	BONUS ROOM HEADER 6'-3" ABOVE SUBFLOOR
W02	GREAT ROOM/FRONT COVERED PORCH	2	1	71030	(B) 2830 FIXED GLASS MULLED	GREAT ROOM UPPER
W03	GREAT ROOM/FRONT COVERED PORCH	1	2	3050FX	FIXED GLASS	
W04	KITCHEN	1	1	1636TC	TRIPLE CASEMENT-LHL/RHR	
W05	MASTER BATH	1	2	2030FX	FIXED GLASS	
W06	BEDROOM 1	1	1	3050SG	SINGLE CASEMENT-HR	
W07	GREAT ROOM/FRONT COVERED PORCH	1	2	2050FX	FIXED GLASS	
W08	BEDROOM 2	1	1	3050SG	SINGLE CASEMENT-HR	
W09	GARAGE	1	3	2618FX	FIXED GLASS	
W10	MASTER BDRM	1	1	5450DC	DOUBLE CASEMENT-LHL/RHR	
W11	MASTER BDRM	1	2	2618FX	FIXED GLASS	HEADER 5' 6" ABOVE LANDING
W12	MASTER BDRM	2	3	2618FX	FIXED GLASS	BONUS ROOM HEADER 6'-3" ABOVE SUBFLOOR
W13	UTILITY	2	1	5030DC	DOUBLE CASEMENT-LHL/RHR	
W14	UTILITY	1	1	2030FX	FIXED GLASS	




FIRST FLOOR PLAN

SCALE: 1/4" = 1' - 0"


LICENSE TO USE THESE DRAWINGS TO CONSTRUCT ONE HOME IS GRANTED TO LICENSEE: Paul Groff, Vass, NC - PLAN ID#: ADEX1808 CR RR GROSSF011722 AD --- www.architecturaldesigns.com PLAN #: 289311J - DATE: 01/17/22
 Copyright Release: The home design shown in these drawings is a subject to copyright protection under title 17 of the United States Code. Any unauthorized use of these drawings is strictly prohibited. Jandi Designs, Inc., a Texas corporation, the owner of the copyright grants license to the licensee to use these drawings as a part of the construction of one home. This license is not a sale. Title, ownership and other proprietary rights remain with all copies regardless of the type of media. Printing and emailing of the PDF form of these drawings by the licensee is permitted only to assist with the construction of this one home. By using these plans, the licensee agrees to allow to assist with the construction of this one home. Failure to comply with these terms will result in automatic termination of the license to use these drawings. All other rights reserved. Jandi Designs, Inc. reserves the right to modify these drawings without notice.
FIRST FLOOR PLAN scale: 1/4" = 1' - 0"
 Jandi Designs, Inc. e-mail: jandidesigns@protonmail.com
 PLAN #: ADEX1808 CR RR
 PRINTING THESE DRAWINGS REPRESENT BUILDING DESIGN ONLY. ALL BUILDING FOR THE CONSTRUCTION IS TO BE PERFORMED BY QUALIFIED PROFESSIONAL ENGINEERS.
 THESE DRAWINGS ARE SET UP FOR PRINTING ON 24X36 SHEETS AT 100% FOR SCALE NOTED ENGINEERS.
 SHEET 2 of 08
 © 2020 Jandi Designs, Inc.





BONUS ROOM PLAN

SCALE: 1/4" = 1' - 0"



CROSS SECTION CC'

SCALE: 1/4" = 1' - 0"


USE 6'-8" DOOR IF 7'-0" ARE NOT AVAILABLE
VERIFY SAFETY GLAZING AS REQUIRED BY CODE

NUMBER	ROOM NAME	FLOOR	QTY	SIZE	DESCRIPTION	COMMENTS
D01	CLOSET/BEPROOM 2		1	3070 R IN	SLIDING DOOR	
D02	KITCHEN/HALL		1	3070	DOORWAY	
D03	MASTER BATH/MASTER BDRM		1	2670 L IN	HINGED DOOR	
D04	MASTER BATH/MASTER CLOSET		1	2470 L	POCKET LOUVERED	
D05	KITCHEN/GRILLING PORCH		1	2670 R EX	EXT GLASS DOOR	
D06	BATH/HALL		1	2470 L IN	HINGED DOOR	
D07	ENTRY/FRONT COVERED PORCH		1	3070 L EX	EXT EGRESS DOOR	
D08	UTILITY/GARAGE		1	2670 L EX	EXT FIRE RATED SLAB DOOR	
D09	MASTER BDRM HALL/CLOSET		1	2070 R IN	HINGED DOOR	
D10	MASTER BATH/MASTER BATH		1	2470 L	POCKET DOOR	
D11	BEDROOM 1/CLOSET		1	3070 R IN	SLIDING DOOR	
D12	MASTER BDRM HALL/KITCHEN		1	3070	DOORWAY	
D13	BEDROOM 1/HALL		1	2670 R IN	HINGED DOOR	
D14	GARAGE		1	3070	OVERHEAD DOOR	
D15	MASTER BDRM HALL/MASTER BDRM		1	2670 L IN	HINGED DOOR	
D16	BEDROOM 2/HALL		1	2670 L IN	HINGED DOOR	
D17	GARAGE		1	2670 R EX	EXT HINGED DOOR	
D18	GARAGE		1	18070	OVERHEAD DOOR	
D19	STORAGE/UTILITY		1	2470	DOORWAY	
D20			1	2668 L IN	HINGED DOOR	BARN DOOR
D21	GREAT ROOM/SCREENED PORCH		1	5470 L/R EX	EXT DOUBLE GLASS DOOR	OUT SWINGING
D22	PANTRY/KITCHEN		1	2470 R IN	HINGED-GLASS PANEL	
D23			1	2468 R IN	EXT SLAB	ATTIC ACCESS
D24	UTILITY/HALL		1	2670 R IN	HINGED DOOR	

VERIFY EGRESS REQUIREMENTS, VERIFY SAFETY GLAZING AS REQUIRED BY CODE
HEADER HEIGHT IS STANDARD 84" ABOVE SUBFLOOR UNLESS NOTED OTHERWISE


NUMBER	ROOM NAME	FLOOR	QTY	SIZE	DESCRIPTION	COMMENTS
W01		2	2	2840SC	SINGLE CASEMENT-HR	BONUS ROOM HEADER 6'-3" ABOVE SUBFLOOR
W02		2	1	T1030	(B) 2630 FIXED GLASS MULLED	GREAT ROOM UPPER
W03	GREAT ROOM/FRONT COVERED PORCH	1	2	3050FX	FIXED GLASS	
W04	KITCHEN	1	1	7636TC	TRIPLE CASEMENT-LHL/RHR	
W05	MASTER BATH	1	2	2030FX	FIXED GLASS	
W06	BEDROOM 1	1	1	3050SC	SINGLE CASEMENT-HR	
W07	GREAT ROOM/FRONT COVERED PORCH	1	2	2050FX	FIXED GLASS	
W08	BEDROOM 2	1	1	3050SC	SINGLE CASEMENT-HR	
W09	GARAGE	1	3	2618FX	FIXED GLASS	
W10	MASTER BDRM	1	1	5450DC	DOUBLE CASEMENT-LHL/RHR	
W11	MASTER BDRM	1	2	2618FX	FIXED GLASS	HEADER 5' 6" ABOVE LANDING
W12		2	3	2618FX	FIXED GLASS	BONUS ROOM HEADER 6'-3" ABOVE SUBFLOOR
W13		2	1	5030DC	DOUBLE CASEMENT-LHL/RHR	
W14	UTILITY	1	1	2030FX	FIXED GLASS	

LICENSE TO USE THESE DRAWINGS TO CONSTRUCT ONE HOME IS GRANTED TO LICENSEE: Paul Groff, Vass, NC - PLAN ID#: ADEX1808 CR RR GROSSF011722 AD --- www.architecturaldesigns.com PLAN #: 28931JJ - DATE: 01/17/22
 THESE DRAWINGS ARE SET UP FOR PRINTING ON 24X36 SHEETS AT 100% FOR SCALED ENGINEERS.
 THESE DRAWINGS REPRESENT BUILDING DESIGN ONLY. ALL DIMENSIONS FOR THE CONSTRUCTION IS TO BE PERFORMED BY QUALIFIED PROFESSIONAL ENGINEERS.
 PRINTING SHEET 3 of 08
 JANDI DESIGNS, INC.
 e-mail: jandidesigns@protonmail.com
 PLAN: ADEX1808 CR RR
 SCALE: 1/4" = 1' - 0"




FRONT ELEVATION

SCALE: 1/4" = 1' - 0"



LEFT ELEVATION

SCALE: 1/4" = 1' - 0"



RIGHT ELEVATION

SCALE: 1/4" = 1' - 0"







NOTE:
SCREEN ENCLOSURE FRAMING MAY VARY BASED ON SYSTEM USED. ONLY THE BASIC LAY OUT IS SHOWN IN THESE DRAWINGS. INDIVIDUAL PANEL FRAMES OR TRIM IS NOT SHOWN.
RECOMMENDED MATERIAL IS CEDAR WOOD. USE FULL DIMENSION SUCH AS 2"x4" NOT 1 1/2" X 3 1/2" ADJUST AS NEEDED.

LICENSE TO USE THESE DRAWINGS TO CONSTRUCT ONE HOME IS GRANTED TO LICENSEE: Paul Groff, Vass, NC - PLAN ID#: ADEX1808 CR RR GROFF011722 AD --- www.architecturaldesigns.com PLAN #: 28931JJ - DATE: 01/17/22



Copyright Release: The home design shown in these drawings is a subject to copyright protection under title 17 of the United States Code. Any unauthorized use of these drawings is strictly prohibited. Jandi Designs, Inc., a Texas corporation, the owner of the copyright grants license to the licensee to use these drawings as customary for the construction of one home. This license is not a sale. Title, ownership and all other proprietary rights remain with all copies regardless of the type of media. Printing and emailing of the PDF form of these drawings by the licensee is limited only to assist with the construction of this one home. By using these plans, the licensee agrees to the terms above. Failure to comply with these terms will result in automatic termination of the license to use these plans and other legal actions will be made available.



LICENSE TO USE THESE DRAWINGS TO CONSTRUCT ONE HOME IS GRANTED TO LICENSEE: Paul Groff, Vass, NC - PLAN ID#: ADEX1808 CR RR GROSS1772 AD --- www.architecturaldesigns.com PLAN #: 28931J1J - DATE: 01/17/22




NOTE:
 THIS IS A GENERIC FOUNDATION PLAN FOR REFERENCE ONLY. IT MUST BE REVIEWED AND MODIFIED AS NECESSARY BY QUALIFIED STRUCTURAL ENGINEER BASED ON SITE-SPECIFIC CONDITIONS. SUCH ENGINEER'S SPECIFICATIONS AND LOCAL BUILDING CODE GOVERN OVER ANY INFORMATION PROVIDED IN THESE DRAWINGS.



NOTES:
 FOUNDATION DETAILS SHOWN ARE TYPICAL AND MAY BE REVISED BY THE STRUCTURAL ENGINEER BASED ON SITE SPECIFIC CONDITIONS AND LOCAL BUILDING CODE REQUIREMENTS.
 WALL FOOTINGS MUST BE SET BELOW THE LOCAL FROST LINE. FOOTING WIDTH TO BE SPECIFIED BY ENGINEER BASED ON SITE SOIL LOAD BEARING CAPACITY. SHOWN 24"
 REINFORCEMENT (TYPICAL) SUBJECT TO STRUCTURAL ENGINEER'S APPROVAL.
 FOOTING - (2) #5 REBAR MINIMUM
 CMU WALL - FOLLOW ENGINEER'S SPECIFICATIONS, LOCAL CODE REQUIREMENTS AND MANUFACTURER'S GUIDELINES
FIRST FLOOR SYSTEM:
 TJI 360 11 7/8" FLOOR JOISTS 16" ON CENTERS SUPPORTED BY 14" LVL BEAMS (OR AS SPECIFIED BY FLOOR SYSTEM MANUFACTURER'S AUTHORIZED ENGINEER)
PORCH DECK:
 TREATED PINE OR EQUIVALENT EXTERIOR DECKING MATERIAL. USE ALL EXTERIOR GRADE FASTENERS AND HARDWARE.
 DIMENSIONS ARE ROUNDED OFF TO NEAREST HALF INCH
GENERAL NOTES:
 THIS IS A GENERIC FOUNDATION PLAN. OWNER / BUILDER SHALL HAVE THIS PLAN VERIFIED BY LICENSED STRUCTURAL ENGINEER PRIOR TO CONSTRUCTION TO DETERMINE THIS PLAN'S SUITABILITY FOR CONDITIONS SPECIFIC TO THE BUILDING SITE.
 BASED ON GEOTECHNICAL INVESTIGATION ON SITE SOME MODIFICATIONS OR ADJUSTMENTS MAY BE NECESSARY. STRUCTURAL ENGINEER SHALL, IF NECESSARY, MAKE SUCH RECOMMENDATIONS OR CHANGES.
 BUILDER / CONTRACTOR SHALL VERIFY ALL DIMENSIONS AND CONDITIONS PRIOR TO CONSTRUCTION.
 BUILDER / CONTRACTOR SHALL PROVIDE SUFFICIENT GRADING AND DRAINAGE AWAY FROM THE FOUNDATION.
 PROVIDE GRAVEL SPACE ACCESS AS REQUIRED.
 ALL WORK TO BE PERFORMED IN COMPLIANCE WITH ALL APPLICABLE BUILDING CODES.

NOTE:
 PROVIDE GARAGE FLOOR DRAINS OR SLOPE AS REQUIRED BY CODE.
 PROVIDE CRAWLSPACE ACCESS AND VENTILATION AS REQUIRED



ROOF RAFTER LAY OUT IS A DIAGRAM ONLY
SOME DETAILS MAY VARY

STANDARD ROOF OVERHANG 12"
MAKE SMALL ADJUSTMENT TO FRONT PORCH OVERHANG IF NEEDED
FIRST FLOOR WALLS SHOWN IN DOTTED LINES


MAIN SPAN TO OUTSIDE OF PLATES

13'-4 1/2"

13'-4 1/2"

ROOF PLAN

SCALE: 1/4" = 1' - 0"



NOTE:
THIS LAY OUT SHOWS RECOMMENDED MAIN LIGHTING GROUPS
AND SWITCH LOCATIONS ONLY. THIS IS NOT A COMPLETE ELECTRICAL PLAN.
SOME LIGHT SUCH AS CABINET LIGHTING, ART LIGHTING, ACCENT LIGHTS OR
SWITCHED OUTLETS FOR LAMPS ARE NOT SHOWN.
ELECTRICAL PLAN MUST BE DEVELOPED ACCORDING TO OWNER'S
PREFERENCES AND LOCAL BUILDING CODES

LIGHTING AND SWITCH LOCATION LAY OUT

SCALE: 1/4" = 1' - 0"



LICENSE TO USE THESE DRAWINGS TO CONSTRUCT ONE HOME IS GRANTED TO LICENSEE: Paul Groff, Vass, NC - PLAN ID#: ADEX1808 CR RR GROFF011722 AD --- www.architecturaldesigns.com PLAN #: 28931JJ - DATE : 01/17/22

Copyright Release: The home design shown in these drawings is a subject to copyright protection under title 17 of the United States Code. Any unauthorized use of these drawings is strictly prohibited. Jandi Designs, Inc. a Texas corporation, the owner of the copyright grants license to the licensee to use these drawings as customary for the construction of one home. This license is not a sale. Title, ownership and all other proprietary rights remain with all copies regardless of the type of media. Printing and emailing of the PDF form of these drawings by licensee is permitted only to assist with the construction of this one home. By using these plans, the licensee agrees to the terms above. Failure to comply with these terms will result in automatic termination of the license to use these plans and other legal actions will be made available.

THESE DRAWINGS REPRESENT BUILDING DESIGN ONLY. ALL REQUIRED FOR THE CONSTRUCTION IS TO BE PERFORMED BY QUALIFIED PROFESSIONAL ENGINEERS.

PRINTING THESE DRAWINGS ARE SET UP FOR PRINTING ON 24X36 SHEETS AT 100% FOR SCALE NOTED



FROM KITCHEN TO GREAT ROOM



FROM GREAT ROOM TO KITCHEN




FROM KITCHEN TO GREAT ROOM 2



FROM ENTRY

3D VIEWS - FOR VISUALIZATION ONLY. SOME DETAILS MAY VARY OR BE MISSING



3D VIEW DRAWINGS - NO SCALE
 Jandi Designs, Inc. e-mail: jandidesigns@protonmail.com

PLAN : ADEX1808 CR RR

PRINTING
 THESE DRAWINGS ARE SET UP FOR PRINTING ON 24X36 SHEETS AT 100% FOR SCALE NOTED ENGINEERS.

THESE DRAWINGS REPRESENT BUILDING DESIGN ONLY. ALL REQUIRED FOR THE CONSTRUCTION IS TO BE PERFORMED BY QUALIFIED PROFESSIONAL ENGINEERS.

8 of 08
 SHEET

© 2020 Jandi Designs, Inc.
 PDF# 0720

LICENSE TO USE THESE DRAWINGS TO CONSTRUCT ONE HOME IS GRANTED TO LICENSEE : Paul Groff, Vass, NC - PLAN ID# : ADEX1808 CR RR GROFF011722 AD --- www.architecturaldesigns.com PLAN # : 28931JJ - DATE : 01/17/22

Copyright Release: The home design shown in these drawings is a subject to copyright protection under title 17 of the United States Code. Any unauthorized use of these drawings is strictly prohibited. Jandi Designs, Inc., a Texas corporation, the owner of the copyright grants license to the licensee to use these drawings as customary for the construction of one home. This license is not a sale, title, ownership and all other proprietary rights remain with all copies regardless of the type of media. Printing and emailing of the PDF form of these drawings by the licensee is limited to the licensee and is not to be used for any other purpose. Any other use is strictly prohibited. The licensee agrees to assist with the construction of this one home. By using these plans, the licensee agrees to the terms above. Failure to comply with these terms will result in automatic termination of the license to use these plans and other legal actions will be made available.