## Harnett County Department of Public Health

## Improvement Permit

A building permit cannot be issued with only an Improvement Permit

PROPERTY LOCATION: 778 PONCHARTRAIN ST (RIVER RD. - S)

NEW REPAIR	EXPANS	AN ENTERPF SUBDIVISION THOMAS L BF	RADLEY JR LOT # TR#5 uired prior to Construction Authorization Issuance:	
Type of Structure: 4-BEDRO Proposed Wastewater System Type:				
100	GPD GPD	REDUCTION		
Number of bedrooms: 4		upants: 8 max		
Basement Yes No				
Pump Required: Yes No	May be rec	quired based on final location and elevations of facilities		
		₩ell Distance from well 50+ feet	Permit valid for: 🔀 Five years	
		ND IMPROVEMENT ONLY (CLEA		
		RM WHEN HOUSE BOX. DRIVEW		
	The state of the s	SEPTIC AREA ASSIGNED AT ROA		
Authorized State Agent:	Danastmant in so way aug	Date: 07/38/203		
site is subject to revocation if the site plan	suance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of two and Rules for Sewage Treatment and Disposal and to conditions of this permit.			
		Construction Authorization		
		(Required for Building Permit)		
The construction and installation requirement with the attached system layout.	nts of Rules .1950, .1952,	.1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references	into this permit and shall be met. Systems shall be installed in accordance	
ISSUED TO:		PROPERTY LOCATION:		
		SUBDIVISION	LOT #	
Facility Type:		☐ New ☐ Expansion ☐ Repair		
Basement? Yes	No Basement F	ixtures? Yes No		
Type of Wastewater System**			(Initial) Wastewater Flow: GPD	
(See note below, if applicable	7)			
		(Repair)		
Installation Requirements/Condition	ions	Number of trenches		
Septic Tank Size	gallons	Exact length of each trenchfeet	Trench Spacing: Feet on Center	
Septic Tank Size		8	Trench Spacing: Feet on Center Soil Cover:inches	
		Trenches shall be installed on contour at a	, •	
Septic Tank Size		Trenches shall be installed on contour at a	Soil Cover:inches	
Septic Tank Size		Trenches shall be installed on contour at a Maximum Trench Depth of:inches (Trench bottoms shall be level to +/-1/4"	Soil Cover:inches (Maximum soil cover shall not exceed	
Septic Tank SizePump Tank Size	gallons	Trenches shall be installed on contour at a Maximum Trench Depth of:inches (Trench bottoms shall be level to +/-1/4" in all directions)	Soil Cover:inches (Maximum soil cover shall not exceed 36" above the trench bottom)	
Septic Tank Size	gallons	Trenches shall be installed on contour at a Maximum Trench Depth of:inches (Trench bottoms shall be level to +/-1/4"	Soil Cover:inches (Maximum soil cover shall not exceed 36" above the trench bottom) inches below pipe	
Septic Tank Size Pump Tank Size Pump Requirements:	gallons ft. TDH vs	Trenches shall be installed on contour at a Maximum Trench Depth of:inches (Trench bottoms shall be level to +/-1/4" in all directions)	Soil Cover:inches (Maximum soil cover shall not exceed 36" above the trench bottom)	
Septic Tank Size  Pump Tank Size  Pump Requirements:  Conditions:	gallons  ft. TDH vs.  RRIGATION) MUST	Trenches shall be installed on contour at a  Maximum Trench Depth of:inches  (Trench bottoms shall be level to +/-1/4"  in all directions) GPM  T BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR	Soil Cover:inches (Maximum soil cover shall not exceed 36" above the trench bottom)  inches below pipe Aggregate Depth: inches above pipe inches total	
Septic Tank Size Pump Tank Size Pump Requirements: Conditions: WATER LINES (INCLUDING IR	gallons  ft. TDH vs.  RRIGATION) MUST	Trenches shall be installed on contour at a  Maximum Trench Depth of:inches  (Trench bottoms shall be level to +/-1/4"  in all directions) GPM  T BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR	Soil Cover:inches  (Maximum soil cover shall not exceed 36" above the trench bottom)  inches below pipe Aggregate Depth: inches above pipe inches total  REPAIR AREA.	
Septic Tank Size Pump Tank Size Pump Requirements:  Conditions:  WATER LINES (INCLUDING IR NO UTILITIES ALLOWED IN IN  **If applicable: / understand the	gallons  ft. TDH vs  RRIGATION) MUST NITIAL OR REPAIR  system type specific	Trenches shall be installed on contour at a  Maximum Trench Depth of:inches  (Trench bottoms shall be level to +/-1/4"  in all directions) GPM  T BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR I  DRAIN FIELD AREA.	Soil Cover:inches  (Maximum soil cover shall not exceed 36" above the trench bottom)  inches below pipe Aggregate Depth: inches above pipe inches total  REPAIR AREA.	
Septic Tank Size Pump Tank Size Pump Requirements:  Conditions:  WATER LINES (INCLUDING IR NO UTILITIES ALLOWED IN IN  **If applicable: / understand the  Owner/Legal Representative Sign	gallonsft. TDH vs  RRIGATION) MUST NITIAL OR REPAIR system type specificature:	Trenches shall be installed on contour at a  Maximum Trench Depth of:inches (Trench bottoms shall be level to +/-1/4" in all directions)GPM  T BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR I DRAIN FIELD AREA.  Teed is different from the type specified on the application	Soil Cover:inches (Maximum soil cover shall not exceed 36" above the trench bottom)  inches below pipe Aggregate Depth: inches above pipe inches total  REPAIR AREA.  . / accept the specifications of this permit.  Date:	
Septic Tank Size Pump Tank Size Pump Requirements:  Conditions:  WATER LINES (INCLUDING IR NO UTILITIES ALLOWED IN IN  **If applicable:	gallons  ft. TDH vs.  RRIGATION) MUST NITIAL OR REPAIR system type specificature: revocation if the site plane	Trenches shall be installed on contour at a  Maximum Trench Depth of:inches  (Trench bottoms shall be level to +/-1/4"  in all directions) GPM  T BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR I  DRAIN FIELD AREA.	Soil Cover:inches  (Maximum soil cover shall not exceed 36" above the trench bottom) inches below pipe Aggregate Depth:inches above pipeinches total  REPAIR AREA.  . / accept the specifications of this permit.   Date:  be transferred when there is a change in ownership of the site. This	
Septic Tank Size	gallons  ft. TDH vs.  RRIGATION) MUST NITIAL OR REPAIR system type specificature: revocation if the site plane	Trenches shall be installed on contour at a  Maximum Trench Depth of:inches  (Trench bottoms shall be level to +/-1/4"  in all directions) GPM  T BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR IN DRAIN FIELD AREA.  Fied is different from the type specified on the application on the intended use changes. The Construction Authorization shall not	Soil Cover:inches  (Maximum soil cover shall not exceed 36" above the trench bottom) inches below pipe Aggregate Depth:inches above pipeinches total  REPAIR AREA.  . / accept the specifications of this permit.   Date:  be transferred when there is a change in ownership of the site. This	
Septic Tank Size	gallons  ft. TDH vs.  RRIGATION) MUST NITIAL OR REPAIR system type specificature: revocation if the site planeling in the provision.	Trenches shall be installed on contour at a  Maximum Trench Depth of:inches  (Trench bottoms shall be level to +/-1/4"  in all directions) GPM  T BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR I  DRAIN FIELD AREA.  Fied is different from the type specified on the application  on, plat, or the intended use changes. The Construction Authorization shall not a coff the Laws and Rules for Sewage Treatment and Disposal and to the conditions.	Soil Cover:inches  (Maximum soil cover shall not exceed 36" above the trench bottom) inches below pipe Aggregate Depth:inches above pipeinches total  REPAIR AREA.  . / accept the specifications of this permit.   Date:  be transferred when there is a change in ownership of the site. This	