


THIS LAYOUT IS INTENDED FOR THE PURPOSE OF TRUSS LOCATION AND PLACEMENT ONLY. REFER TO THE BUILDING PLANS FOR ACTUAL BUILDING CONSTRUCTION.



1st Level Roof Area  
789.52  
2nd Level Roof Area  
1858.35

<p><b>GENERAL NOTES:</b></p> <ul style="list-style-type: none"> <li>- DO NOT CUT OR MODIFY TRUSSES</li> <li>- TRUSSES ARE SPACED 24" ON CENTER UNLESS OTHERWISE NOTED</li> <li>- REFER TO THE INDIVIDUAL TRUSS DESIGN DRAWINGS FOR THE LOCATION OF LATERAL BRACING AND MULTI-PLY CONNECTION REQUIREMENTS.</li> <li>- PER ANSI TPI 1-2002 THE TRUSS ENGINEER IS RESPONSIBLE FOR TRUSS TO TRUSS CONNECTIONS AND TRUSS PLY TO PLY CONNECTIONS. THIS TRUSS PLACEMENT PLAN RECOMMENDS TRUSS TO BEARING CONNECTIONS AND TRUSS TO BEAM CONNECTIONS WHICH SHALL BE REVIEWED BY THE BUILDING DESIGNER. IT IS THE RESPONSIBILITY OF THE BUILDING DESIGNER TO RESOLVE ALL ROOF FORCES ADEQUATELY TO THE FOUNDATION.</li> </ul>	<p>WIND SPEED: 115 mph</p>	<p>BOTTOM DEAD LOAD: 10.0 lb/ft<sup>2</sup></p>	<p>TOP DEAD LOAD: 10.0 lb/ft<sup>2</sup></p>	<p>TOP LIVE LOAD: 20.0 lb/ft<sup>2</sup></p>	<p><b>PROJECT:</b> Elevation 2 CI3067 A New</p>			
					<p><b>CUSTOMER:</b> Caviness Land Development</p>			
					<p><b>MODEL:</b> CL 3067A New CP Elev 2</p>			
					<p><b>QUOTE #:</b> 20062</p>	<p><b>PRINT DATE:</b> 3/12/2019</p>	<p><b>DRAWN BY:</b></p>	<p><b>SCALE:</b> N.T.S</p>
					<p>DEDICATED TO QUALITY AND EXCELLENCE DUNN, NORTH CAROLINA 28334 PHONE: 910-892-8400</p>			

