Harnett County Department of Public Health

Improvement Permit

A building permit cannot be issued with only an Improvement Permit
PROPERTY LOCATION: 204 Rocking Canal PI (US 401S)

ISSUED TO: H&H Constructors	SUBDIVISION Williams Farm LOT # 16		
NEW REPAIR EXPANSION	Site Improvements required prior to Construction Authorization Issuance:		
Type of Structure: 36'x62' SFD			
Proposed Wastewater System Type: 25% reduction Projected Daily Flow: 480 GPD			
Number of bedrooms: 4 Number of Occupants: 8	max		
Basement Yes No			
	I location and elevations of facilities		_
Type of Water Supply: Community Public Well Dis	tance from wellfeet	Permit valid for:	X Five years
Permit conditions:			No expiration
11 0			
Authorized State Agent:: Now W REI	Date: 08-19-22	SEE ATTACK	HED SITE SKETCH
The issuance of this permit by the Health Department in no way guarantees the issuance of co	ther permits. The permit holder is responsible for chec	king with appropriate governing bodies in me	eeting their requirements. This
site is subject to revocation if the site plan, plat, or the intended use changes. The Improvem the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.	ent Permit shall not be affected by a change in owner	ship of the site. This permit is subject to con	npliance with the provisions of
Cons	truction Authorization		
	Required for Building Permit)		
The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .15		nto this permit and shall be met. Systems sh	all be installed in accordance
with the attached system layout.			
ISSUED TO: H&H Constructors	PROPERTY LOCATION: 204 R	ocking Canal PI (US	401S)
		arm	
Facility Type: 36'x62' SFD	v Expansion Repair		
Basement? Yes No Basement Fixtures? Yes	≥ No		
Type of Wastewater System** 25% reduction		(Initial) Wastewater Flow: 48	BO GPD
(See note below, if applicable)			
	(Repair)		
Installation Requirements/Conditions Number of tre		· · · · · · · · · · · · · · · · · · ·	,
,	of each trench 50 feet	Trench Spacing: 9 F	
	be installed on contour at a		hes
	nch Depth of: 18-24 inches or shall be level to +/-1/4"	(Maximum soil cover shall not 36" above the trench bottom	
in all direction		30 above the trench botton	n)
Pump Requirements: ft. TDH vsGPM	13)		inches below pipe
Tomp requirements.			inches above pipe
Conditions:			inches total
WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM	ANY PART OF SEPTIC SYSTEM OR R	EPAIR AREA.	
NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AI			
		I account the energifications of the	r normit
**If applicable: 1 understand the system type specified is different from the type specified on the application. I accept the specifications of this permit.			
Owner/Legal Representative Signature:		Date:	
This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This			
Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH			
nd 1 M			
Authorized State Agent: Date: 08-19-22			
	nstruction Authorization Expiration Da	ate: 08-19-27	

Harnett County Department of Public Health Site Sketch

Property Location: 204 Rocking Canal PI (US 401S) Subdivision Williams Farm Issued To: H&H Constructors Lot # 16 Date: 08-19-22 Authorized State Agent:

This drawing is for illustrative purposes only. System installation must meet all pertinent laws, rules, and regulations.