# **Reaction Summary of Order**

**ROOF & FLOOR** 

TRUSSES & BEAMS

Reilly Road Industrial Park P.O. Box 40408 Fayetteville, N.C. 28309 (910) 864-TRUS

ComTech|

TO

SHIP

		D/(IL(	JOITHIEL THAL T
REQ. QUOTE DATE	/ /	ORDER#	J0522-2645
ORDER DATE	05/17/22	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT#	0000006409
DATE OF INVOICE	/ /	CUSTOMER PO#	
ORDERED BY	Chris Martin	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Chris Martin	SALES REP	Scot Duncan
JOBSITE PHONE #	(910) 916-7620	SALES AREA	Marshall Naylor

Caviness & Cates Building & 639 Executive Place Suite 400 Fayetteville, NC 28305 (910) 481-0503

JOB NAME: Lot 154 Anderson Creek **LOT #** 154 SUBDIV: Anderson Creek MODEL:32000 **TAG:** CC 2695 TW JOB CATEGORY: Residential - Roof

**DELIVERY INSTRUCTIONS:** 

Caviness & Cates Building & 321 Timber Skip Dr. Cameron, NC

**SPECIAL INSTRUCTIONS:** 

PLAN SEAL DATE: 9/16/20 BY DATE

BUILDING DEPARTMENT OVERHANG INFO HEEL HEIGHT 00-04-05 REQ. LAYOUTS **REQ. ENGINEERING** QUOTE LAYOUT WM END CUT RETURN 06/13/22 Roof Order 1 CUTTING WM 06/13/22 **GABLE STUDS** 16 IN. OC JOBSITE JOBSITE NO

ROOF T	RUS	SES		DADING FORMATION	TCLL-TCDL-BO		_	ESS INCR.	ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)					
PROFILE	QTY	PIT	СН	TYPE	20.0,10.0,0 BASE		∪ IBER	1.15 OVER	HANG	REACTIO	NC .			
	PLY	TOP	BOT	ID	O/A	TOP	BOT	LEFT	RIGHT					
	1	10.00	0.00	ROOF A1	32-08-08 32-08-08	2 X 6	2 X 6		00-10-08	Joint 1 119.2 lbs. -292.1 lbs.	Joint 19 115.2 lbs. -60.5 lbs.	Joint 21 166.5 lbs. -71.3 lbs.	Joint 22 158.5 lbs. -67.6 lbs.	Joint 23 160.4 lbs. -69.4 lbs.
	8	10.00	0.00	ROOF A2	32-08-08 32-08-08	2 X 6	2 X 6		00-10-08	Joint 7 1374.6 lbs. -105.4 lbs.	Joint 13 1497.3 lbs. -55.2 lbs.			
	2	10.00	0.00	ROOF A3	32-08-08 32-08-08	2 X 6	2 X 6			Joint 7 1333.3 lbs. -93.3 lbs.	Joint 12 1497.7 lbs. -55.4 lbs.			
	8	10.00	0.00	ROOF A4	26-04-08 26-04-08	2 X 6	2 X 6			Joint 2 243.7 lbs. -75.7 lbs.	Joint 6 243.7 lbs. -80.9 lbs.	Joint 8 278.2 lbs. 11.5 lbs.	Joint 10 1295.3 lbs. -115.2 lbs.	
	1	10.00	0.00	ROOF A5	26-04-08 26-04-08	2 X 6	2 X 6			Joint 15 230.7 lbs. 5.7 lbs.	Joint 16 178.6 lbs. -123.8 lbs.	Joint 17 155.7 lbs. -68.4 lbs.	Joint 18 160.9 lbs. -69.0 lbs.	Joint 19 159.8 lbs. -69.0 lbs.
	1	12.00	0.00	ATTIC B1	22-00-00 22-00-00	2 X 6	2 X 10	00-10-08	00-10-08	Joint 2 1466.6 lbs. 2.3 lbs.	Joint 10 1466.6 lbs. 2.3 lbs.			
Â	3	12.00	0.00	ATTIC B2	22-00-00 22-00-00	2 X 6	2 X 10	00-10-08		Joint 2 1472.9 lbs. 122.4 lbs.	Joint 10 1431.6 lbs. 129.3 lbs.			
Â	1	12.00	0.00	ATTIC B3	22-00-00 22-00-00	2 X 6	2 X 10	00-10-08		Joint 2 1410.4 lbs. 122.9 lbs.	Joint 11 1234.9 lbs. 132.2 lbs.			
	1	12.00	0.00	KINGPOST C1	16-03-08 16-03-08	2 X 6	2 X 6	00-10-08	00-10-08	Joint 2 634.0 lbs. -168.2 lbs.	Joint 11 142.6 lbs. -82.2 lbs.	Joint 12 211.2 lbs. -391.3 lbs.	Joint 13 656.5 lbs. -49.4 lbs.	Joint 14 241.9 lbs. 84.6 lbs.
	1 2 Ply	12.00	0.00	COMMON C2	16-03-08 16-03-08	2 X 6	2 X 8			Joint 1 4343.2 lbs. -267.9 lbs.	Joint 5 5211.3 lbs. -319.0 lbs.			
	1	12.00	0.00	GABLE D1	11-07-08 11-07-08	2 X 6	2 X 6	00-10-08	00-10-08	Joint 2 214.7 lbs. -30.5 lbs.	Joint 10 205.0 lbs. -11.6 lbs.	Joint 12 253.3 lbs. -267.0 lbs.	Joint 13 213.5 lbs. -4.9 lbs.	Joint 14 226.9 lbs. -17.0 lbs.

## **Reaction Summary of Order**

**ROOF & FLOOR** 

ComTech| TRUSSES & BEAMS Reilly Road Industrial Park P.O. Box 40408 Fayetteville, N.C. 28309 (910) 864-TRUS

		DAIL	00/14/22 1 AGE 2
REQ. QUOTE DATE	/ /	ORDER#	J0522-2645
ORDER DATE	05/17/22	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT#	0000006409
DATE OF INVOICE	/ /	CUSTOMER PO#	
ORDERED BY	Chris Martin	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Chris Martin	SALES REP	Scot Duncan
JOBSITE PHONE #	(910) 916-7620	SALES AREA	Marshall Naylor

Caviness & Cates Building & 639 Executive Place Suite 400 Fayetteville, NC 28305 (910) 481-0503

TO

JOB NAME: Lot 154 Anderson Creek **LOT #** 154 SUBDIV: Anderson Creek MODEL:32000 **TAG:** CC 2695 TW JOB CATEGORY: Residential - Roof

**DELIVERY INSTRUCTIONS:** 

Caviness & Cates Building & 321 Timber Skip Dr. Cameron, NC

**SPECIAL INSTRUCTIONS:** 

PLAN SEAL DATE: 9/16/20 BY DATE

BUILDING DEPARTMENT	OVERH/	ANG INFO	HEEL HEIGHT	00-04-05	R	EQ. I	LAYOUTS		REQ.	ENG	INEERING		QUOTE		//
Roof Order	END CUT	RETURN											LAYOUT	WM	06/13/22
		NO	GABLE STUDS	16 IN. OC			JOBSITE	1			JOBSITE	1	CUTTING	WM	06/13/22
ROOF TRUSSES LOADING TCLL-TCDL-BCLL-BCDL STRESS INCR. PROOF TRUSS SPACING: 24 0 IN O.C. (TVP.)															

ROOF T	RUS	SES		DADING	TCLL-TCDL-B		_	RESS INCR.	ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)					
			IIN	FORMATION	20.0,10.0,0	_		1.15					<u> </u>	
PROFILE	QTY PLY		CH	TYPE ID	BASE O/A	LUN	IBER		HANG	REACTIO	NS			
	1 2 Ply	0.00	0.00	FLAT GIRDER	17-03-08 17-03-08		BOT 2 X 10	LEFT	RIGHT	Joint 6 8604.3 lbs. -1951.8 lbs.	Joint 10 8121.2 lbs. -1829.3 lbs.			
	1	10.00	6.00	GABLE M1	19-04-08 19-04-08	2 X 6	2 X 6	00-10-08		Joint 2 981.3 lbs. -308.8 lbs.	Joint 14 72.0 lbs. -48.3 lbs.	Joint 15 186.9 lbs. -106.1 lbs.	Joint 16 185.0 lbs. -114.4 lbs.	Joint 17 182.6 lbs. -110.1 lbs.
B	8	10.00	6.00	MONOPITCH M2	19-04-08 19-04-08	2 X 6	2 X 6	00-10-08		Joint 2 818.4 lbs. 139.0 lbs.	Joint 8 847.4 lbs. -315.3 lbs.			
A	2	10.00	0.00	MONOPITCH M3	13-03-08 13-03-08	2 X 6	2 X 6	00-10-08	00-03-08	Joint 2 699.0 lbs. 95.1 lbs.	Joint 7 924.4 lbs. -218.2 lbs.			
A	2	10.00	0.00	MONOPITCH M3A	13-03-08 13-03-08	2 X 6	2 X 6	00-10-08	00-03-08	Joint 2 786.4 lbs. 107.0 lbs.	Joint 7 1040.0 lbs. -245.5 lbs.			
A	6	10.00	0.00	MONOPITCH M4	13-03-08 13-03-08	2 X 6	2 X 8	00-10-08	00-03-08	Joint 2 612.1 lbs. 103.2 lbs.	Joint 8 896.7 lbs. -233.5 lbs.			
4	1	10.00	0.00	MONOPITCH M5	13-03-08 13-03-08	2 X 6	2 X 6	00-10-08		Joint 2 572.4 lbs. -165.4 lbs.	Joint 11 39.3 lbs. -37.8 lbs.	Joint 12 44.0 lbs. -21.0 lbs.	Joint 13 179.6 lbs. -104.3 lbs.	Joint 14 189.0 lbs. -117.2 lbs.
	2	4.00	0.00	MONOPITCH M6	07-00-00 07-00-00	2 X 4	2 X 4	00-10-08		Joint 2 334.2 lbs. -128.2 lbs.	Joint 4 262.2 lbs. -115.3 lbs.			
	5	4.00	0.00	GABLE M7	06-00-00 06-00-00	2 X 4	2 X 4	00-10-08		Joint 2 295.1 lbs. -115.1 lbs.	Joint 4 221.3 lbs. -97.6 lbs.			
	1	4.00	0.00	ROOF M8	06-00-00 06-00-00	2 X 4	2 X 6	00-10-08	00-03-08	Joint 2 305.8 lbs. -173.6 lbs.	Joint 5 715.8 lbs. -423.6 lbs.			
	1	4.00	0.00	GABLE P1	15-00-00 15-00-00	2 X 4	2 X 4	00-10-08	00-10-08	Joint 2 649.6 lbs. -353.5 lbs.	Joint 4 649.6 lbs. -353.5 lbs.			

			DATE	06/14/22 PAGE 3
Reaction Summary of Order	REQ. QUOTE DATE	/ /	ORDER#	J0522-2645
^	ORDER DATE	05/17/22	QUOTE #	
	DELIVERY DATE	/ /	CUSTOMER ACCT#	0000006409
ROOF & FLOOR	DATE OF INVOICE	/ /	CUSTOMER PO#	
ComTech TRUSSES & BEAMS	ORDERED BY	Chris Martin	INVOICE #	

REQ. QUOTE DATE	/ /	ORDER#	J0522-2645
ORDER DATE	05/17/22	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT#	0000006409
DATE OF INVOICE	/ /	CUSTOMER PO#	
ORDERED BY	Chris Martin	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Chris Martin	SALES REP	Scot Duncan
JOBSITE PHONE #	(910) 916-7620	SALES AREA	Marshall Naylor

Caviness & Cates Building & 639 Executive Place Suite 400 Fayetteville, NC 28305 (910) 481-0503

Reilly Road Industrial Park P.O. Box 40408 Fayetteville, N.C. 28309 (910) 864-TRUS

> JOB NAME: Lot 154 Anderson Creek **LOT #** 154 SUBDIV: Anderson Creek MODEL:32000 JOB CATEGORY: Residential - Roof **TAG:** CC 2695 TW

DELIVERY INSTRUCTIONS:

Caviness & Cates Building & 321 Timber Skip Dr. Cameron, NC

SPECIAL INSTRUCTIONS:

PLAN SEAL DATE: 9/16/20

<b>BUILDING DEPARTMENT</b>	OVERHA	ANG INFO	HEEL HEIGHT	00-04-05	RE	EQ. I	LAYOUTS		REQ.	EN	GINEERING		QUOTE		/ /
Roof Order	END CUT	RETURN											LAYOUT	WM	06/13/22
		NO	GABLE STUDS	16 IN. OC			JOBSITE	1			JOBSITE	1	CUTTING	WM	06/13/22

ROOF T	RUS	SES		DADING FORMATION	TCLL-TCDL-B0		_	RESS INCR.	ROOF TRUSS SPACING:24.0 IN. O.C. (TYP.)					
PROFILE	QTY PLY	PIT TOP	CH BOT	TYPE ID	BASE O/A		IBER BOT	OVER	RHANG RIGHT					
	3	4.00	0.00	COMMON P2	15-00-00 15-00-00	2 X 4	2 X 4	00-10-08	00-10-08	Joint 2 649.6 lbs. -83.8 lbs.	Joint 4 649.6 lbs. -83.8 lbs.			
$\triangle$	1	12.00	0.00	VALLEY VC-1	15-05-08 15-05-08	2 X 4	2 X 4			Joint 1 166.3 lbs. -29.8 lbs.	Joint 5 144.4 lbs. -0.7 lbs.	Joint 6 487.7 lbs. -184.6 lbs.	Joint 7 482.3 lbs. 60.6 lbs.	Joint 8 488.1 lbs. -184.7 lbs.
$\triangle$	1	12.00	0.00	VALLEY VC-2	13-05-08 13-05-08	2 X 4	2 X 4			Joint 1 128.9 lbs. -38.5 lbs.	Joint 5 109.9 lbs. -13.3 lbs.	Joint 6 397.2 lbs. -165.2 lbs.	Joint 7 451.2 lbs. 57.8 lbs.	Joint 8 397.6 lbs. -165.3 lbs.
$\triangle$	1	12.00	0.00	VALLEY VC-3	11-05-08 11-05-08	2 X 4	2 X 4			Joint 1 114.6 lbs. -80.9 lbs.	Joint 5 95.6 lbs. -59.7 lbs.	Joint 6 340.4 lbs. -162.3 lbs.	Joint 7 222.6 lbs. 53.8 lbs.	Joint 8 340.6 lbs. -162.3 lbs.
$\triangle$	1	12.00	0.00	VALLEY VC-4	09-05-08 09-05-08	2 X 4	2 X 4			Joint 1 198.5 lbs. -26.1 lbs.	Joint 3 198.5 lbs. -26.1 lbs.	Joint 4 303.3 lbs. 12.2 lbs.		
	1	12.00	0.00	VALLEY VC-5	07-05-08 07-05-08	2 X 4	2 X 4			Joint 1 164.5 lbs. -29.3 lbs.	Joint 3 164.5 lbs. -29.3 lbs.	Joint 4 211.3 lbs. 27.9 lbs.		
	1	12.00	0.00	VALLEY VC-6	05-05-08 05-05-08	2 X 4	2 X 4			Joint 1 115.8 lbs. -20.6 lbs.	Joint 3 115.8 lbs. -20.6 lbs.	Joint 4 148.7 lbs. 19.6 lbs.		
	1	12.00	0.00	VALLEY VC-7	03-05-08 03-05-08	2 X 4	2 X 4			Joint 1 67.1 lbs. -11.9 lbs.	Joint 3 67.1 lbs. -12.0 lbs.	Joint 4 86.2 lbs. 11.4 lbs.		
	1	4.00	0.00	VALLEY VP-1	11-08-09 11-08-09	2 X 4	2 X 4			Joint 1 175.5 lbs. -23.9 lbs.	Joint 3 175.5 lbs. -26.3 lbs.	Joint 4 453.4 lbs. -14.4 lbs.		

#### **ITEMS**

QTY	ITEM TYPE	SIZE	<b>LENGTH</b> FT-IN-16	PART NUMBER	NOTES	
10	Hardware	CS16 16Ga Coil Strap			USP (RS150) Sold Per Foot	

### **Reaction Summary of Order ROOF & FLOOR** ComTech| TRUSSES & BEAMS

Reilly Road Industrial Park P.O. Box 40408 Fayetteville, N.C. 28309 (910) 864-TRUS

			00/11/22 1710/2 1
REQ. QUOTE DATE	/ /	ORDER #	J0522-2645
ORDER DATE	05/17/22	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT#	0000006409
DATE OF INVOICE	/ /	CUSTOMER PO#	
ORDERED BY	Chris Martin	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Chris Martin	SALES REP	Scot Duncan
JOBSITE PHONE #	(910) 916-7620	SALES AREA	Marshall Naylor

Caviness & Cates Building & 639 Executive Place Suite 400 Fayetteville, NC 28305 (910) 481-0503

MODEL:32000 **DELIVERY INSTRUCTIONS:**  **LOT #** 154 SUBDIV: Anderson Creek JOB CATEGORY: Residential - Roof

JOB NAME: Lot 154 Anderson Creek

Caviness & Cates Building & 321 Timber Skip Dr. Cameron, NC

**SPECIAL INSTRUCTIONS:** 

PLAN SEAL DATE: 9/16/20 BY DATE

BUILDING DEPARTMENT OVERHANG INFO HEEL HEIGHT 00-04-05 **REQ. LAYOUTS REQ. ENGINEERING** QUOTE END CUT RETURN LAYOUT WM 06/13/22 Roof Order 06/13/22 GABLE STUDS 16 IN. OC CUTTING WM NO JOBSITE JOBSITE

**TAG:** CC 2695 TW

#### **ITFMS**

SOLD

TO

SHIP

,, _,,,					
QTY	ITEM TYPE	SIZE	<b>LENGTH</b> FT-IN-16	PART NUMBER	NOTES
24	Hangers, USP	HUS 26			SIMPSON (HUS26)
4	Wholesale	W-LVL, 1-3/4" x 9-1/4"	09-00-00		Rear Porch LVL's \ PB1