

SEAL

L-5306

C L-5306 C S S URVE ON S



CURVE TABLE

CHORD BEARING

5 46° 03' 22" E

CHORD LENGTH

35.36


LENGTH | RADIUS

25.00'

39.281

CURVE #

CI



YICINITY MAP

(NOT TO SCALE)

LEGEND

O IRF IRON ROD FND. IRON PIPE SET CALCULATED POINT

0 W WATER METER

• CLEANOUT

YD YARD DRAIN

ELEC. TRANSFORMER

⊡ CABLE BOX

× ELEC. BOX

COMM. VAULT


GENERAL NOTES

- I. DISTANCES DEPICTED HEREON ARE GROUND DISTANCES IN U.S. SURVEY FEET. AREAS COMPUTED USING THE COORDINATE METHOD.
- 2. THIS SURVEY WAS PERFORMED WITHOUT BENEFIT OF CURRENT TITLE REPORT. PROPERTY DEPICTED HEREON MAY BE SUBJECT TO SUCH EASEMENTS, ETC. AS A CURRENT TITLE PACKAGE MAY DISCLOSE.

 3. PLAT REFERENCE: MAP 2021 PAGES 512-515.
 - OFFSETS AND DIMENSIONS DEPICTED HEREON FROM
- THE PROPERTY LINES TO THE FOUNDATION OR BUILDING LINE ARE NOT INTENDED TO MONUMENT THE PROPERTY LINES AND ARE NOT TO BE USED TO GUIDE OR ASSIST IN THE ERECTION OF FENCES, STRUCTURES, OR ANY OTHER IMPROVEMENTS.
- 5. ADJOINING OWNER INFORMATION TAKEN FROM DEEDS AND MAPS OF RECORD.
- 6. SETBACKS: FRONT 30' SIDE - 10'

REAR - 20' CORNER LOT SIDE - 20'

- 7. PER RECORDED MAP, LOT SHOWN HEREON IS NOT LOCATED WITHIN A SPECIAL FLOOD HAZARD AREA PER F.I.R.M. FLOOD RATE INSURANCE MAP NO. 3720064200J, BEARING AN EFFECTIVE DATE OF 10/3/2006.
- 8. ZONING RA-30
- 9. DATE OF FIELD SURVEY: 07/20/2022





MORRIS & RITCHIE ASSOCIATES OF NC, PC ENGINEERS, PLANNERS, SURVEYORS AND LANDSCAPE ARCHITECTS FIRM LICENSE: C-4182, 6-492

> 5605 CHAPEL HILL ROAD, SUITE II2 RALEIGH, NORTH CAROLINA 27607 (984) 200-2103 MRAGTA.COM

FOUNDATION AS-BUILT SURVEY LOT 156 - #330 HUNTING WOOD DRIVE PHASE 6 - QUAIL GLEN SUBDIVISION

BLACK RIVER TWP., HARNETT COUNTY, NORTH CAROLINA

SURVEYED FOR: RYAN HOMES - RALEIGH 5734 TRINITY ROAD, SUITE 200 RALEIGH, NC 27607

SCALE: 1"=30'

DATE: 01/21/2022

DRAWN BY: JKK

REVIEW BY: CTC

DESIGN BY:

JOB NO.: 20314

DIRECT SUPERVISION FROM AN ACTUAL FIELD-RUN SURVEY AND THAT THERE ARE NO ENCROACHMENTS UNLESS OTHERWISE SHOWN, DEED REFERENCES ARE AS DEPICTED HEREON. THE RATIO OF PRECISION OR POSITIONAL ACCURACY IS 1:10,000+ AND THAT THIS PLAT MEETS THE REQUIREMENTS OF THE STANDARD OF PRACTICE FOR LAND SURVEYING IN NORTH CAROLINA (21 NCAC 56, 1600).

07/22/22

CALEB TROY CLANTON SR., PLS L-5306