Revised per Owners request App# SFD2206-0109

Harnett County Department of Public Health

356 Currin Compton Improvement Permit A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION. Mcdougald Rd (SR1229) SUBDIVISION ISSUED TO: Thomas Compton Site Improvements required prior to Construction Authorization Issuance: EXPANSION REPAIR [NEW X Type of Structure: 65'x50' SFD Proposed Wastewater System Type 25% reduction Projected Daily Flow: 360 GPD Number of Occupants: 6 max Number of bedrooms: 3 Basement 🔲 Yes 🔀 No Pump Required: No May be required based on final location and elevations of facilities Five years Type of Water Supply: Community 🗵 Public 🗌 Well Distance from well _______feet Permit valid for. ☐ No expiration Date 2-16-23 The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation of the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules 1950, 1952, 1954, 1955, 1956, 1957, 1958 and 1959 are incorporated by references into this permit and shall be met Systems shall be installed in accordance with the attached system layout Mcdougald Rd (SR1229) ISSUED TO: Thomas Compton PROPERTY LOCATION: SUBDIVISION Facility Type: 65'x50' SFD **⋈** New [Expansion Repair X No Basement fixtures? TYes Basement? Yes No Type of Wastewater System** 25% reduction (Initial) Wastewater Flow: 360 (See note below, if applicable) 25% reduction (Repair) Number of trenches Installation Requirements/Conditions Feet on Center Exact length of each trench 120 Trench Spacing: 9 Septic Tank Size 1000 gallons Soil Cover: 6 Trenches shall be installed on contour at a gallons Pump Tank Size Maximum Trench Depth of: 16"-12" inches (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) inches below pipe Pump Requirements: _____ft. TDH vs. Conditions: Will Need to bring in 6" of Group II or Group III

Soil to Cover Drain lines Aggregate Depth: ______ inches above pipe WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. **If applicable: [understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit Date: 2-16-23 Authorized State Agent: No. Construction Authorization Expiration Date: 2-16-28

	2
Application # SFD2206-0109	1~

Harnett County Department of Public Health Site Sketch

This drawing is for illustrative purposes only. System installation must meet all pertinent laws, rules, and regulations.