ADD# Sr	D2207-0027
, .h.h	

Harnett County Department of Public Health

Improvement Permit

Revised

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: 18 Edes Ct (SR 1202) SUBDIVISION Liberty Meadows ISSUED TO Galt land Development Site Improvements required prior to Construction Authorization Issuance: REPAIR -Type of Structure 46'x53' SED Proposed Wastewater System Type: 25% reduction Projected Daily Flow. 360 Number of Occupants: 6 Number of bedrooms: 3 Basement Tes May be required based on final location and elevations of facilities Pump Required: Tes No Type of Water Supply: Community Public Well Distance from well _______feet X five years Permit valid for: No expiration Permit conditions: Authorized State Agent:

Mel G REHS

Date: 9-20-22

SEE ATTACHED SITE SKETCH

The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation of the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules 1950, 1952, 1954, 1955, 1956, 1957, 1958 and 1959 are incorporated by references into this permit and shall be met Systems shall be installed in accordance with the attached system layout PROPERTY LOCATION: 18 Edes Ct (SR 1202) ISSUED TO: Galt land Development SUBDIVISION Liberty Meadows Facility Type: 46 'x53' SFD New Expansion Repair Basement? Yes No Basement Fixtures? Yes (Initial) Wastewater Flow: 360 25% reduction Type of Wastewater System" (See note below, if applicable) 25% reduction (Repair) Number of trenches 1 Installation Requirements/Conditions Exact length of each trench 225 feet Trench Spacing: 9 Feet on Center Septic Tank Size 1000 Soil Cover: 6 Trenches shall be installed on contour at a gallons Pump Tank Size 1000 (Maximum soil cover shall not exceed Maximum Trench Depth of: 18-24 (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) inches below pipe Pump Requirements: It TDH vs. inches total Conditions: WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA "Il applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan plat or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This SEE ATTACHED SITE SKETCH Communition Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit Date: ______ 9-20-22 9-20-27 Construction Authorization Expiration Date:

Harnett County Department of Public Health Site Sketch

Property Location: 18 Ede	es Ct (SR 1202)			
Issued To: Galt land Devel	opment	Subdivision Liberty Meadows	Le	ot # 12
Authorized State Agent:	Mah dh	REHS	Date:	9-20-
EI	FUTUR Septic (repair repair	Initial Septic System ALLE Justine	property A Keep plumb Shallow As po (AT grade) To	ssible
		25%	having TO ado TO the Suprice	e a fump
	20') 53'	10000 J		
Paper	'00.er	15.3		

This drawing is for illustrative purposes only. System installation must meet all pertinent laws, rules, and regulations.