


(3-1/8" Min. width for all other top flange hangers)





Boise Cascade www.bldr.com

1135 ROBESON STREET FAYETTEVILLE, NC 28305 V (910) 485-1111

7601 BOEING DRIVE GREENSBORO, NC 27409 V (336) 884-5454

3189 NC HIGHWAY5 ABERDEEN NC 28315 V (910) 944-2516

This layout and associated materials list has been prepared based on project plans and/or information provided to Builders FirstSource (BFS). It remains the responsibility of the builder, architect, designer, or other responsible persons to review this information to assure that it is appropriate, accurate, complete and complies with

applicable building codes.

1.) READ THE INSTALLATION GUIDE BEFORE FRAMING.
2.) ALL WALLS SHOWN ARE LOAD BEARING UNLESS NOTED OTHERWISE. WALLS NOT SHOWN ARE CONSIDERED NON-LOAD BEARING.
3.) UNLESS STATED OTHERWISE ALL CEILING & ROOF LOADS BRACE DIRECTLY TO LOAD BEARING WALLS SUPPORTED BY FOUNDATION.
4.) CONTACT BUILDERS FIRSTSOURCE BEFORE MAKING ANY ALTERATIONS OR ADJUSTMENTS...FAILURE TO DO SO MAY RESULT IN COSTLY REPAIRS.

Central Carolina Markets Wilmington R

CRAWL EWP PLACEMENT PLAN

Builders FirstSource, Central C

DRAWN BY: AJ Napier

SCALE: NTS

MINIMUM DESIGN DATA

LIVE LOAD 40 PSF DEAD LOAD 10 PSF


TOTAL LOAD 50 PSF

DOL = 100% **DEFLECTION CRITERIA** L/480 (MINIMUM)


ARCHITECTUAL PLAN DATE XX-XX-XX REVISED ARCH. PLAN DATE


> XX-XX-XX XXXXXX


Sheet 1 of 1





| Products | | | | | | | | | |
|----------|------------|-------------------------------|-------|---------|--|--|--|--|--|
| PlotID | Length | Product | Plies | Net Qty | | | | | |
| FJ-1 | 32' 10" | 11-7/8" BCI® 4500s-1.8 | 1 | 10 | | | | | |
| FJ-2 | 31' 10" | 11-7/8" BCI® 4500s-1.8 | 1 | 4 | | | | | |
| FJ-3 | 30' 10" | 11-7/8" BCI® 4500s-1.8 | 1 | 4 | | | | | |
| FJ-4 | 15' 4" | 11-7/8" BCI® 4500s-1.8 | 1 | 13 | | | | | |
| FJ-5-2 | 15' 4" | 11-7/8" BCI® 4500s-1.8 | 2 | 2 | | | | | |
| FJ-6 | 13' 5 1/4" | 11-7/8" BCI® 4500s-1.8 | 1 | 1 | | | | | |
| FJ-7 | 12' 10" | 11-7/8" BCI® 4500s-1.8 | 1 | 2 | | | | | |
| FJ-8 | 11' 5 1/4" | 11-7/8" BCI® 4500s-1.8 | 1 | 1 | | | | | |
| Rim1 | 12' 0" | 1" x 11-7/8" BC RIM BOARD OSB | 1 | 15 | | | | | |
| Bk1 | 28' 0" | 11-7/8" BCI® 4500s-1.8 | 1 | 1 | | | | | |











Net Qty



Boise Cascade www.bldr.com

1135 ROBESON STREET FAYETTEVILLE, NC 28305 V (910) 485-1111 7601 BOEING DRIVE

GREENSBORO, NC 27409 V (336) 884-5454

3189 NC HIGHWAY5 ABERDEEN NC 28315 V (910) 944-2516

This layout and associated materials list has been prepared based on project plans and/or information provided to Builders FirstSource (BFS). It remains the responsibility of the builder, architect, designer, or other responsible persons to review this information to assure that it is appropriate, accurate, complete and complies with

applicable building codes.

1.) READ THE INSTALLATION GUIDE BEFORE FRAMING.
2.) ALL WALLS SHOWN ARE LOAD BEARING UNLESS NOTED OTHERWISE. WALLS NOT SHOWN ARE CONSIDERED NON-LOAD BEARING.
3.) UNLESS STATED OTHERWISE ALL CEILING & ROOF LOADS BRACE DIRECTLY TO LOAD BEARING WALLS SUPPORTED BY FOUNDATION.
4.) CONTACT BUILDERS FIRSTSOURCE BEFORE MAKING ANY ALTERATIONS OR ADJUSTMENTS...FAILURE TO DO SO MAY RESULT IN COSTLY REPAIRS.

Wilmington R

2ND FLOOR EWP PLACEMENT PLAN

Builders FirstSource, Central Carolina Markets

DRAWN BY: AJ Napier

SCALE: NTS

MINIMUM DESIGN DATA


LIVE LOAD 40 PSF DEAD LOAD 10 PSF

TOTAL LOAD 50 PSF DOL = 100%

DEFLECTION CRITERIA L/480 (MINIMUM)

ARCHITECTUAL PLAN DATE XX-XX-XX REVISED ARCH. PLAN DATE XX-XX-XX

> XXXXXX Sheet 1 of 1



| | | 5' 10 | O" | - | Į | 5' 0" | - | | | | | | | | 50' 0" | | 3 | 39' 2" | | | | | | | | | | |
|-------------------------|------------|---------------|------------|------------|-------------|-----------------|-----------------|------------------------|---------------|----------------|-------|--------------|---|--|--------|----------------|----------|--------|---|----------------|-----|----|--|-----------------------------|--------------|-------------------------------------|------|-------|
| 2.0" | | | | | E | 3BO6 | | DROP BEAM BY OTHERS | | | | F07 Rim1 | | | | | | | | | | | | | | | | 2' 0" |
| 4' 0" 31' 0" 8im1 31 0" | 1' 8 1/16" | 1' 7 3/16" | 1' 7 3/16" | 1' 7 3/16" | 1' 5 11/16" | 1'8 3/4" FJ-6-2 | 1. 7 3/16" FJ-4 | 1' 7 3/16" | 1' 7 3/16" | 1'7 3/16" FJ-1 | 2' 0" | 1, 4" | | FJ-10 7-pcs Rim1 FJ-13 2-pcs | | 2' 0" | F06) Bk1 | 2'0" | L 101 FJ-9 Bk1 F06 Bk1 F05 Bk1 Rim1 Bk1 Bk1 | | | | | J-0 7-7 3-pcs BBO5 | J-8 pcs BBO5 | | | |
| | | FJ-3 3-pcs | Ri | m1 F0 | with Re | ed Line o | F07A | | FJ-2 2-pcs | | Rim1 | FJ-1 3-pc | 2 | Rim1 | 7 | FJ-11 4-pcs | E09 | F07 | F07A) | FJ-7 10-pcs | FB1 | -3 | | | | 1' 4" 1' 4" 1' 4" 1' 4" 1' 4" 1' 4" | Rim1 | 07) |