Harnett County Department of Public Health

Improvement Permit

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: 24 Black Oak PI (SR 1117) SUBDIVISION Rolling Springs ISSUED TO: Wellco Contractors Site Improvements required prior to Construction Authorization Issuance: EXPANSION REPAIR Type of Structure: 61'x50' sfd Proposed Wastewater System Type: Pump to 25% reduction Projected Daily Flow: 480 Number of Occupants: 8 Number of bedrooms: 4_ Basement Yes May be required based on final location and elevations of facilities Pump Required: XYes No Type of Water Supply: Community Public Well Distance from well _______feet X Five years Permit valid for: ■ No expiration Authorized State Agent:: The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. **Construction Authorization** (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. PROPERTY LOCATION: 24 Black Oak PI (SR 1117) ISSUED TO: Wellco Contractors SUBDIVISION Rolling Springs Repair ➤ New Expansion Facility Type: 61'x50' sfd Basement Fixtures? Yes X No Basement? Yes (Initial) Wastewater Flow: 480 Pump to 25% reduction Type of Wastewater System** (See note below, if applicable) Pump to 50% reduction Number of trenches 1 Installation Requirements/Conditions Trench Spacing: 9 Feet on Center Exact length of each trench 300 Septic Tank Size 1000 gallons Soil Cover: 6 Trenches shall be installed on contour at a Pump Tank Size 1000 gallons (Maximum soil cover shall not exceed Maximum Trench Depth of: 22 36" above the trench bottom) (Trench bottoms shall be level to +/-1/4" in all directions) inches below pipe Pump Requirements: ______ft. TDH vs. __ Aggregate Depth: ______ inches above pipe inches total WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. **If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. Construction Authorization Expiration Date: 9-14-27

Harnett County Department of Public Health Site Sketch

Property Location: 24 Black Oak PI (SR 1117)

Issued To: Wellco Contractors

Subdivision Rolling Springs

Lot # 111

Authorized State Agent: Action Related REHS

Date: 9-14-27

