Department of Environment, Health and Natural Resources Division of Environmental Health On-Site Wastewater Section Sheet: Property ID: Lot #: File #: Code:

SOIL/SITE EVALUATION for ON-SITE WASTEWATER SYSTEM

Owner: Willeo Applicant: Address: 24 Black Cok Pl Proposed Facility: SFD Date Evaluated: 9-6-27 Design Flow (.1949): 480 GPD Property Recorded: Water Supply: Public Individual Well Evaluation Method: Auger Boring Pit Cut	Property Size: Spring Other	
Type of Wastewater: Sewage Industrial Process	Mixed	
P R O		

P R O F I	.1940	Horizon Depth (In.)	SOIL MORPHOLOGY .1941		Pl				
L L P	Landscape Position/ Slope %		.1941 Structure/ Texture	.1941 Consistence Mineralogy	.1942 Soil Wetness/ Color	.1943 Soil Depth (IN.)	.1956 Sapro Class	.1944 Restr Horiz	Profile Class & LTAR
1,2	1	0-18	LS Gr	folus/Nelvel	> 48"	>48"	-	_	PS. 4 Group 111
	2-5%	18-48	sci sBh	Fo/15/58/18/1X8					TIT
			7.			1 25 0		* - '	
				2	16.				
				,	is .				
			-						
							I		
				,					
				V			4	-	

Description	Initial System	Repair System	Other Factors (.1946): Site Classification (.1948):	PS.
Available Space (.1945)			Evaluated By:	While DEWS
System Type(s) Purp	25% red	25% 120	Others Present:	MUNICH
Site LTAR	.4	. 4		

COMMENTS: ____

LANDSCAPE POSITIONS	GROUP	<u>TEXTURES</u>	.1955 LTAR	CONSISTENCE MOIST		WET
R-RIDGE S-SHOULDER SLOPE L-LINEAR SLOPE	I	S-SAND LS-LOAMY SAND	1.2 - 0.8	VFR-VERY FRIABLE FR-FRIABLE		NS-NON-STICKY SS-SLIGHTY STICKY
FS-FOOT SLOPE N-NOSE SLOPE H-HEAD SLOPE	II	SL-SANDY LOAM L-LOAM	0.8 - 0.6	FI-FIRM VFI-VERY FIRM EFI-EXTREMELY FIRM		S-STICKY VS-VERY STICKY NP-NON-PLASTIC
CC-CONCLAVE SLOPE CV-CONVEX SLOPE T-TERRACE FP-FLOOD PLAN	Ш	SI-SILT SIL-SILT LOAM CL-CLAY LOAM SCL-SANDY CLAY LOAM	0.6 - 0.3		,*	SP-SLIGHTLY STICKY P-PLASTIC VP-VERY PLASTIC

IV SIC-SILTY CLAY 0.4 - 0.1 C-CLAY

SC-SANDY CLAY

MINERALOGY

SLIGHTLY EXPANSIVE

EXPANSIVE

STRUCTURE SG-SINGLE GRAIN M- MASSIVE CR-CRUMB GR-GRANULAR SBK-SUBANGULAR BLOCKY ABK-ANGULAR BLOCKY PL-PLATY

PR-PRISMATIC Show profile locations and other site features (dimensions, references or benchmark, and North) (1) Black Oak PI