Harnett County Department of Public Health

Improvement Permit

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: 5894 US 421 N ISSUED TO: Aristeo Castro Aguilera SUBDIVISION Site Improvements required prior to Construction Authorization Issuance: REPAIR NEW X Type of Structure: 39'x68' SFD Proposed Wastewater System Type: 25% reduction Projected Daily Flow: 480 Number of bedrooms: 4 Number of Occupants: 8 Basement Yes May be required based on final location and elevations of facilities No Type of Water Supply: Community Public Well Distance from well _______feet Permit valid for: X Five years No expiration Permit conditions: Date: 10-26-22 The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958. and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. ISSUED TO: Aristeo Castro Aquilera PROPERTY LOCATION: 5894 US 421 N LOT # SUBDIVISION Facility Type: 39'x68' SFD × New Expansion Basement Fixtures? Yes × No Basement? Yes × No 25% reduction (Initial) Wastewater Flow: 480 GPD Type of Wastewater System** (See note below, if applicable) 25% reduction Number of trenches 1 Installation Requirements/Conditions Exact length of each trench 240 Trench Spacing: 9 Feet on Center Septic Tank Size 1000 _gallons Trenches shall be installed on contour at a Soil Cover: 6 gallons Pump Tank Size _____ (Maximum soil cover shall not exceed Maximum Trench Depth of: 18-24 inches 36" above the trench bottom) (Trench bottoms shall be level to +/-1/4" in all directions) inches below pipe Pump Requirements: _____ ft. TDH vs. _ Aggregate Depth: ______ inches above pipe 10' Above Every part of the Septic System WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. **If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This SEE ATTACHED SITE SKETCH Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. Date: 10-26-22

Construction Authorization Expiration Date: 10-25-27

Authorized State Agent: _

Harnett County Department of Public Health Site Sketch

Property Location: 5894 US	3 421 N			
Issued To: Aristeo Castro Ag	guilera	Subdivision		Lot #
Authorized State Agent: _	Mal la	REHS		10-2 6 -22
	(NOT T	To Scale
Dough Sold Sold Sold Sold Sold Sold Sold Sold	Setbock Drain	ZUI'X30' GAROQI STAIN Drain \$5 From \$10' Erom \$10' TUTURE Supair Arxa	280' ~68' ~65'	70.5. U.S. U.S. U.S. U.S. U.S. U.S. U.S. U
				1 11

This drawing is for illustrative purposes only. System installation must meet all pertinent laws, rules, and regulations.