Harnett County Department of Public Health

Improvement Permit


A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: 335 Saint Clair Dr LOT # 🝱 68 ISSUED TO: KB Home Raleigh SUBDIVISION Birchwood Grove EXPANSION REPAIR Site Improvements required prior to Construction Authorization Issuance: Type of Structure: SFD (42'x50') Proposed Wastewater System Type: 25% Reduction System Projected Daily Flow: 360 Number of bedrooms: 3 Number of Occupants: 6 Basement Yes Pump Required: Yes No May be required based on final location and elevations of facilities X Five years Type of Water Supply: Community Public Well Distance from well _______feet Permit valid for: No expiration REHS Date: 8/11/22 SEE ATTACHED SITE SKETCH Authorized State Agent:: The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules .1950, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. ISSUED TO: KB Home Raleigh PROPERTY LOCATION: 335 Saint Clair Dr SUBDIVISION Birchwood Grove Facility Type: SFD (42'x50') X New Expansion Repair Basement? Yes Basement Fixtures? Yes 25% Reduction System Type of Wastewater System** (Initial) Wastewater Flow: 360 (See note below, if applicable) 25% Reduction System Number of trenches 5 Installation Requirements/Conditions Exact length of each trench 80 Trench Spacing: 9 Feet on Center Septic Tank Size 1000 Pump Tank Size Trenches shall be installed on contour at a Maximum Trench Depth of: 18 (Maximum soil cover shall not exceed inches (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: ft. TDH vs. __ inches below pipe Aggregate Depth: ______ inches above pipe Conditions: System sized for a four bedroom house per applicant's request and based on applicant's proposal WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. **If applicable: Lunderstand the system type specified is different from the type specified on the application. Laccept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compilative with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH Date: 8/11/22 PE 15 Authorized State Agent: Construction Authorization Expiration Date: 8/11/27

Harnett County Department of Public Health Site Sketch

Property Location: 335 Saint Clair Dr

Issued To: KB Home Raleigh Subdivision Birchwood Grove Lot # 71

Authorized State Agent: Date: 8/11/22



This drawing is for illustrative purposes only. System installation must meet all pertinent laws, rules, and regulations.