## Harnett County Department of Public Health

## Improvement Permit

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: 101 M and M In (SR 1109) ISSUED TO: Cameron Ashcroft SUBDIVISION REPAIR EXPANSION Site Improvements required prior to Construction Authorization Issuance: Type of Structure: 64'x50' SFD Proposed Wastewater System Type: 25% reduction Projected Daily Flow: 480 Number of Occupants: 8 Number of bedrooms: 4 Basement Yes No May be required based on final location and elevations of facilities Pump Required: Yes Type of Water Supply: Community Public Well Distance from well \_\_\_\_\_\_feet X Five years Permit valid for: ■ No expiration Permit conditions: Date: 09-23-22 SEE ATTACHED SITE SKETCH The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. PROPERTY LOCATION: 101 M and M In (SR 1109) ISSUED TO: Cameron Ashcroft SUBDIVISION Facility Type: 64'x50' SFD Expansion ➤ New Basement? Yes Basement Fixtures? Yes (Initial) Wastewater Flow: 480 25% reduction Type of Wastewater System\*\* (See note below, if applicable ) 25% reduction (Repair) Number of trenches 1 Installation Requirements/Conditions Septic Tank Size 1000 gallons Exact length of each trench 200 Trench Spacing: 9 Feet on Center Soil Cover: 6 inches Trenches shall be installed on contour at a Pump Tank Size \_\_\_\_\_ Maximum Trench Depth of: 18-26 (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: ft. TDH vs. \_ Aggregate Depth: \_\_\_\_\_\_ inches above pipe inches total Conditions: WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. \*\*If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Date: Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This SEE ATTACHED SITE SKETCH Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. Date: 09-23-22 Authorized State Agent: Construction Authorization Expiration Date: 09-23-27

## Harnett County Department of Public Health Site Sketch

Property Location	n: 101 M and M In (SR	1109)			
Issued To: Came	ron Ashcroft	N Subdivision _			Lot #
Authorized State	MA I.	Lerk		Date:	09-23-22
	TO Mand M	64'x50' Engraph 10' SFD 10' 10' 10' 10' 10' 10' 10' 10' 10' 10'	[]   S   S   S   S   S   S   S   S   S	002)	Lyzulk 25% induction 1290ic Kiro