

Reaction Summary of Order



ROOF & FLOOR
TRUSSES & BEAMS

Reilly Road Industrial Park P.O. Box 40408
Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	/ /	ORDER #	J0822-4434
ORDER DATE	08/30/22	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000006558
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Jason Wellons	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Jason Wellons	SALES REP	Lenny Norris
JOBSITE PHONE #	(910) 263-0276	SALES AREA	Curtis Quick

SOLD TO	Wellco Contractors, Inc. PO Box 766 Spring Lake, NC 28390 (910) 436-3131	JOB NAME: Lot 148 Hidden Lakes MODEL: TAG: Plan 2	LOT # 148 SUBDIV: Hidden Lakes JOB CATEGORY: WCall - Will Call
	Wellco Contractors Lot 148 Hidden Lakes Spring Lake, NC	DELIVERY INSTRUCTIONS:	
SHIPP TO	SPECIAL INSTRUCTIONS: Like Lot 110 Hidden Lakes (J0722-3667)		PLAN SEAL DATE:

BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-04-05	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	/ /
Roof Order	END CUT	RETURN				LAYOUT	CQ 09/13/22
	PLUMB		GABLE STUDS 24 IN. OC	JOBSITE 1	JOBSITE 1	CUTTING	CQ 09/13/22

ROOF TRUSSES

LOADING INFORMATION

TCLL-TCDL-BCLL-BCDL	STRESS INCR.
20.0,10.0,0.0,10.0	1.15

ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS					
		PLY	TOP			BOT	TOP	BOT	LEFT	RIGHT					
	6		6.00	0.00	PIGGYBACK A1	56-08-00 56-08-00	2 X 6	2 X 6	00-10-08	00-10-08	Joint 2 2420.0 lbs. -111.2 lbs.	Joint 12 2420.0 lbs. -111.2 lbs.			
	1		6.00	0.00	PIGGYBACK A1A	56-08-00 56-08-00	2 X 6	2 X 6		00-10-08	Joint 1 2376.5 lbs. -99.2 lbs.	Joint 11 2420.3 lbs. -111.2 lbs.			
	1		6.00	0.00	GABLE A1GE	56-08-00 56-08-00	2 X 6	2 X 6	00-10-08	00-10-08	Joint 2 155.2 lbs. -27.0 lbs.	Joint 34 136.3 lbs. 6.0 lbs.	Joint 36 189.1 lbs. -85.1 lbs.	Joint 37 151.9 lbs. -66.3 lbs.	Joint 38 161.7 lbs. -69.5 lbs.
	2		6.00	0.00	PIGGYBACK A2	56-08-00 56-08-00	2 X 6	2 X 6		00-10-08	Joint 1 2252.3 lbs. -100.9 lbs.	Joint 13 2547.5 lbs. -116.1 lbs.			
	4		6.00	0.00	GIRDER A3	56-08-00 56-08-00	2 X 6	2 X 8			Joint 1 763.4 lbs. -44.6 lbs.	Joint 11 707.3 lbs. -56.0 lbs.	Joint 14 1530.6 lbs. -101.7 lbs.	Joint 16 763.9 lbs. 87.1 lbs.	Joint 17 2237.9 lbs. 82.2 lbs.
	1		6.00	0.00	GIRDER A4	56-08-00 56-08-00	2 X	2 X 8	00-10-08		Joint 2 1065.2 lbs. -31.4 lbs.	Joint 13 1050.6 lbs. -29.3 lbs.	Joint 16 1168.8 lbs. -148.6 lbs.	Joint 18 1074.9 lbs. 116.7 lbs.	Joint 19 2064.5 lbs. 93.0 lbs.
	2		6.00	0.00	GIRDER A5	56-08-00 56-08-00	2 X	2 X 8	00-10-08		Joint 2 770.8 lbs. -16.8 lbs.	Joint 13 919.2 lbs. -36.1 lbs.	Joint 16 786.2 lbs. -218.9 lbs.	Joint 18 2048.8 lbs. 311.3 lbs.	Joint 20 1710.7 lbs. 48.2 lbs.
	3		6.00	0.00	GIRDER A6	56-08-00 56-08-00	2 X	2 X 8	00-10-08		Joint 2 1180.3 lbs. -9.2 lbs.	Joint 13 1350.8 lbs. -24.0 lbs.	Joint 16 2051.5 lbs. 153.1 lbs.	Joint 19 1906.0 lbs. 91.5 lbs.	
	1		6.00	0.00	GABLE A6GE	56-08-00 56-08-00	2 X	2 X 8	00-10-08		Joint 2 1180.3 lbs. -135.0 lbs.	Joint 13 1350.8 lbs. -171.1 lbs.	Joint 16 2028.7 lbs. -37.5 lbs.	Joint 19 1882.1 lbs. -136.8 lbs.	
	1		12.00	0.00	COMMON B1GE	20-01-00 20-01-00	2 X 6	2 X 6	00-10-08	00-10-08	Joint 2 305.5 lbs. -125.4 lbs.	Joint 12 269.6 lbs. -70.8 lbs.	Joint 14 222.6 lbs. -222.0 lbs.	Joint 15 186.4 lbs. -133.6 lbs.	Joint 16 195.3 lbs. -159.1 lbs.

Reaction Summary of Order



ROOF & FLOOR
TRUSSES & BEAMS

Reilly Road Industrial Park P.O. Box 40408
Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	/ /	ORDER #	J0822-4434
ORDER DATE	08/30/22	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000006558
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Jason Wellons	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Jason Wellons	SALES REP	Lenny Norris
JOBSITE PHONE #	(910) 263-0276	SALES AREA	Curtis Quick

SOLD TO	Wellco Contractors, Inc. PO Box 766 Spring Lake, NC 28390 (910) 436-3131	JOB NAME: Lot 148 Hidden Lakes	LOT # 148	SUBDIV: Hidden Lakes
	Wellco Contractors Lot 148 Hidden Lakes Spring Lake, NC	MODEL: TAG: Plan 2	JOB CATEGORY: WCall - Will Call	
SHIPP TO		DELIVERY INSTRUCTIONS:		
		SPECIAL INSTRUCTIONS: Like Lot 110 Hidden Lakes (J0722-3667)		
PLAN SEAL DATE: _____ BY _____ DATE _____				

BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-04-05	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	/ /
Roof Order	END CUT	RETURN				LAYOUT	CQ 09/13/22
	PLUMB	GABLE STUDS	24 IN. OC	JOBSITE	1	CUTTING	CQ 09/13/22

ROOF TRUSSES

LOADING INFORMATION

TCLL-TCDL-BCLL-BCDL	STRESS INCR.
20.0,10.0,0.0,10.0	1.15

ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)

PROFILE	QTY PLY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS				
		TOP	BOT			TOP	BOT	LEFT	RIGHT					
	1 2 Ply	12.00	0.00	FINK B2GDR	20-01-00 20-01-00	2 X 6	2 X 10			Joint 1 6204.8 lbs. 63.0 lbs.	Joint 5 6066.0 lbs. 864.7 lbs.			
	4	6.00	0.00	COMMON P1	14-00-00 14-00-00	2 X 4	2 X 6	00-10-08	00-10-08	Joint 2 609.6 lbs. -125.1 lbs.	Joint 4 609.6 lbs. -125.1 lbs.			
	1	6.00	0.00	GABLE P1GE	14-00-00 14-00-00	2 X 4	2 X 6	00-10-08	00-10-08	Joint 2 609.6 lbs. -141.4 lbs.	Joint 4 609.6 lbs. -141.4 lbs.			
	19	6.00	0.00	PIGGYBACK PB1	11-09-06 11-09-06	2 X 4	2 X 4			Joint 2 258.0 lbs. -38.2 lbs.	Joint 4 258.0 lbs. -45.6 lbs.	Joint 6 507.6 lbs. 1.5 lbs.		
	2	6.00	0.00	GABLE PB1GE	11-09-06 11-09-06	2 X 4	2 X 4			Joint 2 203.2 lbs. -13.7 lbs.	Joint 3 121.8 lbs. -99.5 lbs.	Joint 4 70.0 lbs. 17.5 lbs.	Joint 8 111.9 lbs. -24.1 lbs.	Joint 10 163.1 lbs. -69.9 lbs.
	1	12.00	0.00	GABLE VA1	15-00-08 15-00-08	2 X 4	2 X 4			Joint 1 209.0 lbs. 3.0 lbs.	Joint 2 174.3 lbs. -98.6 lbs.	Joint 3 104.5 lbs. 31.3 lbs.	Joint 9 170.8 lbs. -62.1 lbs.	Joint 10 170.6 lbs. -123.8 lbs.
	1	12.00	0.00	VALLEY VA2	13-00-08 13-00-08	2 X 4	2 X 4			Joint 1 123.9 lbs. -41.3 lbs.	Joint 5 105.5 lbs. -16.9 lbs.	Joint 6 375.7 lbs. -162.9 lbs.	Joint 7 385.9 lbs. 57.1 lbs.	Joint 8 376.0 lbs. -163.0 lbs.
	1	12.00	0.00	VALLEY VA3	11-00-08 11-00-08	2 X 4	2 X 4			Joint 1 117.4 lbs. -95.0 lbs.	Joint 5 102.6 lbs. -74.5 lbs.	Joint 6 347.0 lbs. -166.0 lbs.	Joint 7 221.6 lbs. 53.0 lbs.	Joint 8 347.1 lbs. -166.0 lbs.
	1	12.00	0.00	VALLEY VA4	09-00-08 09-00-08	2 X 4	2 X 4			Joint 1 190.5 lbs. -25.0 lbs.	Joint 2 565.0 lbs. -159.4 lbs.	Joint 3 190.5 lbs. -25.0 lbs.	Joint 4 291.0 lbs. 11.7 lbs.	
	1	12.00	0.00	VALLEY VA5	07-00-08 07-00-08	2 X 4	2 X 4			Joint 1 155.9 lbs. -27.8 lbs.	Joint 3 155.9 lbs. -27.8 lbs.	Joint 4 200.2 lbs. 26.4 lbs.		

Reaction Summary of Order



ROOF & FLOOR
TRUSSES & BEAMS

Reilly Road Industrial Park P.O. Box 40408
Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	//	ORDER #	J0822-4434
ORDER DATE	08/30/22	QUOTE #	
DELIVERY DATE	//	CUSTOMER ACCT #	0000006558
DATE OF INVOICE	//	CUSTOMER PO #	
ORDERED BY	Jason Wellons	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Jason Wellons	SALES REP	Lenny Norris
JOBSITE PHONE #	(910) 263-0276	SALES AREA	Curtis Quick

SHEET	Wellco Contractors, Inc. PO Box 766 Spring Lake, NC 28390 (910) 436-3131	JOB NAME: Lot 148 Hidden Lakes MODEL: TAG: Plan 2 DELIVERY INSTRUCTIONS:	LOT # 148 SUBDIV: Hidden Lakes JOB CATEGORY: WCall - Will Call
	Wellco Contractors Lot 148 Hidden Lakes Spring Lake, NC	SPECIAL INSTRUCTIONS: Like Lot 110 Hidden Lakes (J0722-3667)	PLAN SEAL DATE: BY DATE

BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-04-05	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	//
Roof Order	END CUT	RETURN				LAYOUT	CQ 09/13/22
	PLUMB		GABLE STUDS	24 IN. OC	JOBSITE 1	JOBSITE 1	CUTTING CQ 09/13/22

ROOF TRUSSES

LOADING INFORMATION

TCLL-TCDL-BCLL-BCDL	STRESS INCR.
20.0,10.0,0.0,10.0	1.15

ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS				
		TOP	BOT			TOP	BOT	LEFT	RIGHT					
	1	12.00	0.00	VALLEY VA6	05-00-08 05-00-08	2 X 4	2 X 4			Joint 1 107.2 lbs. -19.1 lbs.	Joint 3 107.1 lbs. -19.1 lbs.	Joint 4 137.7 lbs. 18.1 lbs.		
	1	12.00	0.00	VALLEY VA7	03-00-08 03-00-08	2 X 4	2 X 4			Joint 1 58.5 lbs. -10.4 lbs.	Joint 3 58.4 lbs. -10.4 lbs.	Joint 4 75.1 lbs. 9.9 lbs.		
	1	12.00	0.00	GABLE VB1	19-02-04 19-02-04	2 X 4	2 X 4			Joint 1 261.6 lbs. -133.4 lbs.	Joint 2 1509.1 lbs. -219.3 lbs.	Joint 10 1456.4 lbs. -198.9 lbs.	Joint 11 230.2 lbs. -86.9 lbs.	Joint 12 173.6 lbs. -127.1 lbs.
	1	12.00	0.00	VALLEY VB2	17-02-04 17-02-04	2 X 4	2 X 4			Joint 1 199.6 lbs. -24.1 lbs.	Joint 5 175.1 lbs. 8.5 lbs.	Joint 6 538.8 lbs. -208.2 lbs.	Joint 8 415.1 lbs. 62.1 lbs.	Joint 9 539.1 lbs. -208.3 lbs.
	1	12.00	0.00	VALLEY VB3	15-02-04 15-02-04	2 X 4	2 X 4			Joint 1 165.2 lbs. -30.5 lbs.	Joint 5 143.6 lbs. -1.8 lbs.	Joint 6 456.2 lbs. -182.1 lbs.	Joint 7 413.8 lbs. 60.3 lbs.	Joint 8 456.5 lbs. -182.3 lbs.
	1	12.00	0.00	VALLEY VB4	13-02-04 13-02-04	2 X 4	2 X 4			Joint 1 127.0 lbs. -39.7 lbs.	Joint 5 108.4 lbs. -14.9 lbs.	Joint 6 379.8 lbs. -163.8 lbs.	Joint 7 388.8 lbs. 57.4 lbs.	Joint 8 380.2 lbs. -163.9 lbs.
	1	12.00	0.00	VALLEY VB5	11-02-04 11-02-04	2 X 4	2 X 4			Joint 1 116.1 lbs. -88.8 lbs.	Joint 2 1009.4 lbs. -75.6 lbs.	Joint 5 99.4 lbs. -68.0 lbs.	Joint 6 343.7 lbs. -164.2 lbs.	Joint 7 222.0 lbs. 53.3 lbs.
	1	12.00	0.00	VALLEY VB6	09-02-04 09-02-04	2 X 4	2 X 4			Joint 1 193.8 lbs. -25.4 lbs.	Joint 3 193.8 lbs. -25.4 lbs.	Joint 4 296.1 lbs. 11.9 lbs.		
	1	12.00	0.00	VALLEY VB7	07-02-04 07-02-04	2 X 4	2 X 4			Joint 1 159.5 lbs. -28.4 lbs.	Joint 3 159.4 lbs. -28.4 lbs.	Joint 4 204.8 lbs. 27.0 lbs.		
	1	12.00	0.00	VALLEY VB8	05-02-04 05-02-04	2 X 4	2 X 4			Joint 1 110.8 lbs. -19.7 lbs.	Joint 3 110.7 lbs. -19.7 lbs.	Joint 4 142.2 lbs. 18.7 lbs.		

Reaction Summary of Order



ROOF & FLOOR
TRUSSES & BEAMS

Reilly Road Industrial Park P.O. Box 40408
Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	/ /	ORDER #	J0822-4434
ORDER DATE	08/30/22	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000006558
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Jason Wellons	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Jason Wellons	SALES REP	Lenny Norris
JOBSITE PHONE #	(910) 263-0276	SALES AREA	Curtis Quick

SOLD TO	Wellco Contractors, Inc. PO Box 766 Spring Lake, NC 28390 (910) 436-3131	JOB NAME: Lot 148 Hidden Lakes	LOT # 148	SUBDIV: Hidden Lakes
	Wellco Contractors Lot 148 Hidden Lakes Spring Lake, NC	MODEL: TAG: Plan 2	JOB CATEGORY: WCall - Will Call	
SHIPP TO	DELIVERY INSTRUCTIONS:		PLAN SEAL DATE:	
	SPECIAL INSTRUCTIONS: Like Lot 110 Hidden Lakes (J0722-3667)		BY DATE	

BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-04-05	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	/ /
Roof Order	END CUT	RETURN				LAYOUT	CQ 09/13/22
	PLUMB		GABLE STUDS	24 IN. OC	JOBSITE 1	JOBSITE 1	CUTTING CQ 09/13/22

ROOF TRUSSES

LOADING INFORMATION

TCLL-TCDL-BCLL-BCDL	STRESS INCR.
20.0,10.0,0.0,10.0	1.15

ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS				
		PLY	TOP			BOT	TOP	BOT	LEFT		RIGHT			
	1		12.00	0.00	03-02-04 03-02-04	2 X 4	2 X 4			Joint 1 101.8 lbs. -3.3 lbs.	Joint 3 101.8 lbs. -3.3 lbs.			
	1		6.00	0.00	13-08-09 13-08-09	2 X 4	2 X 4			Joint 1 61.3 lbs. -3.1 lbs.	Joint 5 61.4 lbs. 4.1 lbs.	Joint 6 305.1 lbs. -70.4 lbs.	Joint 7 284.3 lbs. 25.7 lbs.	Joint 8 305.0 lbs. -70.6 lbs.
	1		6.00	0.00	09-08-09 09-08-09	2 X 4	2 X 4			Joint 1 157.9 lbs. -20.9 lbs.	Joint 3 158.0 lbs. -25.7 lbs.	Joint 4 369.5 lbs. 0.5 lbs.		
	1		6.00	0.00	05-08-09 05-08-09	2 X 4	2 X 4			Joint 1 92.5 lbs. -14.8 lbs.	Joint 3 92.5 lbs. -17.4 lbs.	Joint 4 177.6 lbs. 7.7 lbs.		

ITEMS

QTY	ITEM TYPE	SIZE	LENGTH FT-IN-16	PART NUMBER	NOTES
9	Hangers, USP	HUS 26			SIMPSON (HUS26)
2	LVL Beams (Sized)	LVL, 1-3/4" x 9-1/4" (S)	07-00-00		BM1
2	LVL Beams (Sized)	LVL, 1-3/4" x 11-7/8" (S)	21-00-00		GDH