



Customer Name:

Address:

Phone:

Fax:

Customer Information:

Comments:

Project Name: KNIGHT PLAN

Quote Name: WILLIAM BAREFOOT

Quote Number: 5238301


Order Date: Quote Not Ordered

PO Number:

891. Rayner Rd

ITEM & SIZES	LOCATION / TAG	PRODUCT DESCRIPTION	UNIT PRICE / EXTENDED PRICE
--------------	----------------	---------------------	-----------------------------

Line Item: 100-1	None Assigned	<p>*** PRODUCT ***</p> <p>Row 1 3500 Single Hung - Vent - 1 Units - 31.5W x 61.5H</p> <p>*** DIMENSIONS ***</p> <p>31.5W x 61.5H</p> <p>*** FRAME ***</p> <p>East, Vinyl, Frame Type - Fin, Exterior Color - Laminate Black, Interior Finish / Extrusion Color White</p> <p>*** GLASS ***</p> <p>Glazing Type - Insulated, Dual, Glass Tint - Clear, HP Low-E, Argon Gas, Glass Strength - SSB</p> <p>*** GRILLES ***</p> <p>Grille Type - GBG, Grille Thickness/Style - 5/8" Flat, Grille Color - Black, Grille Pattern - Colonial</p> <p>Top Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 1</p> <p>*** SCREEN ***</p> <p>Screen - Half, Screen Mesh Type - Charcoal Fiber, Screens Packed Separately - Yes</p> <p>*** WRAPPING ***</p> <p>Extension Jamb - 4 9/16 Wood, Extension Jamb Type - Primed Finger Jointed, Number of Jamb Sides - Four Sides, J-Channel - None</p> <p>*** NFRC ***</p> <p>Series 3500::SingleHung, U-Factor::0.3, SHGC::0.2, VT::0.4</p> <p>*** Performance ***</p> <p>Series 3500::SingleHung, Calculated Positive DP Rating::25.06, Calculated Negative DP Rating::25.06, DP Rule ID::3500 SH, Rating Type::DesignPressure, Performance Grade::R-PG25*, Water Rating::3.76, FL ID::N/A, STC Rating::28, OITC Data::23</p>	
------------------	---------------	---	--




1500 Single Hung - Vent - 2852

Units are viewed from the Exterior

ITEM & SIZES	LOCATION / TAG	PRODUCT DESCRIPTION	UNIT PRICE / EXTENDED PRICE
--------------	----------------	---------------------	-----------------------------

Line Item: 200-1 None Assigned
 Quantity: 3
 RO Size: 63.625" X 62"
 Jnit Size: 63.125" X 61.5"




*** PRODUCT ***
 Row 1 3500 Single Hung - Vent / Vent - 2 Units - 63.125W x 61.5H
 *** DIMENSIONS ***
 31.5W x 61.5H
 *** FRAME ***
 East, Vinyl, Frame Type - Fin, Exterior Color - Laminate Black, Interior Finish / Extrusion Color White
 *** GLASS ***
 Glazing Type - Insulated, Dual, Glass Tint - Clear, HP Low-E, Argon Gas, Glass Strength - SSB
 *** GRILLES ***
 Grille Type - GBG, Grille Thickness/Style - 5/8" Flat, Grille Color - Black, Grille Pattern - Colonial
 Top Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 1
 *** SCREEN ***
 Screen - Half, Screen Mesh Type - Charcoal Fiber, Screens Packed Separately - Yes
 *** WRAPPING ***
 Wrapping Group 1 Extension Jamb - 4 9/16 Wood, Extension Jamb Type - Primed Finger Jointed, Number of Jamb Sides - Four Sides, J-Channel - None Wrapping Group 0
 *** MULLS ***
 Vertical CommonFrame 0.125" thick, 61.5" in length
 *** NFRC ***
 Series 3500::SingleHung, U-Factor::0.3, SHGC::0.2, VT::0.4
 *** Performance ***
 Series 3500::SingleHung, Calculated Positive DP Rating::25.06, Calculated Negative DP Rating::25.06, DP Rule ID::3500 SH, Rating Type::DesignPressure, Performance Grade::R-PG25*, Water Rating::3.76, FL ID::N/A, STC Rating::28, OITC Data::23

1500 Single Hung - Vent - 2852

Jnits are viewed from the Exterior

ITEM & SIZES	LOCATION / TAG	PRODUCT DESCRIPTION	UNIT PRICE / EXTENDED PRICE
--------------	----------------	---------------------	-----------------------------

Line Item: 300-1 None Assigned
 Quantity: 2
 RO Size: 24" X 38"
 Jnit Size: 23.5" X 37.5"




*** PRODUCT ***
 Row 1 3500 Single Hung - Vent - 1 Units - 23.5W x 37.5H
 *** DIMENSIONS ***
 23.5W x 37.5H
 *** FRAME ***
 East, Vinyl, Frame Type - Fin, Exterior Color - Laminate Black, Interior Finish / Extrusion Color White
 *** GLASS ***
 Glazing Type - Insulated, Dual, Glass Tint - Clear, HP Low-E, Argon Gas, Glass Strength - SSB
 *** GRILLES ***
 Grille Type - GBG, Grille Thickness/Style - 5/8" Flat, Grille Color - Black, Grille Pattern - Colonial
 Top Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 1
 *** SCREEN ***
 Screen - Half, Screen Mesh Type - Charcoal Fiber, Screens Packed Separately - Yes
 *** WRAPPING ***
 Extension Jamb - 4 9/16 Wood, Extension Jamb Type - Primed Finger Jointed, Number of Jamb Sides - Four Sides, J-Channel - None
 *** NFRC ***
 Series 3500::SingleHung, U-Factor::0.3, SHGC::0.2, VT::0.4
 *** Performance ***
 Series 3500::SingleHung, Calculated Positive DP Rating::35.09, Calculated Negative DP Rating::47.2, DP Rule ID::3500 SH, Rating Type::DesignPressure, Performance Grade::R-PG35*, Water Rating::5.43, FL ID::N/A, STC Rating::28, OITC Data::23

1500 Single Hung - Vent - 2032

Jnits are viewed from the Exterior

ITEM & SIZES	LOCATION / TAG	PRODUCT DESCRIPTION	UNIT PRICE / EXTENDED PRICE
--------------	----------------	---------------------	-----------------------------

Line Item: 400-1 None Assigned
 Quantity: 1
 RO Size: 32" X 38"
 Jnit Size: 31.5" X 37.5"




*** PRODUCT ***
 Row 1 3500 Single Hung - Vent - 1 Units - 31.5W x 37.5H
 *** DIMENSIONS ***
 31.5W x 37.5H
 *** FRAME ***
 East, Vinyl, Frame Type - Fin, Exterior Color - Laminate Black, Interior Finish / Extrusion Color White
 *** GLASS ***
 Glazing Type - Insulated, Dual, Glass Tint - Clear, HP Low-E, Argon Gas, Glass Strength - SSB
 *** GRILLES ***
 Grille Type - GBG, Grille Thickness/Style - 5/8" Flat, Grille Color - Black, Grille Pattern - Colonial
 Top Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 1
 *** SCREEN ***
 Screen - Half, Screen Mesh Type - Charcoal Fiber, Screens Packed Separately - Yes
 *** WRAPPING ***
 Extension Jambs - 4 9/16 Wood, Extension Jamb Type - Primed Finger Jointed, Number of Jamb Sides - Four Sides, J-Channel - None
 *** NFRC ***
 Series 3500::SingleHung, U-Factor::0.3, SHGC::0.2, VT::0.4
 *** Performance ***
 Series 3500::SingleHung, Calculated Positive DP Rating::35.09, Calculated Negative DP Rating::47.2, DP Rule ID::3500 SH, Rating Type::DesignPressure, Performance Grade::R-PG35*, Water Rating::5.43, FL ID::N/A, STC Rating::28, OITC Data::23

1500 Single Hung - Vent - 2832

Jnits are viewed from the Exterior

ITEM & SIZES	LOCATION / TAG	PRODUCT DESCRIPTION	UNIT PRICE / EXTENDED PRICE
--------------	----------------	---------------------	-----------------------------

Line Item: 500-1 None Assigned
 Quantity: 1
 RO Size: 47.625" X 46"
 Jnit Size: 47.125" X 45.5"




*** PRODUCT ***
 Row 1 3500 Single Hung - Vent / Vent - 2 Units - 47.125W x 45.5H
 *** DIMENSIONS ***
 23.5W x 45.5H
 *** FRAME ***
 East, Vinyl, Frame Type - Fin, Exterior Color - Laminate Black, Interior Finish / Extrusion Color White
 *** GLASS ***
 Glazing Type - Insulated, Dual, Glass Tint - Clear, HP Low-E, Argon Gas, Tempered Location - Full, Glass Strength - DSB
 *** GRILLES ***
 Grille Type - GBG, Grille Thickness/Style - 5/8" Flat, Grille Color - Black, Grille Pattern - Colonial
 Top Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 1
 *** SCREEN ***
 Screen - Half, Screen Mesh Type - Charcoal Fiber, Screens Packed Separately - Yes
 *** WRAPPING ***
 Wrapping Group 1 Extension Jambs - 4 9/16 Wood, Extension Jamb Type - Primed Finger Jointed, Number of Jamb Sides - Four Sides, J-Channel - NoneWrapping Group 0
 *** MULLS ***
 Vertical CommonFrame 0.125" thick, 45.5" in length
 *** NFRC ***
 Series 3500::SingleHung, U-Factor::0.29, SHGC::0.2, VT::0.4
 *** Performance ***
 Series 3500::SingleHung, Calculated Positive DP Rating::35.09, Calculated Negative DP Rating::47.2, DP Rule ID::3500 SH, Rating Type::DesignPressure, Performance Grade::R-PG35*, Water Rating::5.43, FL ID::N/A, STC Rating::28, OITC Data::23

1500 Single Hung - Vent - 20310

Jnits are viewed from the Exterior

ITEM & SIZES	LOCATION / TAG PRODUCT DESCRIPTION	UNIT PRICE / EXTENDED PRICE
--------------	------------------------------------	-----------------------------

Line Item: 600-1 None Assigned
 Quantity: 1
 RO Size: 32" X 54"
 Jnit Size: 31.5" X 53.5"




*** PRODUCT ***
 Row 1 3500 Single Hung - Vent - 1 Units - 31.5W x 53.5H
 *** DIMENSIONS ***
 31.5W x 53.5H
 *** FRAME ***
 East, Vinyl, Frame Type - Fin, Exterior Color - Laminate Black, Interior Finish / Extrusion Color White
 *** GLASS ***
 Glazing Type - Insulated, Dual, Glass Tint - Clear, HP Low-E, Argon Gas, Glass Strength - DSB
 *** GRILLES ***
 Grille Type - GBG, Grille Thickness/Style - 5/8" Flat, Grille Color - Black, Grille Pattern - Colonial
 Top Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 1
 *** SCREEN ***
 Screen - Half, Screen Mesh Type - Charcoal Fiber, Screens Packed Separately - Yes
 *** WRAPPING ***
 Extension Jamb - 4 9/16 Wood, Extension Jamb Type - Primed Finger Jointed, Number of Jamb Sides - Four Sides, J-Channel - None
 *** NFRC ***
 Series 3500::SingleHung, U-Factor::0.29, SHGC::0.2, VT::0.4
 *** Performance ***
 Series 3500::SingleHung, Calculated Positive DP Rating::35.09, Calculated Negative DP Rating::47.2, DP Rule ID::3500 SH, Rating Type::DesignPressure, Performance Grade::R-PG35*, Water Rating::5.43, FL ID::N/A, STC Rating::28, OITC Data::23

1500 Single Hung - Vent - 2846

Units are viewed from the Exterior

ITEM & SIZES	LOCATION / TAG PRODUCT DESCRIPTION	UNIT PRICE / EXTENDED PRICE
--------------	------------------------------------	-----------------------------

Line Item: 700-1 None Assigned
 Quantity: 1
 RO Size: 47.625" X 24"
 Jnit Size: 47.125" X 23.5"



*** PRODUCT ***
 Row 1 3500 Picture Window - Fixed / Fixed - 2 Units - 47.125W x 23.5H
 *** DIMENSIONS ***
 23.5W x 23.5H
 *** FRAME ***
 East, Vinyl, Frame Type - Fin, Exterior Color - Laminate Black, Interior Finish / Extrusion Color White
 *** GLASS ***
 Glazing Type - Insulated, Dual, Glass Tint - Clear, HP Low-E, Argon Gas, Glass Strength - DSB
 *** GRILLES ***
 Grille Type - GBG, Grille Thickness/Style - 5/8" Flat, Grille Color - Black, Grille Pattern - Colonial
 Single Glass: Grille Division Type - Custom, Number Wide - 2, Number High - 1
 *** WRAPPING ***
 Wrapping Group 1 Extension Jamb - None, J-Channel - None
 Wrapping Group 0
 *** MULLS ***
 Vertical CommonFrame 0.125" thick, 23.5" in length
 *** NFRC ***
 Series 3500::DirectSet, U-Factor::0.27, SHGC::0.22, VT::0.43
 *** Performance ***
 Series 3500::DirectSet, Calculated Positive DP Rating::75.19, Calculated Negative DP Rating::75.19, DP Rule ID::3500 PW, Rating Type::DesignPressure, Performance Grade::LC-PG50*, Water Rating::7.52, FL ID::18644, STC Rating::27, OITC Data::23

1500 Picture Window - Fixed - 2020

Units are viewed from the Exterior