App# SFD 2209-002 Revised House

Harnett County Department of Public Health

Improvement Permit

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: 127 Kingwood Ct (SR 1116) SUBDIVISION Oakmont ISSUED TO: H&H Constructors Site Improvements required prior to Construction Authorization Issuance: EXPANSION REPAIR | NEW X Type of Structure: 36'x62'SFD Proposed Wastewater System Type: 25% reduction Projected Daily Flow: 600 GPD Number of Occupants: 10 max Number of bedrooms 5 X No Basement Tes May be required based on final location and elevations of facilities Pump Required: Tes No Type of Water Supply: Community Public Well Distance from well ______feet X Five years Permit valid for: No expiration The issuance of this permit by the Beach Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules 1950, 1952, 1954, 1955, 1956, 1957, 1958 and 1959 are incorporated by references into this permit and shall be met Systems shall be installed in accordance PROPERTY LOCATION: 127 Kingwood Ct (SR 1116) ISSUED TO: H&H Constructors SUBDIVISION Oakmont LOT # 321 Facility Type: 36'x 62' SFD ☐ Expansion ☐ Repair Basement fixtures? Yes X No Basement? Yes X No (Initial) Wastewater Flow: _____ GPD Type of Wastewater System** 25% reduction (See note below, if applicable) 25% reduction (Repair) Number of trenches 1 Installation Requirements/Conditions Trench Spacing: 9 Feet on Center Exact length of each trench 250 feet Septic Tank Size 1250 gallons Soil Cover: 6 ____inches Pump Tank Size 1000 Trenches shall be installed on contour at a gallons (Maximum soil cover shall not exceed Maximum Trench Depth of: 18-24 inches (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) inches below pipe Pump Requirements: _____ ft. TDH vs. ____ Aggregate Depth: ______ inches above pipe WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. "If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This SEE ATTACHED SITE SKETCH Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit Construction Authorization Expiration Date: 11-1-27

Application # SFD2209-0024 R

Harnett County Department of Public Health Site Sketch

