

# Reaction Summary of Order



REQ. QUOTE DATE	/ /	ORDER #	J0922-4832
ORDER DATE	09/21/22	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000006670
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Rudy Huff	INVOICE #	
COUNTY	Cumberland	TERMS	Net 10 Days
SUPERINTENDANT	Rudy Huff	SALES REP	Neil Baggett
JOBSITE PHONE #	(910) 303-8551	SALES AREA	Hampton Horrocks

SOLD TO	<b>R.G. Williams Const. Co. Inc</b> 1561 Cypress Lakes Rd Hope Mills, NC 28348 (910) 323-4488	<b>JOB NAME:</b> Ringled Residence <b>MODEL:</b> Roof <b>TAG:</b> The Wildwood <b>DELIVERY INSTRUCTIONS:</b>	<b>LOT #</b> TBD <b>SUBDIV:</b> TBD <b>JOB CATEGORY:</b> WCall - Will Call
	<b>R.G. Williams Const.</b> Cumberland County, NC	<b>SPECIAL INSTRUCTIONS:</b>	<b>PLAN SEAL DATE:</b> BY      DATE

<b>BUILDING DEPARTMENT</b>	<b>OVERHANG INFO</b>	<b>HEEL HEIGHT</b>	00-06-08	<b>REQ. LAYOUTS</b>	<b>REQ. ENGINEERING</b>	<b>QUOTE</b>	/ /
Roof Order	END CUT    RETURN PLUMB	<b>GABLE STUDS</b>	24 IN. OC	<b>NONE</b>	JOBSITE    1 CUTTING	<b>LAYOUT</b>	/ /

<b>ROOF TRUSSES</b>	<b>LOADING INFORMATION</b>	TCLL-TCDL-BCLL-BCDL	STRESS INCR.	<b>ROOF TRUSS SPACING:</b> 24.0 IN. O.C. (TYP.)
		20.0,10.0,0.0,10.0	1.15	

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS
		TOP	BOT			TOP	BOT	LEFT	RIGHT	
	1	10.00	0.00	PIGGYBACK A01	40-01-00 40-01-00	2 X 6	2 X 6	01-03-00	01-03-00	Joint 2      Joint 13      Joint 17 476.5 lbs.    1452.7 lbs.    1527.0 lbs. -67.7 lbs.    -88.6 lbs.      -292.4 lbs.
	2	10.00	0.00	PIGGYBACK A02	40-01-00 40-01-00	2 X 6	2 X 6	01-03-00	01-03-00	Joint 2      Joint 13      Joint 17 476.5 lbs.    1452.7 lbs.    1527.0 lbs. -67.7 lbs.    -88.6 lbs.      -292.4 lbs.
	2	10.00	0.00	PIGGYBACK A03	40-01-00 40-01-00	2 X 6	2 X 6	01-03-00	01-03-00	Joint 2      Joint 13      Joint 17 476.5 lbs.    1452.7 lbs.    1527.0 lbs. -67.7 lbs.    -88.6 lbs.      -292.4 lbs.
	2	10.00	0.00	PIGGYBACK A04	40-01-00 40-01-00	2 X 6	2 X 6	01-03-00	01-03-00	Joint 2      Joint 15      Joint 19 510.9 lbs.    1488.3 lbs.    1412.6 lbs. -68.3 lbs.    -97.5 lbs.      -292.5 lbs.
	2	10.00	0.00	PIGGYBACK A05	40-01-00 40-01-00	2 X 6	2 X 6	01-03-00	01-03-00	Joint 2      Joint 12      Joint 16 476.4 lbs.    1450.1 lbs.    1579.8 lbs. -67.3 lbs.    -142.0 lbs.    -274.2 lbs.
	2	10.00	0.00	PIGGYBACK A06	40-01-00 40-01-00	2 X 6	2 X 6	01-03-00	01-03-00	Joint 2      Joint 12      Joint 16 482.5 lbs.    1459.8 lbs.    1479.1 lbs. -64.3 lbs.    -138.4 lbs.    -245.4 lbs.
	2	10.00	0.00	PIGGYBACK A07	33-08-08 33-08-08	2 X 6	2 X 6	01-03-00		Joint 2      Joint 12      Joint 16 494.8 lbs.    785.3 lbs.      1526.9 lbs. -68.9 lbs.    -43.9 lbs.      -220.2 lbs.
	1	10.00	0.00	PIGGYBACK A08	33-09-00 33-09-00	2 X 6	2 X 6	01-03-00		Joint 2      Joint 9      Joint 13 498.9 lbs.    785.3 lbs.      1545.8 lbs. -73.6 lbs.    -50.2 lbs.      -202.8 lbs.
	1	10.00	0.00	PIGGYBACK A09	33-09-00 33-09-00	2 X 6	2 X 6	01-03-00		Joint 2      Joint 9      Joint 13 498.9 lbs.    785.3 lbs.      1545.8 lbs. -73.6 lbs.    -50.2 lbs.      -202.8 lbs.
	2	10.00	0.00	PIGGYBACK A10	33-09-00 33-09-00	2 X 6	2 X 6	01-03-00	01-03-00	Joint 2      Joint 10      Joint 15 498.9 lbs.    864.6 lbs.      1542.8 lbs. -76.8 lbs.    -72.5 lbs.      -197.2 lbs.
	1	10.00	0.00	PIGGYBACK A11	33-09-00 33-09-00	2 X 6	2 X 6	01-03-00	01-03-00	Joint 2      Joint 10      Joint 15 498.9 lbs.    864.6 lbs.      1542.8 lbs. -76.8 lbs.    -72.5 lbs.      -197.2 lbs.

# Reaction Summary of Order



REQ. QUOTE DATE	/ /	ORDER #	J0922-4832
ORDER DATE	09/21/22	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000006670
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Rudy Huff	INVOICE #	
COUNTY	Cumberland	TERMS	Net 10 Days
SUPERINTENDANT	Rudy Huff	SALES REP	Neil Baggett
JOBSITE PHONE #	(910) 303-8551	SALES AREA	Hampton Horrocks

SOLD TO	<b>R.G. Williams Const. Co. Inc</b> 1561 Cypress Lakes Rd Hope Mills, NC 28348 (910) 323-4488	<b>JOB NAME:</b> Ringled Residence <b>MODEL:</b> Roof <b>TAG:</b> The Wildwood <b>DELIVERY INSTRUCTIONS:</b>	<b>LOT #</b> TBD <b>SUBDIV:</b> TBD <b>JOB CATEGORY:</b> WCall - Will Call
	<b>R.G. Williams Const.</b> Cumberland County, NC	<b>SPECIAL INSTRUCTIONS:</b>	

**PLAN SEAL DATE:**  
BY DATE

<b>BUILDING DEPARTMENT</b>	<b>OVERHANG INFO</b>	<b>HEEL HEIGHT</b>	00-06-08	<b>REQ. LAYOUTS</b>	<b>REQ. ENGINEERING</b>	<b>QUOTE</b>	/ /
Roof Order	END CUT	RETURN		<b>NONE</b>		<b>LAYOUT</b>	/ /
	PLUMB		<b>GABLE STUDS</b>		JOBSITE	1	<b>CUTTING</b>

**ROOF TRUSSES**      **LOADING INFORMATION**      **ROOF TRUSS SPACING:** 24.0 IN. O.C. (TYP.)

TCLL-TCDL-BCLL-BCDL	STRESS INCR.
20.0,10.0,0.0,10.0	1.15

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS
		PLY	TOP			BOT	TOP	BOT	LEFT	
	1	10.00	0.00	PIGGYBACK A12	33-05-08 33-05-08	2 X 6	2 X 6			Joint 1      Joint 7      Joint 11 410.9 lbs.      786.8 lbs.      1515.3 lbs. -65.6 lbs.      -50.0 lbs.      -197.8 lbs.
	1	10.00	0.00	PIGGYBACK A13	33-05-08 33-05-08	2 X 6	2 X 6			Joint 1      Joint 7      Joint 11 411.0 lbs.      786.8 lbs.      1515.0 lbs. -65.5 lbs.      -50.0 lbs.      -197.9 lbs.
	1	10.00	0.00	PIGGYBACK A14	33-05-08 33-05-08	2 X 6	2 X 6		01-03-00	Joint 11      Joint 16 1457.1 lbs.      1327.5 lbs. -47.6 lbs.      -38.1 lbs.
	1	10.00	0.00	PIGGYBACK A15	33-05-08 33-05-08	2 X 6	2 X 6		01-03-00	Joint 1      Joint 3      Joint 4      Joint 11      Joint 16 125.8 lbs.      125.8 lbs.      161.6 lbs.      1477.9 lbs.      1421.9 lbs. -22.4 lbs.      -22.4 lbs.      21.3 lbs.      -42.7 lbs.      -45.8 lbs.
	1	10.00	0.00	PIGGYBACK A16	33-05-08 33-05-08	2 X 6	2 X 6		01-03-00	Joint 11      Joint 16 1499.4 lbs.      1487.3 lbs. -36.1 lbs.      -74.4 lbs.
	1	10.00	0.00	PIGGYBACK A17	33-06-08 33-06-08	2 X 6	2 X 6			Joint 9      Joint 14 1482.9 lbs.      1540.9 lbs. -10.7 lbs.      -125.0 lbs.
	1	** **	0.00	ROOF A18	33-06-08 33-06-08	2 X 6	2 X 6			Joint 11      Joint 17 1359.9 lbs.      1576.2 lbs. -15.2 lbs.      -157.3 lbs.
	1	** **	0.00	ROOF A19	33-06-08 33-06-08	2 X 6	2 X 6			Joint 11      Joint 17 1366.6 lbs.      1543.5 lbs. -39.8 lbs.      -147.7 lbs.
	1	** **	0.00	ROOF A20	33-06-08 33-06-08	2 X 6	2 X 6			Joint 11      Joint 17 1455.8 lbs.      1482.8 lbs. -126.0 lbs.      -137.9 lbs.
	1 2 Ply	0.00	0.00	FLAT GIRDER A21-GR	33-06-08 33-06-08	2 X 6	2 X 6			Joint 11      Joint 17 2744.3 lbs.      2913.1 lbs. -888.7 lbs.      -1015.1 lbs.
	1	10.00	0.00	PIGGYBACK A22	29-11-00 29-11-00	2 X 6	2 X 6			Joint 7      Joint 11 1295.5 lbs.      1235.4 lbs. -28.9 lbs.      -8.7 lbs.

# Reaction Summary of Order



REQ. QUOTE DATE	/ /	ORDER #	J0922-4832
ORDER DATE	09/21/22	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000006670
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Rudy Huff	INVOICE #	
COUNTY	Cumberland	TERMS	Net 10 Days
SUPERINTENDANT	Rudy Huff	SALES REP	Neil Baggett
JOBSITE PHONE #	(910) 303-8551	SALES AREA	Hampton Horrocks

SOLD TO	<b>R.G. Williams Const. Co. Inc</b> 1561 Cypress Lakes Rd Hope Mills, NC 28348 (910) 323-4488	<b>JOB NAME:</b> Ringled Residence <b>MODEL:</b> Roof <b>TAG:</b> The Wildwood <b>DELIVERY INSTRUCTIONS:</b>	<b>LOT #</b> TBD <b>SUBDIV:</b> TBD <b>JOB CATEGORY:</b> WCall - Will Call
	<b>R.G. Williams Const.</b> Cumberland County, NC	<b>SPECIAL INSTRUCTIONS:</b>	<b>PLAN SEAL DATE:</b>

<b>BUILDING DEPARTMENT</b>	<b>OVERHANG INFO</b>	<b>HEEL HEIGHT</b>	00-06-08	<b>REQ. LAYOUTS</b>	<b>REQ. ENGINEERING</b>	<b>QUOTE</b>	/ /				
Roof Order	<table border="1"> <tr> <td>END CUT</td> <td>RETURN</td> </tr> <tr> <td></td> <td></td> </tr> </table>	END CUT	RETURN			<b>GABLE STUDS</b>	24 IN. OC	<b>NONE</b>		<b>LAYOUT</b>	/ /
END CUT	RETURN										
					JOBSITE	1	<b>CUTTING</b>	/ /			

<b>ROOF TRUSSES</b>	<b>LOADING INFORMATION</b>	TCLL-TCDL-BCLL-BCDL	STRESS INCR.	<b>ROOF TRUSS SPACING:</b> 24.0 IN. O.C. (TYP.)
		20.0,10.0,0.0,10.0	1.15	

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS	
		TOP	BOT			TOP	BOT	LEFT	RIGHT		
	1	10.00	0.00	ROOF A23	29-11-00 29-11-00	2 X 6	2 X 6			Joint 9 1185.9 lbs. -31.8 lbs.	Joint 13 1194.1 lbs. -5.8 lbs.
	1	10.00	0.00	ROOF A24	29-11-00 29-11-00	2 X 6	2 X 6			Joint 9 1207.5 lbs. -29.0 lbs.	Joint 14 1255.2 lbs. -26.8 lbs.
	1	10.00	0.00	ROOF A25	29-11-00 29-11-00	2 X 6	2 X 6			Joint 12 1306.2 lbs. -112.1 lbs.	Joint 17 1254.8 lbs. -101.9 lbs.
	1 2 Ply	0.00	0.00	FLAT GIRDER A26-GR	29-11-00 29-11-00	2 X 6	2 X 6			Joint 9 2529.7 lbs. -825.6 lbs.	Joint 13 2499.0 lbs. -826.4 lbs.
	1	10.00	0.00	HIP B02	24-10-00 24-10-00	2 X 6	2 X 6	01-03-00	01-03-00	Joint 2 1269.4 lbs. -46.8 lbs.	Joint 5 1269.4 lbs. -46.8 lbs.
	1	10.00	0.00	HIP B03	24-10-00 24-10-00	2 X 6	2 X 6	01-03-00	01-03-00	Joint 2 1179.1 lbs. -55.3 lbs.	Joint 7 1179.1 lbs. -55.3 lbs.
	6	10.00	0.00	COMMON B04	24-10-00 24-10-00	2 X 6	2 X 6	01-03-00	01-03-00	Joint 2 1317.1 lbs. -60.2 lbs.	Joint 10 1317.1 lbs. -60.2 lbs.
	1	10.00	0.00	HIP GIRDER B1-GR	24-10-00 24-10-00	2 X 6	2 X 6	01-03-00	01-03-00	Joint 2 2059.3 lbs. -592.5 lbs.	Joint 6 2057.0 lbs. -593.0 lbs.
	4	10.00	0.00	COMMON C02	15-08-00 15-08-00	2 X 6	2 X 6	01-03-00	01-03-00	Joint 2 775.2 lbs. -44.4 lbs.	Joint 4 775.2 lbs. -44.4 lbs.
	1 2 Ply	10.00	0.00	COMMON C03-GR	15-08-00 15-08-00	2 X 6	2 X 8	01-03-00		Joint 2 3688.8 lbs. -655.5 lbs.	Joint 4 5634.2 lbs. -554.8 lbs.
	1 2 Ply	10.00	0.00	COMMON C04-GR	15-08-00 15-08-00	2 X 6	2 X 8		01-03-00	Joint 1 5031.0 lbs. -543.8 lbs.	Joint 3 3394.1 lbs. -614.7 lbs.

# Reaction Summary of Order



**ROOF & FLOOR TRUSSES & BEAMS**  
 Reilly Road Industrial Park P.O. Box 40408  
 Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	/ /	ORDER #	J0922-4832
ORDER DATE	09/21/22	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000006670
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Rudy Huff	INVOICE #	
COUNTY	Cumberland	TERMS	Net 10 Days
SUPERINTENDANT	Rudy Huff	SALES REP	Neil Baggett
JOBSITE PHONE #	(910) 303-8551	SALES AREA	Hampton Horrocks

SOLID TO SHEET	<b>R.G. Williams Const. Co. Inc</b> 1561 Cypress Lakes Rd Hope Mills, NC 28348 (910) 323-4488	<b>JOB NAME:</b> Ringled Residence <b>MODEL:</b> Roof <b>TAG:</b> The Wildwood <b>DELIVERY INSTRUCTIONS:</b>	<b>LOT #</b> TBD <b>SUBDIV:</b> TBD <b>JOB CATEGORY:</b> WCall - Will Call
	<b>R.G. Williams Const.</b> Cumberland County, NC	<b>SPECIAL INSTRUCTIONS:</b>	

**PLAN SEAL DATE:**  
BY DATE

<b>BUILDING DEPARTMENT</b>	<b>OVERHANG INFO</b>	<b>HEEL HEIGHT</b>	00-06-08	<b>REQ. LAYOUTS</b>	<b>REQ. ENGINEERING</b>	<b>QUOTE</b>	/ /
Roof Order	END CUT	RETURN		<b>NONE</b>		<b>LAYOUT</b>	/ /
	PLUMB	<b>GABLE STUDS</b>	24 IN. OC		JOBSITE	1	<b>CUTTING</b>

<b>ROOF TRUSSES</b>	<b>LOADING INFORMATION</b>	TCLL-TCDL-BCLL-BCDL	STRESS INCR.	<b>ROOF TRUSS SPACING:</b> 24.0 IN. O.C. (TYP.)
		20.0,10.0,0.0,10.0	1.15	

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS				
		TOP	BOT			TOP	BOT	LEFT	RIGHT					
	1	10.00	0.00	ROOF C05-GR	15-08-00 15-08-00	2 X 6	2 X 6		01-03-00	Joint 4 1286.5 lbs. -382.1 lbs.	Joint 7 1373.1 lbs. -380.7 lbs.			
	1 2 Ply	10.00	0.00	COMMON C06-GR	15-08-00 15-08-00	2 X 6	2 X 8		01-03-00	Joint 5 3371.3 lbs. -588.0 lbs.	Joint 9 5036.6 lbs. -518.6 lbs.			
	2	10.00	0.00	COMMON C1GE	15-08-00 15-08-00	2 X 6	2 X 6	01-03-00	01-03-00	Joint 2 185.1 lbs. -53.7 lbs.	Joint 10 174.8 lbs. -17.6 lbs.	Joint 12 165.6 lbs. -100.2 lbs.	Joint 13 189.7 lbs. -123.9 lbs.	Joint 14 181.9 lbs. -91.4 lbs.
	2	10.00	0.00	ROOF M1-GR	06-07-08 06-07-08	2 X 6	2 X 6	01-03-00		Joint 2 348.2 lbs. -83.4 lbs.	Joint 5 270.9 lbs. -154.7 lbs.			
	2	10.00	0.00	GABLE PB1	10-08-09 10-08-09	2 X 4	2 X 4			Joint 1 34.0 lbs. -24.8 lbs.	Joint 2 58.4 lbs. -42.9 lbs.	Joint 6 50.4 lbs. -37.6 lbs.	Joint 7 26.4 lbs. -2.1 lbs.	Joint 8 229.8 lbs. -2.8 lbs.
	2	10.00	0.00	GABLE PB2	10-09-03 10-09-03	2 X 4	2 X 4			Joint 2 359.6 lbs. -69.7 lbs.	Joint 5 354.5 lbs. -62.8 lbs.	Joint 7 175.6 lbs. -32.0 lbs.	Joint 8 170.1 lbs. 39.6 lbs.	
	16	10.00	0.00	PIGGYBACK PB3	10-08-09 10-08-09	2 X 4	2 X 4			Joint 2 253.2 lbs. -29.5 lbs.	Joint 4 253.2 lbs. -40.1 lbs.	Joint 6 400.6 lbs. 10.3 lbs.		
	2	10.00	0.00	GABLE PB4	17-00-09 17-00-09	2 X 4	2 X 4			Joint 1 290.8 lbs. -548.6 lbs.	Joint 2 867.0 lbs. -353.4 lbs.	Joint 7 381.1 lbs. -119.3 lbs.	Joint 8 115.2 lbs. -224.1 lbs.	Joint 9 326.5 lbs. -49.0 lbs.
	2	10.00	0.00	PIGGYBACK PB5	17-00-09 17-00-09	2 X 4	2 X 4			Joint 2 243.5 lbs. -22.5 lbs.	Joint 6 191.0 lbs. 18.7 lbs.	Joint 8 688.8 lbs. -163.6 lbs.	Joint 10 356.4 lbs. 6.8 lbs.	
	1	10.00	0.00	GABLE PB6	17-00-09 17-00-09	2 X 4	2 X 4			Joint 1 110.5 lbs. -143.5 lbs.	Joint 2 263.9 lbs. -42.7 lbs.	Joint 7 123.9 lbs. -10.7 lbs.	Joint 8 16.3 lbs. -9.0 lbs.	Joint 9 308.4 lbs. -136.0 lbs.
	42	10.00	0.00	JACK-OPEN X1	06-06-07 06-06-07	2 X 6	2 X 6	01-03-00		Joint 2 337.4 lbs. 29.7 lbs.	Joint 3 211.5 lbs. -139.7 lbs.	Joint 4 126.6 lbs. 38.0 lbs.		

# Reaction Summary of Order



REQ. QUOTE DATE	/ /	ORDER #	J0922-4832
ORDER DATE	09/21/22	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000006670
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Rudy Huff	INVOICE #	
COUNTY	Cumberland	TERMS	Net 10 Days
SUPERINTENDANT	Rudy Huff	SALES REP	Neil Baggett
JOBSITE PHONE #	(910) 303-8551	SALES AREA	Hampton Horrocks

SOLD TO	<b>R.G. Williams Const. Co. Inc</b> 1561 Cypress Lakes Rd Hope Mills, NC 28348 (910) 323-4488	<b>JOB NAME:</b> Ringled Residence <b>MODEL:</b> Roof <b>TAG:</b> The Wildwood <b>DELIVERY INSTRUCTIONS:</b>	<b>LOT #</b> TBD <b>SUBDIV:</b> TBD <b>JOB CATEGORY:</b> WCall - Will Call
	<b>R.G. Williams Const.</b> Cumberland County, NC	<b>SPECIAL INSTRUCTIONS:</b>	<b>PLAN SEAL DATE:</b>

<b>BUILDING DEPARTMENT</b>	<b>OVERHANG INFO</b>	<b>HEEL HEIGHT</b>	00-06-08	<b>REQ. LAYOUTS</b>	<b>REQ. ENGINEERING</b>	<b>QUOTE</b>	/ /
Roof Order	END CUT PLUMB	RETURN		<b>NONE</b>		LAYOUT	/ /
	<b>GABLE STUDS</b>		24 IN. OC		JOBSITE	1	CUTTING

**ROOF TRUSSES**      **LOADING INFORMATION**      TOLL-TCDL-BCLL-BCDL      STRESS INCR.  
 20.0,10.0,0.0,10.0      1.15      **ROOF TRUSS SPACING:** 24.0 IN. O.C. (TYP.)

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS
		TOP	BOT			TOP	BOT	LEFT	RIGHT	
	7	10.00	0.00	JACK-OPEN Y1	04-05-06 04-05-06	2 X 6	2 X 6	01-03-00		Joint 2      Joint 3      Joint 4 257.6 lbs.      136.2 lbs.      84.8 lbs. 13.5 lbs.      -93.0 lbs.      25.4 lbs.
	8	10.00	0.00	JACK-OPEN Y2	02-05-06 02-05-06	2 X 6	2 X 6	01-03-00		Joint 2      Joint 3      Joint 4 187.9 lbs.      57.7 lbs.      44.8 lbs. -4.7 lbs.      -45.7 lbs.      13.4 lbs.
	1	10.00	0.00	ROOF Y3	04-05-06 04-05-06	2 X 6	2 X 6			Joint 4      Joint 5      Joint 6 128.2 lbs.      78.3 lbs.      175.8 lbs. -80.2 lbs.      13.5 lbs.      13.1 lbs.
	4	12.00	0.00	JACK-OPEN Y4	02-09-04 02-09-04	2 X 6	2 X 6	01-03-00		Joint 2      Joint 3      Joint 4 198.5 lbs.      78.8 lbs.      51.3 lbs. -4.2 lbs.      -76.2 lbs.      -13.2 lbs.
	2	12.00	0.00	JACK-OPEN Y5	02-09-04 02-09-04	2 X 6	2 X 6	01-03-00		Joint 2      Joint 4      Joint 5 198.5 lbs.      62.3 lbs.      45.7 lbs. -32.7 lbs.      -26.7 lbs.      -15.6 lbs.
	4	7.07	0.00	DIAGONAL HIP Z1	09-01-07 09-01-07	2 X 6	2 X 6	01-09-03		Joint 2      Joint 7 492.0 lbs.      458.7 lbs. -51.8 lbs.      -176.4 lbs.

**ITEMS**

QTY	ITEM TYPE	SIZE	LENGTH FT-IN-16	PART NUMBER	NOTES
4	Hangers, USP	HJC26			SIMPSON (THJU26)
12	Hangers, USP	HUS 26			SIMPSON (HUS26)
2	LVL Beams (Sized)	LVL, 1-3/4" x 11-7/8" (S)	36-00-00		FB1
2	LVL Beams (Sized)	LVL, 1-3/4" x 24" (S)	28-00-00		24" LVL is <<ONLY>> sold in 20, 24, 28 or 48 foot lengths!!! (sm) GDH
3	Hangers, USP	THD26-2			SIMPSON (HHUS26-2)