Reaction Summary of Order

ROOF & FLOOR ComTech | TRUSSES & BEAMS Reilly Road Industrial Park P.O. Box 40408

REQ. QUOTE DATE	/ /	ORDER #	J0123-0245
ORDER DATE	01/17/23	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT#	0000007216
DATE OF INVOICE	/ /	CUSTOMER PO#	
ORDERED BY	Shaun Garderner	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Shaun Garderner	SALES REP	Neil Baggett
JOBSITE PHONE #	(910) 988-8172	SALES AREA	Neil Baggett

ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)

Fayetteville, N.C. 28309 (910) 864-TRUS **Precision Custom Homes**

256 Briar Hill Rd. Raeford, NC 28376 (910) 988-8172

SUBDIV: Liberty Meadow JOB NAME: Lot 32 Liberty Meadow **LOT #** 32 JOB CATEGORY: B & S - Build and Ship MODEL:Roof TAG: Hazlitt

DELIVERY INSTRUCTIONS:

52 miles round trip

LOADING

SPECIAL INSTRUCTIONS: Like Lot 11 Liberty Meadows

TCLL-TCDL-BCLL-BCDL STRESS INCR.

PLAN SEAL DATE:

Precision Custom Homes and 18 Brewster Ct. Cameron, NC

ROOF TRUSSES

BUILDING DEPARTMENT	OVERH	ANG INFO	HEEL HEIGHT	00-04-05	R	EQ.	LAYOUTS		REQ.	EN	GINEERING		QUOTE		//
Roof Order	END CUT	RETURN											LAYOUT	NB	01/17/23
	PLUMB		GABLE STUDS	24 IN. OC			JOBSITE	1			JOBSITE	1	CUTTING	NB	01/17/23

NOO! I			IN	FORMATION	20.0,10.0,0	0.0,10.	0	1.15		ROOT TROOD OF ACING, 24.0 IIV. O.O. (TTT.)								
PROFILE	QTY	_	CH	TYPE	BASE O/A	LUN	IBER		HANG	REACTIO	NS							
	PLY	TOP	BOT	I D GABLE	37-04-08	TOP	BOT	LEFT	RIGHT	Joint 2	Joint 22	Joint 23	Joint 24	Joint 25				
	1	4.00	0.00		37-04-08	2 X 6	2 X 6	01-02-08		197.5 lbs.	184.4 lbs.	200.4 lbs.	176.6 lbs.	176.6 lbs.				
	.		****							-95.6 lbs.	-64.6 lbs.	-151.8 lbs.	-87.9 lbs.	-87.0 lbs.				
				ROOF	37-04-08					Joint 2	Joint 9							
	7	4.00	0.00	A2	37-04-08	2 X 6	2 X 6	01-02-08		1555.5 lbs. -117.0 lbs.	1639.6 lbs. -65.6 lbs.							
	2	4.00	0.00	ROOF A3	37-04-08 37-04-08	2 X 6	2 X 6	01-02-08	01-02-08	Joint 2 1550.9 lbs. -116.9 lbs.	Joint 9 1718.0 lbs. -82.2 lbs.							
	3	4.00	0.00	ROOF A4	35-05-00 35-04-08	2 X 6	2 X 6	01-02-08		Joint 2 1463.8 lbs. -114.6 lbs.	Joint 11 1528.6 lbs. -47.7 lbs.							
	2	4.00	0.00	ROOF A5	35-07-00 24-01-08	2 X 6	2 X 6	01-02-08		Joint 2 1022.4 lbs. -46.3 lbs.	Joint 8 1050.3 lbs. -142.3 lbs.							
	1	4.00	0.00	ROOF A6	35-07-00 24-01-08	2 X 6	2 X 6	01-02-08		Joint 2 550.6 lbs. -90.7 lbs.	Joint 8 194.6 lbs. -53.4 lbs.	Joint 10 1343.3 lbs. -139.4 lbs.						
	1	4.00	0.00	ROOF A7	16-10-00 16-07-00	2 X 6	2 X 6	01-02-08		Joint 2 672.7 lbs. -73.5 lbs.	Joint 9 710.1 lbs. -133.1 lbs.							
	1	4.00	0.00	GABLE B1SG	23-00-00 23-00-00	2 X 6	2 X 6	01-02-08	01-02-08	Joint 2 971.7 lbs. -280.2 lbs.	Joint 14 992.3 lbs. -336.6 lbs.							
	5	4.00	0.00	MONOPITCH B2	23-00-00 23-00-00	2 X 6	2 X 6	01-02-08	01-02-08	Joint 2 971.7 lbs. -118.7 lbs.	Joint 8 992.3 lbs. -140.9 lbs.							
	6	4.00	0.00	MONOPITCH B2-A	23-00-00 23-00-00	2 X 6	2 X 6	01-02-08	01-02-08	Joint 2 971.7 lbs. -118.7 lbs.	Joint 10 1115.9 lbs. -140.9 lbs.							
	1	4.00	0.00	GABLE B3SG	23-00-00 23-00-00	2 X 6	2 X 6	01-02-08	01-02-08	Joint 2 971.7 lbs. -280.2 lbs.	Joint 11 992.3 lbs. -336.6 lbs.							

Reaction Summary of Order

ROOF & FLOOR ComTech TRUSSES & BEAMS Reilly Road Industrial Park P.O. Box 40408

REQ. QUOTE DATE	/ /	ORDER #	J0123-0245
ORDER DATE	01/17/23	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT#	0000007216
DATE OF INVOICE	/ /	CUSTOMER PO#	
ORDERED BY	Shaun Garderner	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Shaun Garderner	SALES REP	Neil Baggett
JOBSITE PHONE #	(910) 988-8172	SALES AREA	Neil Baggett

Precision Custom Homes 256 Briar Hill Rd. Raeford, NC 28376

(910) 988-8172

20 10 10

T O

T

Fayetteville, N.C. 28309 (910) 864-TRUS

JOB NAME: Lot 32 Liberty Meadow **LOT #** 32 **SUBDIV:**Liberty Meadow MODEL: Roof TAG: Hazlitt JOB CATEGORY: B & S - Build and Ship

DELIVERY INSTRUCTIONS:

52 miles round trip

Precision Custom Homes and 18 Brewster Ct. Cameron, NC

LOADING

SPECIAL INSTRUCTIONS: Like Lot 11 Liberty Meadows

TCLL-TCDL-BCLL-BCDL

PLAN SEAL DATE:

DATE

BUILDING DEPARTMENT OVERHANG INFO HEEL HEIGHT 00-04-05 REQ. LAYOUTS REQ. ENGINEERING QUOTE LAYOUT NB END CUT RETURN 01/17/23 Roof Order GABLE STUDS CUTTING NB 01/17/23 PLUMB 24 IN. OC JOBSITE JOBSITE

STRESS INCR.

ROOF T	RUS	SES		DADING	TCLL-TCDL-B			RESS INCR.	RO	OF TRUSS S	PACING: 24.0	IN. O.C. (TYP	.)	
				FORMATION	20.0,10.0,0			1.15				-	-	
PROFILE	QTY		СН	TYPE	BASE O/A				HANG	REACTIO	NS			
	PLY	TOP	BOT	ID		TOP	ВОТ	LEFT	RIGHT					
		4.00		MONOPITCH B4	17-08-08	2 V C	2 V C	04 00 00	04 00 00	Joint 2	Joint 9			
	3	4.00	0.00	Б4	17-08-08	2 1 0	2 1 0	01-02-08	01-02-08	754.0 lbs.	791.3 lbs.			
										-98.7 lbs.	-111.2 lbs.			
_				GABLE	17-08-08					Joint 2	Joint 9			
	1	4.00	0.00	B5SG	17-08-08	2 X 6	2 X 6	01-02-08	01-02-08	759.7 lbs.	781.0 lbs.			
										-226.3 lbs.	-269.3 lbs.			
_				MONOPITCH	15-01-00					Joint 2	Joint 7			
	8	4.00	0.00	B6	15-01-00	2 X 6	2 X 6	01-02-08	01-02-08	654.5 lbs.	676.2 lbs.			
										-90.1 lbs.	-100.5 lbs.			
				GABLE	15-01-00					Joint 2	Joint 12	Joint 13	Joint 14	Joint 15
	1	4.00	0.00			2 X 6	2 X 6	01-02-08	01-02-08	168.1 lbs.	180.6 lbs.	134.5 lbs.	163.4 lbs.	159.4 lbs.
										-29.8 lbs.	-106.1 lbs.	-35.6 lbs.	-56.9 lbs.	-57.5 lbs.
							l			20.0 100.	100.1100.	00.0 100.	00.0 150.	07.0 100.
				MONOPITCH	12-08-00					Joint 10	Joint 11	Joint 12	Joint 13	Joint 14
-111	1	4.00	0.00			2 X 6	2 X 6	01-02-08	01-02-08					
	'	4.00	0.00	OTOL	12 00 00	2 / 0	2 7 0	01 02 00	01 02 00	141.8 lbs.	235.4 lbs.	162.6 lbs.	161.5 lbs.	162.2 lbs.
										-232.2 lbs.	-22.9 lbs.	-48.6 lbs.	-60.7 lbs.	-60.0 lbs.
				GABLE	14-05-00	0 1/ 0	0 1/ 0	04 00 00	04 00 00	Joint 2	Joint 4	Joint 6	Joint 8	Joint 10
	1	4.00	0.00	D1GE	14-05-00	2 X 6	2 X 6	01-02-08	01-02-08	208.0 lbs.	99.4 lbs.	84.3 lbs.	301.3 lbs.	189.9 lbs.
										-45.2 lbs.	-34.8 lbs.	7.6 lbs.	-20.7 lbs.	-114.7 lbs.
_	1			MONOPITCH	14-05-00					Joint 1	Joint 7			
	2 Ply	4.00	0.00	D2	14-05-00	2 X 6	2 X 10)	01-02-08	6557.0 lbs.	5420.6 lbs.			
										-342.1 lbs.	-335.3 lbs.			
-m				GABLE	06-05-08					Joint 2	Joint 6			
	1	4.00	0.00	G1SG	06-05-08	2 X 4	2 X 6	01-02-08		332.9 lbs.	235.4 lbs.			
										-193.9 lbs.	-148.7 lbs.			
				MONOPITCH	06-05-08					Joint 2	Joint 4			
	3	4.00	0.00	G2	06-05-08	2 X 4	2 X 6	01-02-08		332.9 lbs.	235.4 lbs.			
										-135.0 lbs.	-101.7 lbs.			
										1				
				MONOPITCH	02-00-00					Joint 2	Joint 5			
	1	8.00	0.00			2 X A	2 X 6	01-02-08	01-06-00	112.5 lbs.	222.8 lbs.			
4	'	0.00	0.50		== == ==			32 30		-12.0 lbs.	-175.5 lbs.			
					<u> </u>		l I	<u> </u>	<u> </u>	-12.0 IDS.	-170.5 IDS.			
				MONORITO	00.00.00					laint C	Initiat 5			
	_	0.00	0.00	MONOPITCH	02-00-00	2 V C	2 V E	01-02-08	01.06.00	Joint 2	Joint 5			
	5	8.00	0.00	P2	02-00-00	4 1 0	۵۸۵	01-02-08	01-00-00	105.6 lbs.	212.7 lbs.			
										-11.2 lbs.	-139.1 lbs.			

Reaction Summary of Order ROOF & FLOOR ComTech TRUSSES & BEAMS

Reilly Road Industrial Park P.O. Box 40408 Fayetteville, N.C. 28309 (910) 864-TRUS

	DATE	71/11/20 TAGE 0
/ /	ORDER #	J0123-0245
01/17/23	QUOTE #	
/ /	CUSTOMER ACCT#	0000007216
/ /	CUSTOMER PO#	
Shaun Garderner	INVOICE #	
Harnett	TERMS	
Shaun Garderner	SALES REP	Neil Baggett
(910) 988-8172	SALES AREA	Neil Baggett
	/ / / / Shaun Garderner Harnett Shaun Garderner	/ / ORDER # 01/17/23 QUOTE # / / CUSTOMER ACCT # / / CUSTOMER PO # Shaun Garderner INVOICE # Harnett TERMS Shaun Garderner SALES REP

Precision Custom Homes 256 Briar Hill Rd. Raeford, NC 28376 (910) 988-8172

Precision Custom Homes and

18 Brewster Ct.

Cameron, NC

T

Roof Order

JOB NAME: Lot 32 Liberty Meadow MODEL: Roof TAG: Hazlitt **LOT #** 32 **SUBDIV:**Liberty Meadow JOB CATEGORY: B & S - Build and Ship

DELIVERY INSTRUCTIONS:

52 miles round trip

SPECIAL INSTRUCTIONS: Like Lot 11 Liberty Meadows

PLAN SEAL DATE:

DATE

BUILDING DEPARTMENT OVERHANG INFO HEEL HEIGHT 00-04-05 REQ. LAYOUTS REQ. ENGINEERING QUOTE LAYOUT NB END CUT RETURN 01/17/23 **CUTTING** NB 01/17/23 PLUMB **GABLE STUDS** 24 IN. OC JOBSITE JOBSITE

ROOF T	RUS	SES		DADING FORMATION	TCLL-TCDL-B0		_	1.15	ROC	ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)							
PROFILE	QTY	PIT	CH	TYPE		:	IBER	OVER	HANG	REACTIO	NS		\Box				
	PLY	TOP	BOT	ID	O/A	TOP	BOT	LEFT	RIGHT	KEAGIIO	110						
4				MONOPITCH	02-00-00					Joint 2	Joint 4						
	6	8.00	0.00	P3	02-00-00	2 X 6	2 X 6	01-02-08	01-06-00	156.8 lbs.	59.5 lbs.						
										-3.1 lbs.	-27.1 lbs.						
A	1	8.00	0.00	MONOPITCH P4GE	02-00-00 02-00-00	2 X 6	2 X 6	01-02-08	01-06-00	Joint 2 155.1 lbs. -25.1 lbs.	Joint 4 63.7 lbs. -45.6 lbs.						
	1	4.00	0.00	GABLE VD1	09-02-13 09-02-13	2 X 4	2 X 4		01-04-00	Joint 1 136.9 lbs. 13.5 lbs.	Joint 5 226.0 lbs. -67.5 lbs.	Joint 6 378.4 lbs. -55.3 lbs.					
	1	4.00	0.00	VALLEY VD2	05-02-13 05-02-13	2 X 4	2 X 4		01-04-00	Joint 1 138.2 lbs. 1.1 lbs.	Joint 5 290.1 lbs. -67.9 lbs.						

ITEMS

QTY	ITEM TYPE	SIZE	LENGTH FT-IN-16	PART NUMBER	NOTES
7	Hangers, USP	HUS 26			SIMPSON (HUS26)

0000007216 **DELIVERY DATE** / / **CUSTOMER ACCT# ROOF & FLOOR** DATE OF INVOICE 1 1 **CUSTOMER PO#** ComTech TRUSSES & BEAMS ORDERED BY Shaun Garderner **INVOICE #** COUNTY Harnett **TERMS** Reilly Road Industrial Park P.O. Box 40408 Fayetteville, N.C. 28309 (910) 864-TRUS SUPERINTENDANT Shaun Garderner **SALES REP** Neil Baggett (910) 988-8172 Neil Baggett **JOBSITE PHONE # SALES AREA LOT #** 32 **Precision Custom Homes** JOB NAME: Lot 32 Liberty Meadow SUBDIV: Liberty Meadow SOLD 256 Briar Hill Rd. MODEL: Floor TAG: Hazlitt JOB CATEGORY: B & S - Build and Ship Raeford, NC 28376 **DELIVERY INSTRUCTIONS:** Т 52 MILES ROUND TRIP (910) 988-8172 S H I P **Precision Custom Homes and** SPECIAL INSTRUCTIONS: 18 Brewster Ct. Like Lot 11 Liberty Meadows ТО Cameron, NC **PLAN SEAL DATE:** DATE BY HEEL HEIGHT 00-04-05 **BUILDING DEPARTMENT OVERHANG INFO REQ. LAYOUTS REQ. ENGINEERING** QUOTE END CUT RETURN LAYOUT NB 01/17/23 Floor Order **CUTTING** NB 01/17/23 **GABLE STUDS** 24 IN. OC PLUMB JOBSITE JOBSITE **LOADING** TCLL-TCDL-BCLL-BCDL STRESS INCR. FLOOR TRUSSES FLOOR TRUSS SPACING: 24.0 IN. O.C. (TYP.) **INFORMATION** 40.0,10.0,0.0,5.0 1.00 **FLOOR** QTY DEPTH BASE O/A END TYPE **INT BEARING REACTIONS** SPAN **PROFILE** PLY ID **SPAN** LEFT RIGHT SIZE LOCATION 01-04-00 Joint 14 Joint 15 Joint 16 Joint 17 Joint 18 _____ ET1 15-00-08 15-00-08 82.7 lbs 160.8 lbs 142.7 lbs. 147.7 lbs 146.4 lbs. Joint 29 01-04-00 Joint 17 22-11-00 22-11-00 1239.8 lbs. 1239.8 lbs. 8 F1 609.9 lbs. 606.2 lbs 01-04-00 Joint 17 Joint 29 22-11-00 22-11-00 1106.2 lbs. 1776.9 lbs. 686.2 lbs. 1354.5 lbs. Joint 16 Joint 19 Joint 26 01-04-00 22-07-08 22-07-08 F2 433.2 lbs. 1309.5 lbs. 759.5 lbs. 81.0 lbs. 697.4 lbs. 199.0 lbs. Joint 11 Joint 18 01-04-00 8 15-00-08 15-00-08 807.3 lbs. 807.3 lbs F3 426 7 lbs 403 7 lbs 01-04-00 Joint 1 Joint 7 07-05-08 F4 07-05-08 435.6 lbs. 627.5 lbs. 265.4 lbs. 489.4 lbs. Joint 7 Joint 10 01-01-00 07-11-00 07-11-00 1735.2 lbs. 1735.2 lbs. FG1 **ITEMS LENGTH** QTY **ITEM TYPE** SIZE PART NUMBER **NOTES** FT-IN-16 Hangers, USP HUS 410 SIMPSON (HUS410) 8 LVL Beams (Sized) LVL, 1-3/4" x 16" (S) 09-00-00 FB1

REQ. QUOTE DATE

ORDER DATE

//

01/17/23

Reaction Summary of Order

DATE 01/17/23

J0123-0246

ORDER#

QUOTE #

PAGE 1

Reaction Summary of Order

ROOF & FLOOR

ComTech | TRUSSES & BEAMS Reilly Road Industrial Park P.O. Box 40408 Fayetteville, N.C. 28309 (910) 864-TRUS

		Ditte	71711720 17102 2
REQ. QUOTE DATE	/ /	ORDER #	J0123-0246
ORDER DATE	01/17/23	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT#	0000007216
DATE OF INVOICE	/ /	CUSTOMER PO#	
ORDERED BY	Shaun Garderner	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Shaun Garderner	SALES REP	Neil Baggett
JOBSITE PHONE #	(910) 988-8172	SALES AREA	Neil Baggett

Precision Custom Homes 256 Briar Hill Rd. Raeford, NC 28376 (910) 988-8172

JOB NAME: Lot 32 Liberty Meadow **LOT #** 32 SUBDIV: Liberty Meadow JOB CATEGORY: B & S - Build and Ship MODEL: Floor TAG: Hazlitt

DELIVERY INSTRUCTIONS: 52 MILES ROUND TRIP

Precision Custom Homes and 18 Brewster Ct. Cameron, NC

SPECIAL INSTRUCTIONS: Like Lot 11 Liberty Meadows

PLAN SEAL DATE:

BUILDING DEPARTMENT	OVERHA	ANG INFO	HEEL HEIGHT	00-04-05	RE	Q. I	LAYOUTS		REQ.	EN	GINEERING		QUOTE		11
Floor Order	END CUT	RETURN											LAYOUT	NB	01/17/23
	PLUMB		GABLE STUDS	24 IN. OC			JOBSITE	1			JOBSITE	1	CUTTING	NB	01/17/23

ITEMS

20 10 10

SHIP

QTY	ITEM TYPE	SIZE	LENGTH FT-IN-16	PART NUMBER	NOTES
2	LVL Beams (Sized)	LVL, 1-3/4" x 16" (S)	07-00-00		FB2
2	LVL Beams (Sized)	LVL, 1-3/4" x 18" (S)	23-00-00		DB1