



Builders First Source

23 Red Cedar Way Apex, NC 27523 Phone: (919) 363-4956 Fax: (919) 387-8565 http://www.bldr.com

- General Notes:
 Per ANSI/TPI 1-2002 all " Truss to Wall" connections are the responsibility of the Building Designer, not the Truss Manufacturer.
- Dimensions are Feet-Inches- Sixteenths.
- Trusses are to be 24" o.c. unless noted otherwise (U.N.O.)
- Trusses are not designed to support brick U.N.O.
- Do not cut or modify trusses without first contacting Builders FirstSource.
- Immediately contact Builders FirstSource if trusses are damaged.

 Connection Notes:

- All hangers are to be Simpson or equivalent U.N.O.
- Use Manufacturer's specifications for all hanger connections U.N.O.
 - Use 10d x 1 1/2" Nails in hanger connections to single ply

Floor Notes:

- Shift truss as required to avoid plumbing traps.
- Installation Contractor and/or Field Supervisor are to verify all dimensions, trap locations, and options prior to installation

Dimension Notes:

- Drawing not to scale. Do not scale dimensions

Hanger List					All Tie Downs H2.5A Unless noted			
9 7			Special Items List					
/	HIU	26	MJ Fe					
				<u>Misc Material</u>				
MATTAMY								
SHENANDOAH					Elev:		FRENCH	
PROVIDENC					CE CREEK			
WAKE NC				2	Lot:		74	
COVERED PATIO.					Appwright #			
					3314687			
MASTER TRAY					Code:	.	IRC 2015	
					<u>Loading:</u>			
					T.C.L.L		20.0 lb/ft2	
Designe			ABS		T.C.D.I		10.0 lb/ft2	
Layout	: FC			GR	B.C.L.L		0.0 lb/ft2	
/O Date	e <i>:</i>	10/10	0/22		B.C.D.L		10.0 lb/ft2	
Revision History					<u>Wind:</u>			
Rev1:	xx/xx/xx			M.P.H.		115		
Rev2:	xx/xx/xx			Exposure Category				
Rev3:	xx/xx/xx			В				
Pick Ticket:					Job No	i.		
Sales No:				Acct No	2:			

Hatch Legend

Volume Ceiling Stick Framing