



**SPACE TRUSSES 2' O.C. UNLESS A WIDE P.D.S. IS GOING TO BE INSTALLED. IF WIDE P.D.S. IS USED, FOLLOW SPECIAL TRUSS SPACING AS NOTED ON LAYOUT, & ATTACH 2X4 LEDGERS TO TOP & BOTTOM CHORDS W/ 12d NAILS @ 16" O.C.**

- General Notes:**
- Per ANSI/TPI 1-2002 all "Truss to Wall" connections are the responsibility of the Building Designer, not the Truss Manufacturer.
  - Dimensions are Feet-Inches- Sixteenths.
  - Trusses are to be 24" o.c. unless noted otherwise (U.N.O.)
  - Trusses are not designed to support brick U.N.O.
  - Do not cut or modify trusses without first contacting Builders FirstSource.
  - Immediately contact Builders FirstSource if trusses are damaged.
- Connection Notes:**
- All hangers are to be Simpson or equivalent U.N.O.
  - Use Manufacturer's specifications for all hanger connections U.N.O.
  - Use 10d x 1 1/2" Nails in hanger connections to single ply roof girder trusses.
- Floor Notes:**
- Shift truss as required to avoid plumbing traps.
  - Installation Contractor and/or Field Supervisor are to verify all dimensions, trap locations, and options prior to installation
- Dimension Notes:**
- Drawing not to scale. Do not scale dimensions

Hanger List		All Tie Downs H2.5A Unless noted	
5	LUS24	U14	
19	HTU26	M16	
1	HTS20		
4	TBE4	I1	

  

Special Items List	

  

Misc Material	

  

MATTAMY HOMES			
ALLEGHENY	Elev:	FRENCH COUNTRY	
PROVIDENCE CREEK			
WAKE	NC	Lot:	75
SCREEN PORCH			
Appwright #			
---			
Code: IRC 2015			
Loading:			
T.C.L.L.		20.0 lb/ft2	
T.C.D.L		10.0 lb/ft2	
B.C.L.L.		0.0 lb/ft2	
B.C.D.L.		10.0 lb/ft2	

  

Designed By:	MWA		
Layout:	ALLEGHENY	B.C.L.L.	0.0 lb/ft2
L/O Date:	01/27/2023	B.C.D.L.	10.0 lb/ft2

  

Revision History		Wind:	
Rev1:	xx/xx/xx	M.P.H.	115
Rev2:	xx/xx/xx	Exposure Category	
Rev3:	xx/xx/xx	B	

  

Pick Ticket:	---	Job No.:	---
Sales No.:	---	Acct No.:	---

Hatch Legend	
	Attic Room
	Volume Ceiling
	Stick Framing