## Harnett County Department of Public Health

Improvement Permit


A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: 52 Thomas Gage Dr ISSUED TO: KB Home Raleigh SUBDIVISION Birchwood Grove EXPANSION REPAIR Site Improvements required prior to Construction Authorization Issuance: NEW X Type of Structure: SFD (50'x40') Proposed Wastewater System Type: AT GRADE25%RedSys Projected Daily Flow: 480 Number of bedrooms: 4 Number of Occupants: 8 Basement Yes X No No May be required based on final location and elevations of facilities Pump Required: Yes Type of Water Supply: Community Public Well Distance from well \_\_\_\_\_\_feet X Five years Permit valid for: No expiration Permit conditions: Date: 12/22/22 RGHS SEE ATTACHED SITE SKETCH Authorized State Agent:: \_ The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958 and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. ISSUED TO: KB Home Raleigh PROPERTY LOCATION: 52 Thomas Gage SUBDIVISION Birchwood Grove LOT # 91 Facility Type: SFD(50'x40') New Expansion Repair Basement? TYes No Basement Fixtures? Yes Type of Wastewater System\*\* AT GRADE 25% Reduction System (Initial) Wastewater Flow: 480 (See note below, if applicable ) AT GRADE 25% Red Sys (Repair) Number of trenches 1 Installation Requirements/Conditions Septic Tank Size 1250 gallons Trench Spacing: 9 Feet on Center Exact length of each trench 355 feet Pump Tank Size \_\_\_\_\_gallons Soil Cover: 6\_\_\_\_\_inches Trenches shall be installed on contour at a Maximum Trench Depth of: 12 \_\_\_\_\_inches (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: \_\_\_\_\_ ft. TDH vs. \_\_\_\_ GPM inches below pipe Aggregate Depth: inches above pipe Conditions: Minimum of 6" of cover needed over drain field inches total WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. \*\*If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: \_ This Construction Authorization is subject to revocation: If the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This SEE ATTACHED SITE SKETCH Construction Authorization is Subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. Date: 12/22/22 Authorized State Agent: \_ Construction Authorization Expiration Date: 12/22/27 \_

## Harnett County Department of Public Health Site Sketch

Property Location: 52 Thomas Gage Dr

Issued To: KB Home Raleigh Subdivision Brichwood Grove Lot # 91

Authorized State Agent: CLIVER TOLISSPORE Date: 12/22/22



This drawing is for illustrative purposes only. System installation must meet all pertinent laws, rules, and regulations.