## Harnett County Department of Public Health

Improvement Permit

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: 117 Russell Dr ISSUED TO: Josh Blackmon SUBDIVISION LOT # REPAIR EXPANSION Site Improvements required prior to Construction Authorization Issuance: Type of Structure: SFD (69'x69') Proposed Wastewater System Type: 25% Reduction System Projected Daily Flow: 360 GPD Number of Occupants: 6 Number of bedrooms: 3 X No Basement Yes Pump Required: Yes ☐ No May be required based on final location and elevations of facilities Type of Water Supply: Community Public Well Distance from well feet Five years Permit conditions: Remove stump pile. Fence off septic drain field area. No expiration Date: 5/10/23 Authorized State Agent:: SEE ATTACHED SITE SKETCH The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958. and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. PROPERTY LOCATION: ISSUED TO: NOISIVIDAUS Repair Facility Type: Expansion Basement? Yes No Basement Fixtures? Yes ☐ No Type of Wastewater System\*\* (Initial) Wastewater Flow: GPD (See note below, if applicable ) Installation Requirements/Conditions Number of trenches Septic Tank Size gallons Trench Spacing: \_\_\_\_\_ Feet on Center Exact length of each trench Pump Tank Size \_\_\_\_\_gallons Soil Cover: \_\_\_\_ Trenches shall be installed on contour at a Maximum Trench Depth of: inches (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: \_\_\_\_\_ ft. TDH vs. \_\_\_\_ inches below pipe Aggregate Depth: \_\_\_\_\_\_ inches above pipe Conditions: WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. \*\*If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: \_ This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. Authorized State Agent: \_\_\_\_\_ Date: Construction Authorization Expiration Date: