Department of Environment, Health and Natural Resources Division of Environmental Health On-Site Wastewater Section Sheet: Property ID: Lot #: File #:

Code:

SA 2212-0022

## SOIL/SITE EVALUATION for ON-SITE WASTEWATER SYSTEM

Applicant: Doth Finde Owner: Date Evaluated: 1-72-23 Address: Design Flow (.1949):426 Proposed Facility: Property Size: Location of Site: Property Recorded: Public Individual Water Supply: ☐ Spring Other Evaluation Method: Auger Boring ☐ Pit ☐ Cut Type of Wastewater: Sewage ☐ Industrial Process ☐ Mixed

	.1940 Landscape Position/ Slope %	Horizon Depth (In.)	SOIL MORPHOLOGY .1941		OTHER PROFILE FACTORS				
⊒ ‡			.1941 Structure/ Texture	.1941 Consistence Mineralogy	.1942 Soil Wetness/ Color	.1943 Soil Depth (IN.)	.1956 Sapro Class	.1944 Restr Horiz	Profile Class & LTAR
2	L-3-4%	0-14	SL.	FRENDSWP					
		14-42	SatyChy	Franksor Busses.P	30.32" 21				٠,3
			,						
				-					

Description	Initial	Repair System	Other Factors (.1946):
	System		Site Classification (.1948):
Available Space (.1945)			Evaluated By: 17
System Type(s)	25%	50020	Others Present:
Site LTAR	- 3	.3	

COMMENTS: \_\_\_\_

LANDSCAPE POSITIONS	GROUP	TEXTURES	. <u>1955 LTAR</u>	CONSISTENCE MOIST	WET
R-RIDGE S-SHOULDER SLOPE L-LINEAR SLOPE	I	S-SAND LS-LOAMY SAND	1.2 - 0.8	VFR-VERY FRIABLE FR-FRIABLE	NS-NON-STICKY SS-SLIGHTY STICKY
FS-FOOT SLOPE N-NOSE SLOPE H-HEAD SLOPE	П	SL-SANDY LOAM L-LOAM	0.8 - 0.6	FI-FIRM VFI-VERY FIRM EFI-EXTREMELY FIRM	S-STICKY VS-VERY STICKY NP-NON-PLASTIC
CC-CONCLAVE SLOPE CV-CONVEX SLOPE T-TERRACE FP-FLOOD PLAN	Ш	SI-SILT SIL-SILT LOAM CL-CLAY LOAM SCL-SANDY CLAY LOAM	0.6 - 0.3		SP-SLIGHTLY STICKY P-PLASTIC VP-VERY PLASTIC

IVSIC-SILTY CLAY 0.4 - 0.1

C-CLAY SC-SANDY CLAY

MINERALOGY

**STRUCTURE** SG-SINGLE GRAIN M- MASSIVE

CR-CRUMB

GR-GRANULAR SBK-SUBANGULAR BLOCKY

ABK-ANGULAR BLOCKY

PL-PLATY

SLIGHTLY EXPANSIVE **EXPANSIVE** 

PR-PRISMATIC Show profile locations and other site features (dimensions, references or benchmark, and North) 36

I, MICHAEL P. GRIFFIN , certify that under my direction and supervision this map was drawn from an actual field survey, that the error of closure of the survey as calculated by coordinates is 1: 10,000+; that the area shown hereon was calculated by coordinates. Witness my hand and seal this day of MONTH 2022. N/F MARY MARGARET TRIPP HETHER DB 4128 PG 333 N 86°22'34" E - 100.00' 500 20,000 SQ 0.46 AC 0 50 PATIO 28.00 ENGAGE 36.0 36.0' CONC 42.0' I O' UTILITY EASEMENT 5 86°22'34" W

JAMES ALLEN LANE 50' RW (PUBLIC & UTILITY ACCESS)

SETBACKS

FRONT REAR SIDE 40' 40' 12'

BENJAMINE TRIPP IN