Department of Environment, Health and Natural Resources Division of Environmental Health On-Site Wastewater Section Sheet: Property ID:

Lot #: File #:

Code:

SAD ZZIZ-0039

## SOIL/SITE EVALUATION for ON-SITE WASTEWATER SYSTEM

			0			1 2 + 7
Owner:	Applicant:	cant	Flow (1949): 493			(0/2)
Address:	. *	Date E	Evaluated: 1-25			Schahert
Proposed Facility:	300	Design	Flow (.1949): 480	Property Size:		Cusses
Location of Site:		Proper	ty Recorded:			ansig
Water Supply:	P	ablic In	dividual Well	☐ Spring	Other	8
Evaluation Metho	d; Auger Bori	ng	☐ Pit [	Cut		9
Type of Wastewar	ter:	ewage	☐ Industrial Proces	ss Mixed		
P						
D						

R	.1940	0.00	SOIL MORPHOLOGY .1941		OTHER PROFILE FACTORS				
L Landscape E Position/ # Slope %	Horizon Depth (In.)	.1941 Structure/ Texture	.1941 Consistence Mineralogy	.1942 Soil Wetness/ Color	.1943 Soil Depth (IN.)	.1956 Sapro Class	.1944 Restr Horiz	Profile Class & LTAR	
Z	L-34%	0-14	5L	AGRNSNP					PS
	y 1	14-40	Stilly Clay	FICRUSUP FINSBKS.C.	32" 25/pc				63
			Copal	-					
				2.2	-				
								.1,	
					*				
							4 1	+	
					) e <sup>1</sup>				+
							11		
	2								
-									

Description	Initial	Repair System	Other Factors (.1946):
	System		Site Classification (.1948):
Available Space (.1945)	-/		Evaluated By: The
System Type(s)	25020	25%/502	Others Present:
Site LTAR	. 3	-3	

COMMENTS:

LANDSCAPE POSITIONS	<u>GROUP</u>	TEXTURES	. <u>1955 LTAR</u>	CONSISTENCE MOIST	WET
R-RIDGE	I	S-SAND	1.2 - 0.8	VED VEDV EDIADI E	NO NON STIGNA
S-SHOULDER SLOPE L-LINEAR SLOPE		LS-LOAMY SAND		VFR-VERY FRIABLE FR-FRIABLE	NS-NON-STICKY SS-SLIGHTY STICKY
FS-FOOT SLOPE	П	SL-SANDY LOAM	0.8 - 0.6	FI-FIRM	S-STICKY
N-NOSE SLOPE H-HEAD SLOPE		L-LOAM		VFI-VERY FIRM EFI-EXTREMELY FIRM	VS-VERY STICKY NP-NON-PLASTIC
CC-CONCLAVE SLOPE	Ш	SI-SILT	0.6 - 0.3		SP-SLIGHTLY STICKY
CV-CONVEX SLOPE		SIL-SILT LOAM			P-PLASTIC
T-TERRACE		CL-CLAY LOAM			VP-VERY PLASTIC
FP-FLOOD PLAN		SCL-SANDY CLAY LOAM			

IV SIC-SILTY CLAY C-CLAY

0.4 - 0.1

SC-SANDY CLAY

STRUCTURE SG-SINGLE GRAIN M- MASSIVE CR-CRUMB GR-GRANULAR SBK-SUBANGULAR BLOCKY ABK-ANGULAR BLOCKY

MINERALOGY SLIGHTLY EXPANSIVE

**EXPANSIVE** 


PL-PLATY

PR-PRISMATIC Show profile locations and other site features (dimensions, references or benchmark, and North) 100 (4) 100

I, MICHAEL P. GRIFFIN , certify that under my direction and supervision this map was drawn from an actual field survey; that the error of closure of the survey as calculated by coordinates is 1: 10,000+; that the area shown hereon was calculated by coordinates.

BK 2022 PAGE 22G-227
HARNETT CO. REGISTRY

Witness my hand and seal this day of MONTH 2022.



## MARY ROBERTSON STREET

50' R/W (PUBLIC & UTILITY ACCESS)

SETBACKS FRONT 40'

FRONT REAR SIDE

40' 12'

BENJAMINE